



Alan Can

Census REF hE 18 1982 .B87x 1984 [v.3] no.22 c.1

1982 Census of Transportation

TC82-T-22

TRUCK INVENTORY AND USE SURVEY

Massachusetts



The publications
from the 1982 Economic and
Agriculture Censuses are dedicated
to the memory of Shirley Kallek,
Associate Director for Economic Fields.
During her career at the Bureau of the
Census (1955 to 1983), she continually
directed efforts to improve
the timeliness and accuracy of
economic statistics.

1982 Census of Transportation

TC82-T-22

TRUCK INVENTORY AND USE SURVEY

Massachusetts

Issued June 1985



U.S. Department of Commerce
Malcolm Baldrige, Secretary
Clarence J. Brown, Deputy Secretary
Sidney Jones, Under Secretary for
Economic Affairs

BUREAU OF THE CENSUS John G. Keane, Director



BUREAU OF THE CENSUS

John G. Keane, Director C. L. Kincannon, Deputy Director

Charles A. Waite, Associate Director for Economic Fields

John H. Berry, Assistant Director for Economic and Agriculture Censuses

ECONOMIC SURVEYS DIVISION

W. Joel Richardson, Chief

ACKNOWLEDGMENTS—Many persons participated in the various activities of the 1982 Census of Transportation. Primary direction of the program was performed by Shirley Kallek, Associate Director for Economic Fields (until May 1983), Charles A. Waite, her successor, and Michael G. Farrell, Assistant Director for Economic and Agriculture Censuses (until August 1984), and John H. Berry, his successor.

This report was prepared in the Economic Surveys Division under the general direction of W. Joel Richardson, Chief. Robert E. Crowther, Assistant Chief for Census Programs, was responsible for the overall management of the census of transportation. He guided the planning and implementation of the project and coordinated activities with other divisions.

Carmen Campbell, Transportation Branch, assisted by Troy King, Geroid L. Morning, Joseph K. Tintera, Tempie Whittington, and Georgeann H. Wright, was directly responsible for the planning, development of specifications and procedures, analysis of data, and preparation of this report.

The computer processing systems were developed and coordinated under the direction of Andrew L. Grieco, Assistant Chief for Methods and Systems. Charles A. Venters, Chief, Economic Programming Branch, and Paul E. Poissant, Chief, Directory and Census Programming Branch, were responsible for implementation of the computer systems, and the computer programs were prepared under the supervision of Arnold L. Braddock and Chuck Fee Lee, assisted by Ernestine Kornegay, Avis W. Buchanan, and Carrie Lee Johnson.

The mathematical techniques and quality control requirements were developed by Mitchell L. Trager, Assistant Chief for Research and Methodology, assisted by Kenneth R. Sausman, Thomas O. Cevis, Nancy H. Dunn, Robert A. Peregoy, and Edwin L. Robison.

Other persons made important contributions in such areas as developing specifications, procedures, and resolving problems. They include Alfred R. Brand, Helen L. Barton, Ellen Kummer, Leonard Tauber, and Mark Grice.

Planning, design, review, and composition of report forms were performed in the Administrative Services Division, Robert L. Kirkland, Chief.

Publication planning, design, editorial review, composition, and printing procurement were performed in the Publications Services Division, Raymond J. Koski, Chief.

Mailout preparation and receipt operations, clerical and analytical review activities, data keying, and geocoding review were performed in the Data Preparation Division, Don L. Adams, Chief.

Computer processing was performed in the Computer Services Division, C. Thomas DiNenna, Chief (until February 1984), and John E. Halterman, his successor.

Photocomposition programs for the statistical tables were developed in the Systems Support Division, Larry J. Patin, Chief (until October 1983), and Arnold E. Levin, his successor.

The overall planning and review of the census operations were performed by the staff of the office of the Assistant Director for Economic and Agriculture Censuses.

Special acknowledgment is also due the many businesses whose cooperation has contributed to the publication of these data.

Library of Congress Cataloging in Publication Data

Census of transportation (1982) 1982 census of transportation.

"Issued June 1985"

"TC82-ST" (v. 1)

"TC82-CS" (v. 2)

"TC82-T-1-51;TC82-T-52" (v. 3)

Contents: (1) Selected statistics for transportation industries—(2) Commodity transportation survey summary—(3) Truck inventory and use survey (v.). U.S. summary.

Supt. of Docs. no.: C 3.223/5: TC82.ST

1. Transportation—United States—Statistics.

I. United States. Bureau of the Census. II. Title.

HE203.C44 1982

380.5′0973

83-600222

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

INTRODUCTION

		(Page)
	Economic Censuses Over Time	. 111
	Uses of the Economic Censuses	. 111
	Authority and Scope of the Economic Censuses	. IV
	Census of Transportation	. IV
	Truck Inventory and Use Survey	. IV
	Total Truck Inventory	. IV
,	Comparability with Previous Surveys	. IV
	Explanation of Terms	. V
	Sample Design	. VI
	Survey Method	. VI
	Reliability of Estimates	. VI
	Abbreviations and Symbols	. VII

ECONOMIC CENSUSES OVER TIME

The early beginnings of America's industrial output were first measured in the United States in the 1810 Decennial Census and again in 1820, when questions on manufacturing were included with those for population. Beginning with the 1840 Decennial Census, there were enumerations of manufactures and mineral industries at 10-year intervals up to and including the year 1900 for manufactures and 1940 for mineral industries. The latter census was taken again for 1954, 1958, 1963, and 1967.

Because of the increasing dominance of manufacturing in the early 20th century, Congress directed that quinquennial censuses of manufactures be taken beginning in 1905. However, from 1919 through 1939, these censuses were conducted every 2 years. The need for war-related current surveys in the early 1940's postponed the next census of manufactures until 1948 (for 1947). That census was again taken for 1954, 1958, 1963, and 1967.

Retail and wholesale trade data were first collected in 1930, and in 1933 information on selected service industries was added to the data-collection operation. These business censuses, as they were called, were again taken for 1935, 1939 (as part of the 1940 decennial program), 1948, 1954, 1958, 1963, and 1967.

Information on construction industries was first obtained in 1930 and again for 1935 and 1939. Data for the full spectrum of construction industries were not gathered again until 1968 (for 1967).

The need for transportation data to supplement information available from existing governmental or private sources was recognized by Congress in the late 1950's and early 1960's. The census of transportation (consisting of several surveys) was first taken for 1963 and again for 1967.

Since 1967, all of the above censuses have been taken quinquennially as part of the Census Bureau's economic census program. (For the 1977 censuses, the coverage of the service industries was broadened from "selected services" to all services, except religious organizations and private households. A total of 41 additional four-digit standard industrial classifications (SIC's) in 7 SIC major groups was added to the scope of the

census. While most of the industries included for the first time for 1977 were covered again for 1982, some were not, i.e., hospitals; elementary and secondary schools; colleges, universities, and professional schools; junior colleges and technical institutes; labor unions and similar labor organizations; and political organizations.)

The first manufacturing census for an outlying area was conducted in Puerto Rico for the year 1909. Thereafter, with the exception of 1929, a census was taken at 10-year intervals through 1949. The first censuses of retail trade, wholesale trade, and selected service industries in Puerto Rico were conducted for 1939. These censuses also were taken for the years 1949, 1954, 1958, 1963, and 1967. A census of construction industries was first introduced in Puerto Rico for 1967. These censuses of Puerto Rico have been taken since then for the years 1972, 1977, and 1982.

Censuses of manufactures, retail trade, wholesale trade, and selected service industries were conducted in Guam and the Virgin Islands of the United States for 1958, 1963, 1967, 1972, 1977, and 1982. Censuses of mineral industries were taken in the Virgin Islands of the United States for the years 1958, 1963, and 1967 but not since that time. A census of construction industries was also undertaken in these areas for 1972, 1977, and 1982.

Retail trade, wholesale trade, selected service industries, manufacturing, and construction industries were canvassed for the first time in the Northern Mariana Islands in 1983 (for 1982).

For 1982, the economic censuses and agriculture censuses were conducted concurrently.

USES OF THE ECONOMIC CENSUSES

The economic censuses are the major source for facts about the structure and functioning of the Nation's economy and provide essential information for government, business, industry, and the general public. They provide an important part of the framework for such composite measures as the gross national product, input-output measures, indexes of industrial production, and indexes measuring productivity and price levels. Information from the censuses is used to establish sampling frames and as benchmarks for current surveys of business activity, which are essential for measuring short-term economic conditions.

State and local governments use census data to assess business activities within their jurisdictions. The private sector uses the data to forecast general economic conditions; analyze sales performance; lay out sales territories; allocate funds for advertising; decide on locations for new plants, warehouses, or stores; and measure potential markets in terms of size, geographic areas, kinds of business, and kinds of products made or sold.

Following every census, thousands of businesses and other users purchase reports. Likewise, census facts are widely disseminated by trade associations, business journals, and newspapers. Volumes containing census statistics are available in most major public and college libraries. All 1982 data are

¹Standard Industrial Classification Manual: 1972. For sale by Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Stock No. 041-001-00066-6. 1977 Supplement. Stock No. 003-005-00176-0.

available on microfiche from the U.S. Government Printing Office and most data on computer tape from the Census Bureau. Finally, the more than 50 State Data Centers also are suppliers of economic census statistics.

AUTHORITY AND SCOPE OF THE ECONOMIC CENSUSES

The economic censuses are required by law under title 13 of the United States Code, sections 131, 191, and 224, which directs that they be taken at 5-year intervals for the years ending in 2 and 7. The 1982 Economic Censuses covered manufacturing, mining, construction industries, retail trade, wholesale trade, service industries, and selected transportation activities. Special programs also cover minority-owned and women-owned businesses. The next economic censuses are scheduled to be taken in 1988 for the year 1987.

CENSUS OF TRANSPORTATION

The 1982 Census of Transportation consists of three surveys:

- 1. Truck Inventory and Use (TIUS)
- 2. Selected Statistics for Transportation Industries²
- 3. Commodity Transportation³

These surveys were previously taken in 1967, 1972, and 1977.

TRUCK INVENTORY AND USE SURVEY

The Truck Inventory and Use Survey provides data on the physical and operational characteristics of the Nation's truck population. It is based on a probability sample of private and commercial trucks registered (or licensed) in the State during 1982.

Vehicles owned by Federal, State, and local governments, as well as ambulances, buses, and motor homes, were eliminated from the sample before questionnaires were mailed. Various other vehicles which were actually surveyed were subsequently classified as "out-of-scope": Trucks sold prior to 1982, farm tractors, unpowered trailer units, trucks reported to have been junked or wrecked prior to the registration year, etc.

Many States allow pickups and small vans and utility-type vehicles to be registered as cars or trucks; therefore, the passenger car files were searched and any such trucks were included in the sample universe. Some privately or commercially owned vehicles do not have to be licensed, such as "off-highway" trucks used exclusively on private property, and since they had no chance of being drawn in the sample, they are not covered in the survey.

TOTAL TRUCK INVENTORY

The estimated number of trucks that were within the scope of the TIUS and registered in the State as of July 1, 1982, was 433.8 thousand.

² The Selected Statistics for Transportation Industries Program will include some data formerly shown in the Nonregulated Motor Carriers and Public Warehousing Report.

³ The Commodity Transportation Survey will cover the data year 1983.

This estimate serves as the benchmark to which the survey results were adjusted to produce the more detailed estimates contained in this report. It was developed through a review of the characteristics of each vehicle registered in the State.

Prior to 1977, Truck Inventory and Use Surveys were benchmarked to Federal Highway Administration (FHWA) totals of private and commercial truck registrations as reported in Highway Statistics, table MV-1. These FHWA estimates are based on calendar year summary reports from the individual States that reflect differences in truck definitions used by the States for vehicle registration.

The FHWA estimate of the number of private and commercial trucks registered in the State as of December 31, 1982, was 415.4 thousand.

COMPARABILITY WITH PREVIOUS SURVEYS

Although the basic purpose and scope of the previous Truck Inventory and Use Surveys were essentially identical to this one, some changes were introduced in 1982 that may affect all the data in this report or just specific items.

1982 changes affecting all the data4:

- 1. Stratification was based on body type rather than "small" vs. "large" trucks as in 1977. There were five strata: pickups; vans, panels and utilities; other single-unit trucks weighing less than 26,001 pounds; all other single-unit trucks; and truck tractors. See the section on sample design for an in-depth explanation of the stratification plan.
- 2. Two report forms were used: Form TC-9501 for pickups, panels, vans, and utility type vehicles if we could identify them specifically at the time of sampling. All other sampled vehicles received Form TC-9502. See appendix A for copies of the questionnaires. The difference in the two forms was that those questions which only pertained to heavy trucks were omitted from Form TC-9501.
- Calculation of the standard errors was changed to display relative standard errors in percent rather than the standard error in actual numbers.

1982 changes affecting specific items:

- Length of load space or capacity—Respondents were asked to report overall length of the vehicle instead of checking a box for load space or capacity.
- Axle arrangement of trailers—The pictures of trailer configurations were eliminated to remove any bias which they may have caused in 1977. For 1982, only descriptions of common number of axles for each trailer type were used.
- 3. What is the average weight of this vehicle as most often operated?—Respondents were asked to report average weight rather than maximum gross vehicle weight. Large trucks also were asked to report empty weight and maximum weight at which the vehicle operated.

⁴See report forms TC-9501 and TC-9502 reproduced in appendix A for specific information requested for each truck in sample.

- 4. Classification of operator-Because of the Motor Carrier Act of 1980, several changes were made to this item to allow for new types of for-hire operations. We added a category of "mixed" to both the not-for-hire and for-hire operations. In addition, respondents were asked to give the percent (%) of mileage when their operations were mixed or more than one type. The final operator classification was determined in the computer edit using the value corresponding to the highest mileage.
- 5. Products carried-Instead of asking the respondents to select one specific type of product carried most of the time, we requested the percent of mileage for each product carried.

EXPLANATION OF TERMS

Vehicle size—This size classification is based on the gross vehicle weight (empty weight of the vehicle plus the average load carried) at which the vehicle operated during the past 12 months. The four size classes are:

- 1. Light-Gross vehicle weight of 10,000 pounds or less.
- 2. Medium-Gross vehicle weight of 10,001 to 19,500 pounds.
- 3. Light-heavy-Gross vehicle weight of 19,501 to 26,000
- 4. Heavy-heavy-Gross vehicle weight of 26,001 pounds or more.

Operator classification—This item consists of two major sections, never for hire and always for hire:

- 1. Never for hire-Includes a private owner or a company which transports its own materials or merchandise, or uses the vehicle for personal transportation.
- 2. Always for hire-Includes the following:
 - a. Interstate, exempt carrier-Includes those operators who are not required to have an I.C.C. certificate because they transport only exempt commodities or operate in an exempt zone.
 - b. Interstate, I.C.C. certified contract carrier-Includes those operators who carry the goods of someone other than the vehicle owner by individual contract or agree-
 - c. Interstate, I.C.C. certified common carrier-Includes those operators who offer service to the general public, usually operating a regularly scheduled service between established terminals over a more or less regular route.
 - d. Intrastate, local cartage-Includes those operators who travel only within the state of registration or are engaged in local cartage.
 - e. Daily rental-Includes those operators who offer shortterm truck rental or leasing without a driver.

Major use—This item is based on the answer to the question: How was the vehicle mostly used during the past 12 months? Each of the 12 specific major use categories conforms to the generally accepted meaning of the terms. Responses to the "Other" category were recoded to one of the specific categories if possible. The following are frequent "Other" responses which were recoded:

- 1. House moving was recoded to "For-hire transportation."
- 2. Trucks used in conjunction with railroads were recoded to "For-hire transportation,"
- 3. Armored car services were recoded to "Services."
- 4. Commercial fishing was recoded to "Agriculture."
- 5. Oilfield services were recoded to "Mining and quarrying."
- 6. Certain specialized activities commonly thought of as services, such as plumbing, painting, plastering, carpentry, and electrical work, were recoded to "Construction."

U.S. mail service when done on a contract basis, antique trucks, and yard tractors were left in "Other."

The category "Not in Use" in the tables includes vehicles which, though licensed, were not used during the survey year, and those vehicles which were wrecked during the entire year.

Products carried-This item includes broad classifications of agricultural, manufacturing, and mineral products, as well as special categories of materials carried by trucks. Responses to the "Other" category were recoded to one of the 26 specific categories if possible. The following are frequent "Other" responses which were recoded:

- 1. Crews of workers and their tools were recoded to "Craftsman's vehicle."
- 2. Flowers, trees, shrubs, etc., were recoded to "Fresh farm products."
- 3. Animal by-products and sewage were recoded to "Scrap, refuse, or garbage."
- 4. Clay was recoded to "Mining products."
- 5. Auto parts (including tires) were recoded to "Transportation equipment and parts."

Rental equipment, water, and personnel were among the major categories left in "Other."

Hazardous materials—This category was designed to identify those trucks which regularly transport hazardous materials in quantities large enough to require a placard under the Code of Federal Regulations, Title 49, Transportation.

Truck fleet size-The size of the truck fleet is based on the number of trucks operated by a truck owner from a single "base of operation." The fleet located at the "base of operation" usually is smaller than the total fleet that an owner has if he operates from more than one base. The data shown in the "Truck Fleet Size" section of the tables are based on the number of trucks found in fleets of specified size and not the number of fleets. (If the item of the survey form was unanswered, the vehicle was assumed to be in a fleet of one, classified in accordance with the reported vehicle type.)

Range of Operation-The area in which the vehicle usually operates is classified as one of the following:

1. Local-Mostly in the local area, i.e., in or around the city and suburbs, or usually within a 50-mile radius of the farm, factory, mine, or other place where the vehicle is stationed.

- 2. **Short range**—Mostly over-the-road (beyond the local area), usually within a 50- to 200-mile radius from the place where the vehicle is stationed.
- 3. Long range—Mostly over-the-road, usually more than 200 miles one way to the most distant stop from the place where the vehicle is stationed.
- 4. Off-the-road—Mostly off-the-road operation (usually associated with construction and farming).

Body type—This category includes the type of body that is either permanently attached to the power unit (i.e., straight truck) or most frequently used with a truck tractor as a tractor-trailer combination. Entries in the "Other" category were recoded if possible to a specific category. Those vehicles remaining in the "Other" category included truck tractors used in house moving, mobile home pulling, and boat transport.

Annual miles—Respondents were asked to report the total number of miles the truck was driven during the past 12 months. If the vehicle had less than 1 year's use, the respondent was asked to estimate the probable miles for a full year. If there was no response to the item, the annual miles were estimated (based on lifetime miles, length of time the vehicle was owned, body type, area of operation, vehicle type, and fuel type).

SAMPLE DESIGN

The Truck Inventory and Use Survey (at the national level) was based on a stratified probability sample of about 120,000 trucks drawn from an estimated universe of approximately 35 million current registrations on file with the motor vehicle departments in the 50 States and the District of Columbia.

A stratified random sample based on body type was selected in each State. Each State was divided into five strata: "pickup," "van," "single-unit light," "single-unit heavy" and "truck tractor." The "pickup" truck stratum consisted of only pickup trucks. The "van" truck statum consisted of panel trucks, vans, utilities, jeeps, and station wagons on truck chassis. The "single-unit light" truck stratum consisted of all other single-unit trucks with a gross vehicle weight (GVW) of 26,000 pounds or less. The "single-unit heavy" truck stratum consisted of the remaining single-unit trucks. The "truck tractor" stratum consisted of only truck tractors.

Part of the sample (two-thirds) was allocated to meet "minimum" standards of reliability for each stratum in each State. For the "pickup" stratum, a minimum sample size was determined for each State based on the percentage of pickups in that State (the pickup strata usually contains 40 to 75 percent of the trucks in a State). Larger minimum sample sizes were specified for States with a larger percentage of trucks in the "pickup" stratum to decrease the domination of the variances by the "pickup" stratum in these States. For the remaining strata, a constant minimum sample size in each State was set as follows: 60 trucks for the "van" stratum, 700 (except 400 in the District of Columbia) trucks for the "single-unit light" stratum, 250 (except 100 in District of Columbia) trucks for the "single-unit heavy" stratum, and 400 (except 250 in Alabama, Hawaii, Idaho, Maine, Montana, Nevada, New Hampshire, Minnesota, North Dakota, New York, Rhode Island, Vermont,

and 25 in the District of Columbia) trucks for the "truck tractor" stratum.

The rest of the sample was allocated to the strata proportionately to the number of trucks in the State to improve the U.S. estimates. The number of total trucks sampled in each State ranged from 1,462 for Rhode Island to 5,016 for California (except 658 for District of Columbia), the mean being 2,352 trucks per State.

SURVEY METHOD

Report form TC-9501 was mailed to owners of trucks in the pickups and vans strata while report form TC-9502 was mailed to owners of all other trucks selected for the 1982 TIUS sample. The owner was asked to respond only for the vehicle identified by license number in the Registration Information Section of the report form, whether or not he or she was still the owner. These data (make, model year, license number, vehicle identification number) were imprinted on the form using information from the State registration records. The information received on the returned questionnaires was data keyed and processed through an extensive computer edit. Reports which contained questionable responses were referred and corrected if necessary. Estimates of the number of trucks with each characteristic were obtained by expanding the sampled units to the State truck population level.

RELIABILITY OF ESTIMATES

There are two reasons why the estimates based on data from a sample will vary from the unknown population value: Sampling variability and nonsampling error. The accuracy of a survey result depends not only on the sampling variability and nonsampling errors measured, but also on the nonsampling errors not explicitly measured. The following is a description of the sampling variability and nonsampling errors associated with the estimates made from the sample selected for the 1982 TIUS.

Sampling variability—The particular sample selected in this survey is only one of a large number of similar samples of the same size which could have been selected using the same sample design. If all possible samples had been surveyed, under essentially the same conditions, an estimate of an unknown population characteristic or value could have been obtained from each. The different samples give rise to a whole range of estimates for the unknown population value. A statistical measure of the variability among these estimates is the standard deviation, which can be approximated from any one sample.

Sampling variability in these tables is given as the percent relative standard error of estimate (RSE). The RSE is the standard deviation divided by the estimate, and this is converted to percent RSE by multiplying by 100. Except for table 2, the RSE's (in percent) are given only for the top row of estimates and the left column of estimates. The procedure for approximating the RSE's (in percent) for the other estimates is covered in appendix B.

The estimate from a particular sample and the approximation of the standard deviation associated with the estimate can be used to construct interval estimates called confidence intervals. A confidence interval is an expression of how well an estimate from a particular sample represents an unknown population value. Associated with each interval is a percentage of confidence (most commonly 68, 90, or 95 percent), which is interpreted as follows. If, for each possible sample, an estimate of

an unknown population value and the approximate standard deviation were obtained, then:

- For approximately 68 percent of the possible samples, the interval from one standard deviation below to one standard deviation above the estimate would include the unknown population value. We call this a 68-percent confidence interval.
- 2. For approximately 90 percent of the possible samples, the interval from 1.6 standard deviations below to 1.6 standard deviations above the estimate would include the unknown population value. We call this a 90-percent confidence interval.
- 3. For approximately 95 percent of the possible samples, the interval from two standard deviations below to two standard deviations above the estimate would include the unknown population value. We call this a 95-percent confidence interval.

Example of a confidence interval calculation:

Assume the number of furniture vans in table 2 is given as 117.4 thousand trucks with a relative standard error of 6.1 percent. Then the standard deviation is:

 $117.4 \times .061 = 7.16$ thousand trucks

Now, an approximate 90 percent confidence interval (the estimate, plus or minus 1.6 standard deviations) is 117.4 plus or minus 11.5, or 105.9 to 128.9 thousand trucks.

Nonsampling errors—All surveys and censuses are subject to nonsampling errors. Nonsampling errors can be attributed to many sources—The inability to obtain responses from all cases in the sample, the inability or unwillingness on the part of respondents to provide correct information, imputation for item nonresponse, response errors and bias, misinterpretation of questions, mistakes in recording or keying data, errors of collection or processing, and coverage problems because of differing registration practices and implementation in some of the States.

Explicit measures of the effects of these nonsampling errors are not available. However, most of the important operational and response errors were detected and corrected through an automated data edit designed to review the data for reasonableness and consistency and an intensive telephone followup. Quality control techniques were used to verify that operating procedures were carried out as specified.

Nearly all types of nonsampling errors that affect this survey would also occur in a complete census. Since surveys are conducted on a smaller scale than censuses, nonsampling errors can be controlled more tightly. Relatively more funds and effort can be expended toward eliciting responses, detecting and correcting response errors, and reducing processing errors. As a result, survey results can often be more accurate than census results.


Ninety percent of the questionnaires were returned, with an item nonresponse rate of not more than one percent for most of the major questions. For most estimates in these tables, total nonresponse is handled by allocating the unreturned questionnaires in proportion to the responses. For most categories in the tables, the item nonresponse (respondents not answering the item on the questionnaires) is shown on a separate line. For example, respondents who did not indicate the major use of their truck(s) are included in the "not reported" category. The number given represents the number of trucks not allocated to a particular major use. Users should exercise caution in allocating these trucks to the major uses, since the characteristics of item nonrespondents may differ significantly from those of the respondents.

For some questions, a response was generated to complete a blank on the questionnaire. Engine characteristics and body characteristics were frequently determined through analysis of the vehicle identification number (VIN) and charts based on manufacturer's specifications. All missing annual miles data were imputed based on information available about the truck's lifetime miles, its age, its vehicle type, its number of axles, its engine type, its area of operation, and its major use. Any biases introduced by the imputation and correction procedures are thought to be small.

ABBREVIATIONS AND SYMBOLS

The following abbreviations and symbols are used in this publication:

- Represents zero.
- (NA) Not available.
- (S) Withheld because estimate did not meet publication standards on the basis of either the response rate, associated standard error, or a consistency review.
- (Z) Represents less than 50 trucks, or 500,000 miles, or .05 percent, as appropriate for the data column.
- RSE Relative standard error.



Massachusetts

CONTENTS

[Page numbers listed here omit the prefix that appears as part of the number of each page]

	Page
Introduction	111
TABLES	
1. Trucks—Comparative Summary: 1982 and Earlier Years	
2. Trucks, Truck Miles, and Average Annual Miles: 1982	
4. Trucks by Vehicle Size: 1982	
5. Trucks by Annual Mileage Class: 1982	
6. Trucks by Range of Operation: 1982	
8. Trucks by Body Type: 1982	*
APPENDIXES	
A. Survey Forms	
	B-1

Table 1. Trucks—Comparative Summary: 1982 and Earlier Years

[Percent. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	1982	1977	1972	1967	Vehicular and operational characteristics	1982	1977	1972	1967
Total	100.0	100.0	100.0	100.0	YEAR MODEL				
MAJOR USE					1 to 2 years old 3 to 4 years old Over 4 years old	12.8 18.3 68.8	19.4 17.5 63.1	13.7 21.4 64.9	14.2 21.8 64.0
Agriculture	2.9 .7 (Z) 19.7 3.6	2.4 (Z) (Z) 9.9 2.3	4.3 (Z) (Z) 16.1 4.6	6.0 (Z) (Z) 19.4 5.2	VEHICLE ACQUISITION Purchased new	49.1	54.3	60.7	57.6
Wholesale and retail trade	10.9 3.7 7.7 50.4 .3	11.4 3.4 14.6 53.2 2.5	21.5 8.2 26.0 15.8 3.5	23.5 8.9 13.5 17.6 5.9	Purchased used Leased from someone and not reported TRUCK FLEET SIZE	50.0 .9	44.5 1.2	37.6 1.7	41.2 1.2
BODY TYPE					1	77.0 9.3 4.9 8.8 (Z)	71.1 14.2 8.1 6.5 (Z)	43.5 27.7 15.0 13.8 (Z)	41.1 23.8 14.1 . 13.3 7.7
Pickup, panel, multistop, or walk-in1	82.5 4.1 7.2 1.0 (Z)	82.2 4.2 6.9 .7 (Z)	59.2 10.3 13.3 2.2 (Z)	56.2 10.3 12.7 1.3 (Z)	TRUCK TYPE4				
Dump Tank for liquids or dry bulk Other	2.3 1.3 1.7	3.2 1.8 .9	6.6 4.2 4.3	7.8 4.9 6.8	Single-unit trucks 2 axles 3 or more axles Combination 3 axles 4 axles 5 or more axles	97.0 96.2 .8 3.0 .3 1.3	96.1 94.0 1.5 3.9 (Z) 2.1	93.5 88.4 5.1 6.5 1.2 3.1	84.3 69.3 15.0 15.7 3.9 8.6 3.2
Light	87.6 4.7	82.4 6.9	65.2 15.7	63.9 15.4	RANGE OF OPERATION4	1.4	1.3	2.2	3.2
Light-heavy Heavy-heavy ANNUAL MILES ²	2.4 5.3	2.7 8.0	3.9 15.2	6.1 14.6	Local Short-range (Less than 201 miles)	85.1 5.6 1.8 7.5	86.3 10.0 1.9 1.8	82.8 11.9 1.9 3.4	83.2 12.5 1.8 2.5
Less than 5,000	15.6	17.2	17.6	³(NA) ³(NA)	FUEL TYPE4				
5,000 to 9,999	21.2 47.8 9.6 5.6	23.5 40.6 11.2 7.4	25.7 37.2 11.2 8.3	³ (NA) 37.4 8.7 7.5	Gasoline Diesel and LPG Not reported	92.1 7.4 .5	94.0 6.0 (Z)	85.9 8.0 6.1	84.8 12.9 2.3

¹Vans similar to panel trucks are included in pickup, panel, multistop, or walk-in.

²Annual miles were imputed if not reported.

³For 1967 survey, data were presented for 'Less than 6,000 miles' (27.3 percent) and '6,000 to 9,999 miles' (19.1 percent).

⁴For 1967, data do not include panels and pickups.

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Data relate to Clare or registration. Documing not use to		ks and truck mi		Trucks and truck miles, excluding pickups, panels, utilities, and station wagons ¹				Relative standard error of estimate					
Vehicular and operational characteristics	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	710		rcent)			nate .	
	A	В	С	D	E	F	Α	В	C	D	Е	F	
Total trucks	433.8	5,560.8	12.8	84.7	1,390.6	16.4	(Z)	5	5	4	4	4	
MAJOR USE	10.4	100.1	14.7	E 0	70 7	10.5	O.F.	07	10	00	04	10	
Agriculture Forestry and lumbering Mining and quarrying Construction Manufacturing	12.4 3.1 .2 85.4 15.6	182.1 53.6 4.2 1,325.0 274.4	14.7 17.3 17.5 15.5 17.6	5.8 .9 .2 19.9 5.8	78.7 5.3 4.2 207.0 123.5	13.5 5.9 17.5 10.4 21.4	35 72 62 14 32	37 90 66 20 30	16 20 10 14 14	39 33 62 12 12	31 36 66 9 15	13 22 10 10 12	
Wholesale trade Retail trade For-hire transportation Utilities Services	29.9 17.4 • 11.7 13.7 19.7	536.3 205.7 317.9 104.3 258.1	17.9 11.8 27.1 7.6 13.1	10.2 11.9 9.6 4.9 7.4	263.5 165.4 301.4 41.2 112.2	25.8 13.9 31.5 8.3 15.2	23 21 20 32 26	21 14 10 35 31	12 12 15 18 22	9 8 8 14 11	10 11 9 17 15	7 8 7 10 12	
Daily rental Personal transportation Other Not in use Not reported	4.5 218.8 .1 1.2 (Z)	67.2 2,224.1 7.9 (Z) (Z)	14.8 10.2 75.0 (Z) (Z)	4.5 2.3 .1 1.1 (Z)	67.2 13.2 7.9 (Z) (Z)	14.8 5.6 75.0 (Z) (Z)	14 6 100 28 (Z)	18 9 100 (Z) (Z)	13 6 (Z) (Z) (Z)	14 21 100 29 (Z)	18 31 100 (Z) (Z)	13 22 (Z) (Z) (Z)	
BODY TYPE													
Pickup	201.5 90.2 44.3 13.2 8.7	2,070.5 1,464.4 467.4 167.8 87.4	10.3 16.2 10.5 12.8 10.0	(Z) (Z) (Z) (Z) 8.7	(Z) (Z) (Z) (Z) 87.4	(Z) (Z) (Z) (Z) 10.0	1 10 19 39 36	7 17 24 40 29	7 14 14 8 18	(Z) (Z) (Z) (Z) 36	(Z) (Z) (Z) (Z) 29	(Z) (Z) (Z) (Z) 18	
Platform with added devices Low boy or depressed center Basic platform Livestock truck Insulated nonrefrigerated van	2.8 .9 14.1 (Z)	35.4 15.3 188.8 .6 9.4	12.7 16.9 13.3 19.3 18.5	2.8 .9 14.1 (Z) .5	35.4 15.3 188.8 .6 9.4	12.7 16.9 13.3 19.3 18.5	18 30 8 68 42	24 34 10 82 47	18 23 8 45 34	18 30 8 68 42	24 34 10 82 47	18 23 8 45 34	
Insulated refrigerated van	3.9 1.5 .2 25.2 1.4	103.3 56.4 2.4 533.3 14.5	26.5 37.4 11.6 21.2 10.5	3.9 1.5 .2 25.2 1.4	103.3 56.4 2.4 533.3 14.5	26.5 37.4 11.6 21.2 10.5	14 23 70 5 26	15 32 95 7 30	8 24 63 5 17	14 23 70 5 26	15 32 95 7 30	8 24 63 5 17	
Public utility	4.2 .6 .3 .1	34.0 10.3 .6 1.5 1.3	8.2 16.6 2.1 13.2 10.7	4.2 .6 .3 .1	34.0 10.3 .6 1.5 1.3	8.2 16.6 2.1 13.2 10.7	15 36 55 66 88	18 37 69 61 99	10 17 43 58 15	15 36 55 66 88	18 37 69 61 99	10 17 43 58 15	
Service truck Yard tractor Oilfield truck Cargo container chassis Grain body	1.5 .3 .4 .4 (Z)	15.2 1.5 4.2 10.6 (Z)	10.4 5.2 10.5 27.5 (Z)	1.5 .3 .4 .4 (Z)	15.2 1.5 4.2 10.6 (Z)	10.4 5.2 10.5 27.5 (Z)	26 53 49 47 (Z)	34 60 46 66 (Z)	22 21 21 53 (Z)	26 53 49 47 (Z)	34 60 46 66 (Z)	22 21 21 53 (Z)	
Garbage hauler	1.3 9.8 5.5 .1 .4 .5 (Z)	32.3 126.4 91.4 4.9 4.7 4.9 (Z)	23.9 13.0 16.8 37.1 13.0 9.6 (Z)	1.3 9.8 5.5 .1 .4 .5 (Z)	32.3 126.4 91.4 4.9 4.7 4.9 (Z)	23.9 13.0 16.8 37.1 13.0 9.6 (Z)	23 9 11 59 44 44 (Z)	30 14 15 59 47 52 (Z)	19 12 13 9 15 37 (Z)	23 9 11 59 44 44 (Z)	30 14 15 59 47 52 (Z)	19 12 13 9 15 37 (Z)	
ANNUAL MILES1	27.5	400.0	2.5	40.7			45	40	_	40	10	_	
Less than 5,000 5,000 to 9,999 10,000 to 19,999 20,000 to 29,999 30,000 to 49,999 50,000 to 74,999 75,000 or more	67.5 92.1 207.5 41.7 15.6 4.0 4.6	166.9 648.0 2,568.4 961.8 561.0 226.4 428.2	2.5 7.0 12.4 23.1 35.9 56.8 94.0	18.7 18.9 22.5 11.0 6.4 3.9 2.4	44.8 127.9 282.7 249.9 233.5 221.1 230.7	2.4 6.8 12.5 22.6 36.7 57.0 97.7	15 13 7 19 30 12 49	18 13 7 19 30 12 47	7 3 2 2 4 1 3	13 6 11 8 11 12 14	19 6 10 8 11 12 14	1 2 1 2 1 5	
RANGE OF OPERATION													
LocalShort-range (Less than 201 miles) Long-range (201 miles or more) Off-the-road Not reported	369.2 24.2 7.9 29.6 2.9	4,407.0 558.8 276.4 303.9 14.7	11.9 23.1 34.8 10.3 5.0	66.6 9.0 2.9 3.3 2.8	874.5 301.5 169.4 30.5 14.7	13.1 33.6 57.5 9.2 5.2	3 25 44 26 18	6 19 34 41 26	5 9 28 31 18	5 9 14 16 19	5 9 15 37 26	4 6 10 35 18	
BASE OF OPERATION													
Percentage of miles traveled outside base-of-operation State: Less than 25 percent 25 to 49 percent 50 to 74 percent 75 to 100 percent Not reported	341.9 28.3 14.4 14.7 34.6	4,108.4 409.5 247.9 413.0 382.0	12.0 14.5 17.2 28.2 11.0	60.2 5.5 4.5 3.9 10.4	798.1 127.0 150.5 185.1 129.9	13.3 22.9 33.2 46.9 12.4	3 27 34 35 22	7 25 26 32 28	6 10 22 19 19	4 41 13 13 9	4 21 15 14 12	4 24 11 10 9	
VEHICLE SIZE Light Medium Light-heavy Heavy-heavy	380.1 20.4 10.2 23.2	4,484.8 226.2 152.5 697.3	11.8 11.1 15.0 30.1	31.1 20.4 10.0 23.2	315.0 226.2 152.1 697.3	10.1 11.1 15.1 30.1	(Z) 6 9 3	6 9 13 5	6 6 11 4	11 6 9 3	10 9 13 5	7 6 11 4	

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982—Con.

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Truc	ks and truck mi		Trucks a	nd truck miles, e s, panels, utilitie station wagons ¹	excluding	Rela	ative st	andaro	l error	of estir	nate
Vehicular and operational characteristics	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)				or colu		
	А	В	С	D	Е	F	Α	В	С	D	Ε	F
AVERAGE WEIGHT (POUNDS)												
Less than 6,001	291.4 88.7 9.5 5.5 5.3	3,460.0 1,024.7 107.7 55.9 62.6	11.9 11.6 11.3 10.2 11.7	10.1 20.9 9.5 5.5 5.3	97.1 217.9 107.7 55.9 62.6	9.6 10.4 11.3 10.2 11.7	4 13 10 13 13	8 17 13 18 18	7 11 8 12 11	9 16 10 13 13	13 14 13 18 18	10 9 8 12 11
19,501 to 26,000	10.2 5.5 4.9 3.6 3.7	152.5 90.4 97.6 114.2 121.5	15.0 16.4 20.0 32.1 33.1	10.0 5.5 4.9 3.6 3.7	152.1 90.4 97.6 114.2 121.5	15.1 16.4 20.0 32.1 33.1	9 11 11 12 12	13 16 15 16 15	11 11 9 11 10	9 11 11 12 12	13 16 15 16 15	11 11 9 11 10
60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 130,001 or more Not reported	5.2 .3 (Z) (Z) (Z)	265.6 8.0 (Z) (Z) (Z)	51.0 22.9 (Z) (Z)	5.2 .3 (Z) (Z) (Z)	265.6 8.0 (Z) (Z) (Z)	51.0 22.9 (Z) (Z) (Z)	9 38 (Z) (Z) (Z)	10 35 (X) (X)	6 26 (Z) (Z) (Z)	9 38 (X) (X)	10 35 (Z) (Z) (Z)	6 26 (Z) (Z) (Z)
TOTAL LENGTH (FEET)											-	
Less than 7.0	(Z) (Z) 11.9 113.7 247.3	(Z) (Z) 142.8 1,230.8 3,019.2	(Z) (Z) 12.0 10.8 12.2	(Z) (Z) .3 6.6 25.9	(Z) (Z) 3.4 54.2 274.7	(Z) (Z) 10.7 8.2 10.6	(Z) (Z) 43 12 6	(Z) (Z) 48 15 10	(Z) (Z) 23 8 8	(Z) (Z) 57 35 10	(Z) (Z) 58 23 11	(Z) (Z) 5 22 6
20.0 to 27.9	41.2 7.6 1.0 1.5 9.6 (Z)	524.6 140.8 26.3 33.2 443.1 (Z)	12.7 18.5 27.6 22.0 46.1 (Z)	32.1 7.6 1.0 1.5 9.6 (Z)	415.0 140.8 26.3 33.2 443.1 (Z)	12.9 18.5 27.6 22.0 46.1 (Z)	12 9 27 20 6 (Z)	13 12 31 23 8 (Z)	5 8 18 12 5 (Z)	4 9 27 20 6 (Z)	7 12 31 23 8 (Z)	6 8 18 12 5 (Z)
YEAR MODEL	(_,	(—)	(4,	(_,	(_,	(=)	(-,	(_,	(=)	(_,	(_,	(-)
1983	.3 20.8 34.6 20.0 59.6	3.0 282.0 697.3 338.4 819.4	9.4 13.6 20.1 16.9 13.8	.1 2.5 4.7 4.6 8.8	.4 66.9 119.6 126.0 195.5	4.0 26.3 25.3 27.2 22.2	57 32 24 31 18	67 32 33 27 18	34 18 25 11	100 18 13 13 26	100 22 15 15 15	(Z) 16 10 10 22
1978	52.7 35.0 27.1 22.2 36.4	761.1 436.2 363.0 200.2 481.4	14.5 12.5 13.4 9.0 13.2	6.3 5.9 5.0 4.5 6.3	125.0 126.5 73.4 70.6 87.1	19.8 21.3 14.6 15.7 13.8	19 23 27 29 23	21 22 28 26 30	11 8 11 11 19	12 12 45 14 12	15 14 33 19 15	11 10 15 14 11
1973 Pre-1973 Not reported	31.2 93.9 (Z)	328.0 850.8 (Z)	10.5 9.1 (Z)	5.3 30.5 (Z)	86.1 313.4 (Z)	16.4 10.3 (Z)	25 12 (Z)	26 14 (Z)	13 8 (Z)	13 4 (Z)	16 7 (Z)	12 6 (Z)
Purchased new	212.9 217.0 1.1 2.9	2,976.2 2,518.5 18.6 47.4	14.0 11.6 17.2 16.4	45.9 35.4 1.1 2.3	877.4 451.3 18.6 43.3	19.1 12.7 17.2 19.2	7 7 27 18	9 9 31 26	7 6 25 23	3 10 27 20	5 8 31 28	4 7 25 25
LEASE CHARACTERISTICS ²												
Leased without driver Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other	1.0 (Z) (Z) 1.2 .9 (Z) .3	15.7 (Z) (Z) 18.8 13.4 (Z) 5.3	15.6 (Z) (Z) 16.0 15.1 (Z) 18.8	1.0 (Z) (Z) 1.2 .9 (Z)	15.7 (Z) (Z) 18.8 13.4 (Z) 5.3	15.6 (Z) (Z) 16.0 15.1 (Z) 18.8	28 (Z) (Z) 27 30 (Z) 58	29 (Z) (Z) 30 32 (Z) 72	24 (Z) (Z) 24 27 (Z) 52	28 (Z) (Z) 27 30 (Z) 58	29 (Z) (Z) 30 32 (Z) 72	24 (Z) (Z) 24 27 (Z) 52
OPERATOR CLASSIFICATION												
Not for hire: Private owner or individual For hire Motor carrier Owner-operator Daily rental Mixed _ for hire/not for hire		5,176.8 383.9 244.0 72.7 67.2 (Z)	12.4 23.7 25.3 36.0 14.8 (Z)	70.5 14.0 7.4 2.0 4.5 (Z)	1,023.1 367.4 227.5 72.7 67.2 (Z)	14.5 26.2 30.6 36.0 14.8 (Z)	1 15 24 17 14 (Z)	5 9 12 20 18 (Z)	5 11 18 13 13 (Z) 8	5 7 9 17 14 (Z)	5 8 11 20 18 (Z)	4 6 8 13 13 (Z) 8
For-hire interstate Exempt camier Contract carrier Common camier For-hire intrastate For-hire local	5.4 1.6 4.1 9.0 2.4 4.6	213.7 38.7 73.8 237.4 63.8 53.6	39.3 24.6 18.0 26.4 26.4 11.5	5.4 1.5 1.9 8.8 2.4 2.3	213.7 38.3 57.4 235.5 63.8 36.5	39.3 26.0 30.2 26.8 26.4 15.6	10 23 54 9 19 48	12 29 28 11 22 37	21 34 8 14 25	10 24 19 9 19	12 29 22 11 22 30	21 15 8 14 28

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982—Con.

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Data relate to State of registration. Detail may not add to		cks and truck mi		Trucks a	nd truck miles, e s, panels, utilitie station wagons ¹	excluding	Pol	ativo et	landara	l orror	of estim	nata
Vehicular and operational characteristics	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	neid			for colu		late
	А	В	С	D	E	F	Α	В	С	D	Е	F
PRODUCTS CARRIED												
Farm products Live animals Mining products Logs and other forest products Lumber and fabricated wood products	8.5 3.1 .3 1.0 7.4	134.8 56.2 5.5 5.9 77.3	15.8 18.2 19.5 5.9 10.4	4.1 .9 .3 1.0 2.3	57.8 29.9 5.5 5.9 25.5	14.0 33.4 19.5 5.9 11.0	44 72 54 31 47	47 51 54 34 46	21 28 21 20 6	54 32 54 31 20	41 40 54 34 25	20 24 21 20 16
Processed foods Textile mill products Building materials Household goods Furniture or hardware	18.9 6.8 18.1 5.5 4.1	340.4 68.7 262.9 106.4 57.6	18.0 10.1 14.5 19.2 14.1	11.7 1.4 10.9 3.4 1.8	249.6 19.1 164.3 40.5 42.3	21.3 13.8 15.0 12.1 23.7	22 56 23 41 55	19 54 23 63 34	13 18 9 24 37	8 26 8 17 22	10 30 12 23 34	7 22 10 18 27
Paper products Chemicals Petroleum Plastics and/or rubber Primary metal products	6.8 1.6 4.8 3.3 1.2	182.2 42.4 75.4 60.3 24.7	26.6 27.3 15.6 18.1 21.0	2.3 1.6 4.7 .5 1.2	71.7 42.4 75.0 12.6 24.7	30.6 27.3 15.9 24.3 21.0	46 22 12 82 27	43 24 16 77 36	6 16 14 9 27	19 22 12 40 27	21 24 16 53 36	14 16 14 38 27
Fabricated metal products	1.9 8.9 3.9 4.5 10.4 66.3	40.1 90.6 86.5 64.8 202.5	21.3 10.1 22.2 14.5 19.4	1.9 3.9 1.2 4.5 7.7 9.7	40.1 58.6 18.9 64.8 197.1	21.3 14.9 15.9 14.5 25.5	22 40 70 14 27	23 30 78 18 11	14 20 10 13 24	22 15 26 14 10	23 18 34 18 11	14 13 23 13 8
Personal transportation No load carried Not in use Other ' Not reported	218.8 24.2 (Z) 3.4 (Z)	2,224.1 256.1 (Z) 36.6 (Z)	10.2 10.6 (Z) 10.7 (Z)	2.3 4.4 (Z) .9 (Z)	13.2 35.6 (Z) 16.4 (Z)	5.6 8.2 (Z) 18.0 (Z)	65 (Z) (Z)	9 34 (Z) 49 (Z)	6 16 (Z) 25 (Z)	21 15 (Z) 32 (Z)	31 23 (Z) 41 (Z)	22 18 (Z) 32 (Z)
HAZARDOUS MATERIALS CARRIED	0.0	4070	0.7	7.0								
Hazardous materials carried Less than 25 percent of time 25 to 49 percent of time 50 to 74 percent of time 75 to 100 percent of time No percent reported	8.0 3.6 1.4 .3 2.8 (Z)	197.8 98.6 29.7 13.0 56.4 (Z)	24.7 27.6 22.0 44.5 20.2 (Z)	7.9 3.6 1.4 .3 2.7 (Z)	197.3 98.6 29.7 13.0 56.0 (Z)	24.9 27.6 22.0 44.5 20.8 (Z)	9 14 25 44 16 (Z)	11 15 31 43 20 (Z)	8 10 24 24 18 (Z)	9 14 25 44 16 (Z)	11 15 31 43 20 (Z)	8 10 24 24 18 (Z)
Types of hazardous materials ² Flammables or combustibles Acids, poisons, caustics, etc. Explosives Radioactive materials	(Z) 7.6 2.0 .1 .2	(Z) 187.6 57.3 2.6 7.0	(Z) 24.6 29.0 29.5 40.1	(Z) 7.5 2.0 .1 .2	(Z) 187.2 57.3 2.6 7.0	(Z) 24.9 29.0 29.5 40.1	(Z) 9 18 85 60	(Z) 11 17 95 56	(Z) 8 11 17 26	(Z) 9 18 85 60	(Z) 11 17 95 56	(Z) 8 11 17 26
Hazardous waste	.1 .5 (Z)	4.1 20.2 (Z)	31.4 40.2 (Z)	.1 .5 (Z)	4.1 20.2 (Z)	31.4 40.2 (Z)	59 37 (Z)	50 38 (Z)	28 21 (Z)	59 37 (Z)	50 38 (Z)	28 21 (Z)
No hazardous materials carried	283.3 142.5	3,806.9 1,556.1	13.4 10.9	74.1 2.6	1,141.8 51.4	15.4 19.5	5 10	8 13	6 8	5 18	28	4 23
1 2 to 5 6 to 19 20 or more	334.1 40.5 21.2 38.0	3,686.4 595.2 566.8 712.5	11.0 14.7 26.8 18.7	32.4 15.6 14.0 22.6	387.7 223.4 285.3 494.1	12.0 14.3 20.4 21.8	3 19 20 15	5 25 37 15	4 16 26 11	10 7 7 5	9 10 10 6	7 8 8 5
MILES PER GALLON												
Less than 5 5 to 6.9 7 to 8.9 9 to 11.9 12 to 14.9	8.1 24.6 27.9 79.3 133.4	185.2 543.1 324.9 1,282.7 1,469.2	22.8 22.1 11.6 16.2 11.0	8.0 21.6 15.9 17.8 8.6	184.8 538.6 220.3 228.1 87.3	23.0 25.0 13.8 12.8 10.1	9 12 20 14 10	12 6 16 21 13	10 12 7 15 9	9 5 7 7 27	12 6 9 10 18	10 5 7 8 20
15 to 19.9 20 or more Not reported	82.9 45.6 32.0	916.0 472.2 367.6	11.0 10.4 11.5	2.3 2.4 8.0	20.7 23.5 87.2	8.9 9.8 10.9	15 22 23	17 25 27	9 13 11	21 91 10	27 93 12	17 3 8
EQUIPMENT TYPE							. <u>.</u>					
Transmission Manual Automatic Not reported	433.8 220.5 209.5 3.8	5,560.8 2,713.9 2,807.0 39.9	12.8 12.3 13.4 10.5	84.7 66.5 15.3 2.9	1,390.6 1,177.3 179.1 34.2	16.4 17.7 11.7 12.0	(Z) 7 7 16	5 7 11 20	5 5 8 14	21 21 18	4 4 17 22	4 3 13 15
Braking system Hydraulic Hydraulic (power) Air Not reported	433.8 31.2 368.5 26.3 7.8	5,560.8 345.0 4,431.0 705.0 79.7	12.8 11.1 12.0 26.8 10.2	84.7 23.8 30.5 26.2 4.1	1,390.6 288.0 347.5 704.6 50.4	16.4 12.1 11.4 26.9 12.2	(Z) 4 1 3 29	5 7 6 5 30	5 6 6 5 9	4 5 11 3 15	4 9 10 5 19	4 7 7 5 13
Power steering ²	262.9 40.8 2.9 14.1	3,748.4 763.2 111.4 244.0	14.3 18.7 38.2 17.3	42.4 5.8 2.8 13.1	784.6 280.3 109.5 233.0	18.5 48.4 39.0 17.8	5 21 15 7	8 18 15 10	6 10 9 7	6 10 15 8	5 11 16 10	6 8 8 7
FUEL CONSERVATION EQUIPMENT ² Aerodynamic features	5.0	150.0	30.2	4.0	150.9	20.6	10	13	10	12	13	10
Aerodynamic features Axle or drive ratio. Fuel economy engine Radial tires Road speed governor	5.0 12.6 8.9 159.7 18.0	152.2 271.6 305.5 2,364.2 398.7	30.2 21.6 34.2 14.8 22.1	4.9 12.4 8.9 21.7 17.9	268.6 305.5 599.4 398.3	30.6 21.7 34.2 27.6 22.3	12 8 8 9 6	9 10 11 8	7 7 9 6	8 8 11 6	9 10 7 8	7 7 8 6
Variable fan drivesOther fuel conservation devicesNot reported	9.0 1.5 255.4	271.8 76.6 2,917.7	30.1 49.9 11.4	8.8 1.5 44.5	266.9 76.6 512.9	30.3 49.9 11.5	8 19 6	10 21 8	8 10 6	19 6	10 21 6	8 10 6

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982—Con.

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Truc	cks and truck mi	les¹	Trucks and truck miles, excluding pickups, panels, utilities, and station wagons1			Relative standard error of estimate					
Vehicular and operational characteristics	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)				for colu		liato
	A	В	С	D	E	F	Α	В	С	D	E	F
MAINTENANCE												
General maintenance: Owner	225.4	2,498.5	11.1	29.2	361.8	12.4	7	8	5	11	10	
Company's maintenance facilities	53.3 49.3 .3	854.6 799.5 10.5 1,888.1	16.0 16.2 31.0 13.5	32.1 7.5 .3 21.3	670.2 129.3 10.5 318.0	20.9 17.3 31.0 14.9	13 19 48 10	8 9 30 54 15	5 8 24 19 11	4 11 48 6	5 14 54 8	10
Component distributorshipOther	.1 9.9	2.3 170.2	19.3 17.2	:1	2.3 1.2	19.3 10.2	66 49	56 67	35 42 7	66 88	56 74	3:
Not reported Major overhauls:	8.5	96.4	11.4	2.9	38.9	13.2	37	36	′	17	20	1:
Owner Company's maintenance facilities	32.9	917.1 560.0	11.3 17.0	10.0 23.8	148.1 506.0	14.8 21.3	15 14	16 8	7 10	9 5 18	12 6	
Dealership's service department Leasing company Independent garage	64.0	1,082.0 11.6 1,837.6	16.9 26.0 12.7	13.0 .4 24.4	223.7 11.6 381.9	17.2 26.0 15.6	16 44 10	23 50 12	17 24 7	18 44 10	14 50 10	24
Component distributorshipOtherNot reported	.3	20.5 .7 1,410.1	39.7 2.3 10.7	.5 .1 19.6	20.5 .4 212.0	39.7 3.4 10.8	36 57 10	34 63 14	31 25 9	36 100 13	34 100 10	3 (Z 1
ENGINE TYPE AND SIZE												
Engine	399.5	5,560.8 4,667.9 864.6	12.8 11.7 27.2	84.7 58.6 24.1	1,390.6 609.2 757.5	16.4 10.4 31.4	(Z) 1 14	5 6 9	5 6 8	4 6 3	4 6 5	5
LPG or other	.3	6.4 21.9	22.5 9.9	.3 1.7	6.4 17.5	22.5 10.3	58 21	82 26	68 18	58 24	82 30	68
Cylinders4	433.8	5,560.8 344.3	12.8 9.2	84.7 1.3	1,390.6 13.9	16.4 10.5	(Z) 24	5 28	5 14	4	4 29	20
8	157.0	2,275.1 2,907.3	14.5 12.3	35.8 45.2	765.9 582.0	21.4 12.9	9	12	9 5	26 7 6	6	
Other Not reported	.3	4.2 29.9	14.7 10.5	.3 2.1	4.2 24.6	14.7 11.7	58 18	94 24	70 17	58 21	94 27	70
Cubic inch displacement	431.6 399.5	5,538.9 4,667.9	12.8 11.7	83.0 58.6	1,373.1 609.2	16.5 10.4	(Z) 1	5	5 6	4	4 6	4
Less than 200	25.3	181.4 1,090.6	7.2 12.5	.9 6.5	4.5 60.9	5.0 9.4	30 14	37	21 18	6 33 12 9	54 15	42 10 10
300 to 349350 to 399	90.5	1,470.2 1,113.2	11.7 12.3	11.6 24.2	117.0 249.4	10.1 10.3	11 13	23 13 17 52	7 10	10	13 9	1 8
400 or more Not reported		91.5 721.1	16.7 11.0	2.7 12.8	44.0 133.4	16.5 10.4	50 16	52 20	10 12	18 19	28 20	21
Diesel engines	7.6	864.6 138.9	27.2 18.3	24.1 2.1	757.5 59.2	31.4 28.2	14 50	9 43 12	8 15	3 19	5 23	12
400 to 599600 to 799		183.7 201.6	27.6 33.8	6.7 6.0	183.7 201.6	27.6 33.8	9	12	8	9	12 12	
800 or more Not reported	7.0	197.2 143.2	20.5	4.6	197.2 115.8	42.7 24.2	33	12 22	15	10 12	12	10
Other engines	.1	6.4 1.3	22.5 12.0	.3 .1	6.4 1.3	22.5 12.0	58 100	82 100	68 (Z)	58 100	82 100	66 (Z (Z 83
400 or more Not reported		(Z) 5.1	(Z) 28.6	(Z) .2	(Z) 5.1	(Z) 28.6	(Z) 72	(Z) 99	(Z) (Z) 83	(Z) 72	(Z) 99	(Z 83
HorsepowerGasoline engines	399.5	5,538.9 4,667.9	12.8 11.7	83.0 58.6	1,373.1 609.2	16.5 10.4	(Z) 1	5	5 6	4	4 6	;
Less than 100	283.1	204.7 3,403.9	8.7 12.0	.3 37.5	2.4 385.8	7.9 10.3	32 5	37 9 31	19	56 7	89 7	6
200 to 249	5.0	245.9 72.2 741.2	12.0 14.5 11.0	7.7 .5 12.6	77.9 10.8 132.3	10.1 22.6 10.5	27 62 15	77 19	50 12	11 44 19	16 74 20	12 58
Diesel engines	31.8	864.6	27.2	24.1	757.5	31.4	14	9	8	3 7	5	
Less than 250 250 to 349 350 to 449	5.6	357.9 200.9 159.6	22.0 35.6 53.2	10.8 5.6 3.0	278.2 200.9 159.6	25.8 35.6 53.2	24 9 13	18 11 15	10 7 9	9	9 11 15	
450 or moreNot reported	.1	7.2 139.1	98.0 20.4	.1 4.6	7.2 111.7	98.0 24.1	99	99	(Z) 15	99	99	(Z
Other engines	.3	6.4	22.5	.3	6.4	22.5 12.0	58 100	82 100	68	58 100	82 100	,
Less than 250 250 or more Not reported	. (Z)	1.3 (Z) 5.1	12.0 (Z) 28.6	(Z) .2	1.3 (Z) 5.1	(Z) 28.6	(Z) 72	(Z) 99	(Z) (Z) 83	(Z) 72	(Z) 99	68 (Z (Z 83
TRUCK TYPE AND AXLE ARRANGEMENT												
Single-unit trucks	420.7	5,044.8	12.0	71.6	874.6	12.2	(Z) (Z) 13	5 5	5 5	5	5	
2 axles 3 axles 4 axles or more	3.5	4,963.1 80.2 1.5	11.9 22.8 26.3	68.0 3.5 .1	792.9 80.2 1.5	11.7 22.8 26.3	13 48	19 62	13 40	5 5 13 48	19 62	13
CombinationsSingle-unit truck with trailer	1.2	516.0 18.7	39.4 15.5	13.1 1.2	516.0 18.7	39.4 15.5	5 26	7 29 79	5 16	5 26	7 29	16
3 axles 4 axles	.2	2.8 10.3	15.5 13.4	.2 .8	2.8 10.3	15.5 13.4	72 33	79 40 50	24	72 33	79 40	24 24 26
5 axles or more Truck-tractor with single trailer		5.7 495.9	21.5	.3 11.8	5.7 495.9	21.5 41.9	49 5	7	26 5	49	50 7	
3 axles 4 axles 5 axles or more	1.3	25.5 176.8 293.6	20.3 37.0 50.4	1.3 4.8 5.8	25.5 176.8 293.6	20.3 37.0 50.4	22 10 8	27 14 9	16 9 5	22 10 8	27 14 9	16
Truck-tractor with double trailers		1.3	46.6		1.3	46.6	68	70	17	68	70 (Z)	17
5 axles 6 axles 7 axles or more	. (Z)	(Z) (Z) 1.3	(Z) (Z) 46.6	(Z) (Z) (Z) (Z)	(Z) (Z) 1.3	(Z) (Z) 46,6	(Z) (Z) 68	(Z) (Z) 70	(Z) (Z) 17	(Z) (Z) 68	(Z) (Z) 70	(Z (Z 1)

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982-Con.

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Truc	cks and truck mi	les¹	Trucks and truck miles, excluding pickups, panels, utilities, and station wagons¹				Relative standard error of estimate				
Vehicular and operational characteristics	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)		(pe	rcent)	for colu	ımn—	
	А	В	С	D	E	F	Α	В	C	D	Е	F
TRUCK TYPE AND AXLE ARRANGEMENT— Con.												
Truck-tractor with triple trailers 7 axles 8 axles or more	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(X) (X) (X)	(Z) (Z) (Z)
Trailer not specified	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Powered axles	433.8 331.6 78.3 .6 23.3	5,560.8 4,187.6 1,110.0 26.6 236.6	12.8 12.6 14.2 41.1 10.2	84.7 60.3 10.6 .4 13.4	1,390.6 882.0 356.9 26.4 125.2	16.4 14.6 33.8 60.5 9.4	(Z) 4 14 33 24	5 7 13 37 27	5 6 8 28 12	4 2 7 35 24	4 8 38 21	4 4 7 13 12
CAB TYPE4												
Cab forward of engine Cab over engine Short-hood conventional Medium-hood conventional Long-hood conventional	2.9 12.6 20.3 32.1 6.5	43.9 321.4 286.3 493.3 101.0	14.9 25.6 14.1 15.4 15.6	2.7 12.2 17.8 29.8 6.3	43.2 318.7 263.1 480.2 98.6	15.8 26.0 14.8 16.1 15.8	17 8 6 4 11	24 10 8 6 14	17 8 6 5 11	18 8 6 5 11	24 10 9 6 15	17 8 7 5 11
Cab beside engine Other Not reported	.2 6.4 352.8	1.3 66.0 4,247.6	5.7 10.4 12.0	.1 4.2 11.5	1.0 45.5 140.3	8.0 10.7 12.2	66 12 (Z)	71 15 6	29 9 6	88 15 28	88 19 21	(Z) 11 17
PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS												
Total	349.1 201.5 90.2 44.3 13.2	4,170.2 2,070.5 1,464.4 467.4 167.8	11.9 10.3 16.2 10.5 12.8	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	1 1 10 19 39	6 7 17 24 40	6 7 14 14 8			(Z) (Z) (Z) (Z) (Z)
Driving wheels	339.5 68.2 266.4 4.9	4,065.7 760.1 3,293.3 12.2	12.0 11.1 12.4 2.5	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	2 17 5 71	7 19 9 71	6 10 7 (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)

¹When no response was obtained for annual miles, data were imputed.

²Detail does not add to totals because items were not applicable or multiple responses were possible.

³When no response was obtained, one truck was imputed based on body type of sampled vehicle.

⁴Pickups, panels, and vans are not included.

Table 3. Trucks by Major Use: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational		Major use										
	characteristics	Total	Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade	Retail trade				
1 2	TotalRelative standard error (percent)	433.8 (Z)	12.4 34.8	(S) 71.5	(S) 62.4	85.4 13.5	15.6 31.7	29.9 23. 0	17.4 20.8				
3 4 5 6 7	Pickup	201.5 90.2 44.3 13.2 8.7	(Z) (S) (S) (Z) (S)	(Z) (Z) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	30.3 32.9 (S) (S) (S)	(S) (S) (S) (Z) (Z)	t 0.9 8.8 (Z) (Z) .9	(S) (S) (S) (Z) .9				
8	Platform with added devices Low boy or depressed center Basic platform Livestock truck Insulated nonrefrigerated van	2.8 .9 14.1 (S)	(S) (S) 1.4 (S) (Z)	(S) (Z) .8 (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	.8 .5 4.6 (Z) (Z)	(S) (Z) 1.2 (Z) (S)	.5 (Z) 1.5 (Z) (S)	(S) (Z) .9 (Z) (S)				
13 14 15 16 17	Insulated refrigerated van Drop-frame van Open-top van Basic enclosed van Beverage	3.9 1.5 (S) 25.2 1.4	.6 (S) (S) (S) (S)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (S) (Z) 1.6 (Z)	.1 (Z) (Z) 2.9 (S)	2.0 .4 (Z) 3.7 (S)	.9 (S) (Z) 3.9 .6				
18 19 20 21 22	Public utility	4.2 .6 (S) (S) (S)	(Z) (Z) (Z) (S) (Z)	(Z) (Z) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z)	.5 .5 (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (S)	(Z) (Z) (Z) (Z) (Z)				
	Service truck Yard tractor Oilfield truck Cargo container chassis Grain body	1.5 (S) .4 .4 (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	.6 (S) (S) (Z) (Z)	(Z) (S) (S) (Z) (Z)	(Z) (S) (S) (S) (Z)	(S) (Z) (S) (S) (Z)				
28 29 30 31 32 33 34	Garbage hauler	1.3 9.8 5.5 (S) .4 .5 (Z)	(S) -3 (S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (S) (Z) (Z) (Z) (Z) (Z) (Z)	(S) 6.4 .4 (Z) .4 (S) (Z)	(S) (S) .4 (Z) (Z) (Z) (Z)	(Z) (S) -4 (S) (Z) (Z) (Z)	(Z) (Z) 3.6 (S) (Z) (Z) (Z)				
	ANNUAL MILES ¹												
35 36 37 38 39 40 41	Less than 5,000 5,000 to 9,999 10,000 to 19,999 20,000 to 29,999 30,000 to 49,999 50,000 to 74,999 75,000 or more	67.5 92.1 207.5 41.7 15.6 4.0 4.6	.7 .8 7.7 (S) .4 (S) .1	(S) .5 (S) (S) (Z) (S) (Z)	(Z) (S) (S) (S) (Z) (Z)	9.3 18.1 39.6 10.8 (S) .5 (S)	1.4 (S) (S) (S) .6 .5 .4	(S) (S) 12.0 7.2 1.7 .9	2.2 8.3 4.1 1.7 .7 .3 (S)				
	RANGE OF OPERATION												
42 43 44 45 46	Local Short-range (Less than 201 miles) Long-range (201 miles or more) Off-the-road Not reported	369.2 24.2 7.9 29.6 2.9	11.7 .5 .1 (S) (Z)	(S) (S) (Z) (S) (Z)	(S) (Z) (Z) (S) (Z)	71.7 (S) (S) (S) (S) (Z)	13.7 1.2 .5 (S) (Z)	26.4 2.9 .5 (S) (Z)	15.8 1.1 .3 (S) (Z)				
	BASE OF OPERATION												
47 48 49 50 51	Percentage of miles traveled outside base-of-operation State: Less than 25 percent 25 to 49 percent 50 to 74 percent 75 to 100 percent Not reported	341.9 28.3 14.4 14.7 34.6	9.5 (S) (S) .1 (S)	(S) (Z) (Z) (S) (S)	(S) (Z) (Z) (Z) (S)	74.7 (S) .8 (S) (S)	13.6 .5 .7 .4 .3	24.0 .8 (S) 1.2 1.0	14.5 .5 .4 (S) 1.7				
	VEHICLE SIZE		·										
52 53 54 55	Light Medium Light-heavy Heavy-heavy	380.1 20.4 10.2 23.2	10.4 .8 .4 .8	(S) .6 (S) (S)	(S) (Z) (S) (S)	75.5 3.9 2.1 3.9	10.7 1.7 1.1 2.1	22.3 2.8 .9 3.9	8.7 2.8 2.5 3.4				
EG	AVERAGE WEIGHT (POUNDS)	201.4	(6)	(6)	(7)	55.0	(8)	19.4	(6)				
56 57 58 59 60	Less than 6,001 6,001 to 10,000 10,001 to 14,000 14,001 to 16,000 16,001 to 19,500	291.4 88.7 9.5 5.5 5.3	(S) (S) (S) -4 (S)	(S) (S) (S) (S) (S)	(Z) (S) (Z) (Z) (Z)	20.6 1.5 .7 1.6	(S) (S) .5 .7 .5	18.4 (S) t.6 .6 .5	(S) 2.1 1.4 .7				
61 62 63 64 65	t 9,501 to 26,000	10.2 5.5 4.9 3.6 3.7	.4 (S) (S) (S) (S) (Z)	(S) (Z) (S) (S) (S)	(S) (S) (Z) (Z) (Z)	2.1 .6 1.0 .6 .8	1.1 .7 (S) .3 (S)	.9 .9 .9 .8 (S)	2.5 1.5 .8 .2 .5				
66 67 68 69 70	60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 t 30,00t or more Not reported	5.2 .3 (Z) (Z) (Z)	.4 (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(Z) (S) (Z) (Z) (Z)	.8 (S) (Z) (Z) (Z)	.7 (S) (Z) (Z) (Z)	t.t (S) (Z) (Z) (Z)	.3 (S) (Z) (Z) (Z)				

	Major use—Con.								Relative standard error	
	For-hire transportation	Utilities	Services	Daily rental	Personal transpor- tation	Other	Not in use	Not reported	Relative standard error of estimate (percent) for total	
	11.7 19.8	13.7 31.7	19.7 26.1	4.5 14.2	218.8 6.3	(S) 99.5	1.2 28.0	(Z) (Z)	(Z) (Z)	1 2
	(Z) (S) (Z) (Z) (Z) (Z)	(Z) (S) (S) (Z) (S)	(S) (S) (S) (Z) (S)	(Z) (Z) (Z) (Z) .6	148.3 26.4 30.7 11.0 (S)	(Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	1.2 10.0 18.5 39.3 36.1	3 4 5 6 7
	(S) (S) 1.0 (S) (S)	(S) (Z) (S) (Z) (Z)	.4 (S) 1.2 (Z) (Z)	(Z) (S) (S) (Z) (S)	(Z) (S) 1.1 (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(S) (Z) .4 (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	17.7 29.7 7.5 68.1 41.5	8 9 10 11 12
	.3 .6 (S) 5.9 (Z)	(Z) (Z) (Z) (S) (Z)	(Z) (S) (Z) 2.2 (Z)	(Z) (S) (Z) 3.4 (Z)	(Z) (Z) (Z) .5 (Z)	(Z) (Z) (S) (S) (Z)	(Z) (Z) (Z) .5 (Z)	(Z) (Z) (Z) (Z) (Z)	14.0 22.8 70.3 5.1 25.9	13 14 15 16 17
	(Z) (Z) (Z) (Z) (Z)	3.7 (Z) (Z) (Z) (Z)	(Z) (S) (S) (Z) (S)	(Z) (S) (Z) (Z)	SOSOS	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (S) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	15.1 35.9 55.4 65.6 88.3	18 19 20 21 22
,	(Z) (S) (S) (S) (Z)	(S) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)		(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z)	26.2 52.8 48.5 47.0 (Z)	23 24 25 26 27
	(S) .6 .2 (S) (Z) (S) (Z)	(Z) (S) (S) (Z) (S) (Z)	1.0 1.2 (S) (Z) (Z) (S) (Z)	(Z) (S) (Z) (Z) (S) (Z)			(Z) (S) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	23.2 8.9 11.2 59.3 44.1 43.6 (Z)	28 29 30 31 32 33 34
	1.1 (S) 1.9 1.9 1.9	(S) 1.9 (S) (S) (S) (Z) (Z)	(S) 2.6 6.5 1.2 (S) .3 (S)	.8 1.6 1.0 .6 (S) (S)	35.4 47.3 123.1 10.2 (S) (S) (Z)	(Z) (Z) (Z) (Z) (Z) (S)	(S) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	15.2 13.0 7.1 19.2 29.8 12.0 48.7	35 36 37 38 39 40 41
	8.7 1.8 1.1 (S) (Z)	13.6 (Z) (S) (Z) (Z)	16.0 .3 (S) (S) (Z)	2.2 .5 (S) (Z) 1.8	186.4 (S) (S) 21.5 (Z)	(Z) (S) (Z) (Z) (Z)	(Z) (Z) (S) (Z) 1.2	(Z) (Z) (Z) (Z) (Z)	2.7 24.8 44.1 26.1 18.1	42 43 44 45 46
1	8.3 .7 1.0 1.0 .8	13.0 (Z) (S) (Z) .5	18.4 .2 (S) (S) 1.0	1.6 (S) .3 (S) 2.5	160.4 22.7 (S) (S) 19.3	(Z) (Z) (S) (Z) (Z)	.7 (Z) (S) (S) .4	(Z) (Z) (Z) (Z) (Z) (Z)	3.4 26.8 34.1 35.0 21.6	47 48 49 50 51
	(S) 1.8 1.2 6.1	11.0 1.7 .5 .5	14.7 2.4 .9 1.6	1.8 1.7 .3 .7	218.7 (S) (Z) (Z)	(S) (Z) (Z) (Z)	1.1 (S) (Z) (Z)	(Z) (Z) (Z) (Z)	.3 6.0 8.9 3.3	52 53 54 55
	(S) (S) .7 (S) .8	(S) (S) 1.3 (S) (S)	(S) 8.6 1.7 .4 (S)	(S) 1.7 (S) 1.2 (S)	183.0 35.7 (S) (Z) (Z)	(Z) (S) (Z) (Z) (Z)	.5 .6 (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	3.8 12.5 9.5 12.9 13.1	56 57 58 59 60
	1.2 .6 1.3 1.2 1.4	.5 .5 (Z) (Z)	.9 .4 (S) .3 .5	.3 (S) (S) (S) (S)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	8.9 11.3 11.1 11.8 12.1	61 62 63 64 65
	1.6 (S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	9.0 37.7 (Z) (Z) (Z)	66 67 68 69 70

Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational					Major use			
	characteristics	Total	Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade	Retail trade
	TOTAL LENGTH (FEET)								
1 2 3 4 5	Less than 7.0 7.0 to 9.9 10.0 to 12.9 13.0 to 15.9 16.0 to 19.9	(Z) (Z) 11.9 113.7 247.3	(Z) (Z) (Z) (S) 8.1	(Z) (Z) (Z) (Z) (S)	(Z) (Z) (Z) (Z) (S)	(Z) (Z) (S) 12.7 60.3	(Z) (Z) (Z) (Z) 10.8	(Z) (Z) (Z) (S) 16.4	(Z) (Z) (S) 1.1 8.7
6 7 8 9 10	20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9 45.0 or more Not reported	41.2 7.6 1.0 1.5 9.6 (Z)	1.6 (S) (Z) (S) .4 (Z)	.4 (S) (Z) (Z) (S) (S) (Z)	(S) (Z) (Z) (S) (Z) (Z)	9.7 1.2 (S) .4 .6 (Z)	2.8 .6 (S) (Z) 1.3 (Z)	4.2 1.2 (S) .4 1.6 (Z)	5.5 1.0 (Z) (S) .9 (Z)
	YEAR MODEL								
12 13 14 15 16	1983 1982 1981 1980 1979	(S) 20.8 34.6 20.0 59.6	(Z) (S) (Z) (S) (S)	(Z) (Z) (Z) (Z) (S)	(Z) (Z) (Z) (Z) (Z) (Z)	(S) .4 9.3 (S) 13.2	(Z) (S) .6 (S) .4	(Z) .7 (S) (S) 8.5	(Z) (S) .7 .7 (S)
17 18 19 20 21	1978	52.7 35.0 27.1 22.2 36.4	(S) (S) (S) (S) .5	(S) (Z) (Z) (S) (Z)	(S) (Z) (Z) (Z) (S)	12.7 10.9 9.8 (S) (S)	.6 (S) (S) (S) .8	1.2 1.0 .5 (S)	.9 1.0 (S) 1.2 1.3
22 23 24	1973 Pre-1973 Not reported	31.2 93.9 (Z)	(S) 1.7 (Z)	(S) .7 (Z)	(Z) (S) (Z)	(S) 14.4 (Z)	(S) (S) (Z)	(S) 1.5 (Z)	1.0 3.9 (Z)
25	VEHICLE ACQUISITION Purchased new	212.9	(S)	(S)	(S)	34.0	11.7	24.9	10.2
26 27 28	Purchased used Leased from someone else Not reported	217.0 1.1 2.9	(S) 8.3 (Z) (S)	(S) .8 (Z) (Z)	(S) (S) (Z) (S)	50.9 (S) .4	(S) (S) (S)	4.6 (S) (S)	10.2 6.7 (S) (S)
29	LEASE CHARACTERISTICS ² Leased without driver	1.0	(Z)	(Z)	(Z)	(Z)	(S)	(S)	(S)
30 31 32 33 34 35	Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other	(Z) (Z) 1.2 .9 (Z) (S)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)		(Z) (Z) (Z) (S) (Z) (Z) (S)	(S) (Z) (Z) (S) (S) (Z) (Z)	(S) (Z) (Z) (S) (S) (S) (S)	(S) (Z) (Z) (S) (S) (S) (S)
	OPERATOR CLASSIFICATION								
36 37 38 39 40 41	Not for hire: Private owner or individual For hire Motor carrier Owner-operator Daily rental Mixed—for hire/not for hire	417.4 16.2 9.6 2.0 4.5 (Z)	12.4 (Z) (Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z) (Z)	85.4 (Z) (Z) (Z) (Z) (Z)	15.6 (Z) (Z) (Z) (Z) (Z)	29.9 (Z) (Z) (Z) (Z) (Z) (Z)	17.4 (Z) (Z) (Z) (Z) (Z)
42 43 44 45 46	For-hire interstate Exempt carrier Contract carrier Common carrier For-hire intrastate	5.4 1.6 (S) 9.0 2.4	(Z) (S) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (S) (Z) (S)	(S) (S) (Z) (Z)	(S) (S) (Z) (S)	(S) (S) (Z) .6
47	PRODUCTS CARRIED	4.6	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (S)	(Z) (S)	(Z) (Z)	(S) (Z)
48 49 50 51 52	Farm products Live animals Mining products Logs and other forest products Lumber and fabricated wood products	8.5 (S) (S) 1.0 7.4	(S) (S) (Z) (Z) (S)	(Z) (Z) (Z) .8 (S)	(Z) (Z) (S) (Z) (Z)	(S) (Z) (Z) (S) (S)	(Z) (S) (S) (Z) (S)	(S) (S) (Z) (Z) (S)	(S) (Z) (S) (Z) (S)
53 54 55 56 57	Processed foods Textile mill products Building materials Household goods Furniture or hardware	18.9 (S) 18.1 5.5 (S)	1.2 (Z) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (S) (Z) (Z)	(S) (Z) 13.2 (Z) (Z)	.4 (S) (S) (Z) (S)	7.2 (S) (S) (S) (Z) (S)	3.9 .6 (S) (S) (S)
58 59 60 61 62	Paper products Chemicals Petroleum Plastics and/or rubber Primary metal products	6.8 1.6 4.8 (S) 1.2	(Z) (S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (S) (S) (S) (S)	(S) .5 (S) (S) .1	(S) (S) .4 (S) .7	(S) (S) 3.6 (S) (Z)
63 64 65 66 67	Fabricated metal products Machinery, elect or nonelect Transportation equipment Scrap, refuse, or garbage Mixed cargoes	1.9 8.9 (S) 4.5 10.4	(Z) (Z) (Z) .4 (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	.4 (S) (S) 1.0 (Z)	.9 .6 (Z) .4 (S)	(S) (S) (S) (S) (S)	(S) (S) (S) (Z) .9
68 69 70 71 72 73	Craftsman's equipment	66.3 218.8 24.2 (Z) (S) (Z)	(S) (Z) (S) (Z) (Z) (Z)	(Z) (Z) (S) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z) (Z)	48.1 (Z) (S) (Z) (S) (Z)	(S) (Z) (S) (Z) (S) (Z)	(S) (Z) .4 (Z) (Z) (Z)	(S) (Z) (S) (Z) (S) (Z)

ſ				Major us	e-Con.				Relative standard error	
	For-hire transpor- tation	Utilities	Services	Daily rental	Personal transportation	Other	Not in use	Not reported	Relative standard error of estimate (percent) for total	
	(Z) (Z) (Z) (S) 2.6 1.2 .3 .6 4.3 (Z)	(Z)(Z)(S)(S)(S)(S)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)	(Z) (Z) (Z) (S) 12.0 4.1 .7 (Z) (Z) .2 (Z)	(Z) (Z) (Z) (S) .8 1.9 1.5 (Z) (Z) (Z)	(Z) (Z) 11.6 86.6 114.6 (S) (Z) (Z) (Z) (Z) (Z)	(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)((Z) (Z) (Z) (S) (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z)	(Z) (Z) 42.6 12.0 5.7 11.7 9.4 26.7 20.3 6.1 (Z)	1 2 3 4 5 6 7 8 9
	(Z) (S) .6 (S) .7 .7 (S) (S) .5 1.1	(Z) -5.8 e.8 (S) (S) (S) (S) (S) (S)	(Z) (S) (S) (S) (S) (S) (S) (S) (S) (S)	(Z) (S) (S) (S) (S) .5 .5 (S) (S) (S)	(S) 13.2 16.2 (S) 22.4 30.5 10.4 10.0 9.5 27.9	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (S) (S) (S) (Z) (S)	(Z)	25.1	12 13 14 15 16 17 18 19 20 21 22 23 24
,	1.0 3.4 (Z) 7.0 4.5 .1 (S)	(S) 1.0 (Z) 12.6 .6 .4 (S)	.5 4.5 (Z) 13.1 5.9 (Z) .7	(S) 1.0 (Z) 3.9 .5 (Z) (S)	88.5 129.8 (Z)	(Z) (S) (Z)	(S) .9 (Z) (S) .7 (Z) (S)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	6.9 6.8 27.3 17.6	
	.1 (Z) (Z) :1 :1 (Z) (Z)	.4 (Z) (Z) .4 .4 (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (X) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	28.4 (Z) (Z) 26.7 30.0 (Z) 58.1	29 30 31 32 33 34 35
	(S) 11.6 9.6 2.0 (Z) (Z) 5.1 .5 (S) 6.9	(S) (Z) (S) (Z)	19.6 (Z) (Z) (Z) (Z) (Z) (S) (S) 1.3 (Z)	(Z) 4.5 (Z) 4.5 (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z (Z (Z (S	(S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z	1.0 (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z (Z (Z (Z (Z (Z (Z (Z (Z (Z (Z (Z (Z () .6) 14.8 23.9) 17.4) 14.2) (Z)) 23.3) 24.3) 8.8) 18.6 (48.2	36 37 38 39 40 41 42 43 44 45 46 47
	(S) (S) (S) (S) (S) (S) 1.3 (S) (S) (S) (S) (S)	(Z (Z (Z (S (S (Z (Z	(S (S) (S) (S) (S) (S) (S) (Z) (Z)	(S)	(2) (2) (3) (4) (4) (4) (5) (6) (6) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7				22.2 (1) 56.1 (2) 23.1 (3) 40.8 (4) 54.6	53 54 55 56 57 58 59 60 61 62
	(S (S) (S) (S) (Z) (S) (Z) (Z)				(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(Z)	(2) (2) (2) (3) (3) (4) (5) (5) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6		13.1 13.2 13.2 13.3 13.2 13.3	

Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational					Major use			
	characteristics	Total	Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade	Retail trade
	HAZARDOUS MATERIALS CARRIED								
1 2 3 4 5 6	Hazardous materials carried Less than 25 percent of time 25 to 49 percent of time 50 to 74 percent of time 75 to 100 percent of time No percent reported	8.0 3.6 1.4 .3 2.8 (Z)	(S) (S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	.5 (S) (S) (Z) (Z) (Z)	.5 (S) (S) (Z) (S) (Z)	.6 (S) (S) (S) (S) (Z)	2.7 (S) (S) (S) 2.2 (Z)
7	Types of hazardous materials	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
8		7.6	(Z)	(Z)	(Z)	(S)	.5	.5	2.7
9		2.0	(S)	(Z)	(Z)	(S)	(S)	(S)	(S)
10		(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
11		(S)	(Z)	(Z)	(Z)	(Z)	(S)	(Z)	(Z)
12 13 14 15 16	Hazardous waste Hazardous materials not listed above _ Not reported No hazardous materials carried Not reported	(S) .5 (Z) 283.3 142.5	(Z) (Z) (Z) 12.2 (S)	(Z) (Z) (Z) (S) (S) (Z)	(Z) (Z) (Z) (S) (Z)	(S) (Z) (Z) 84.5 .4	(S) (S) (Z) 15.0 (S)	(S) (S) (Z) 29.3 (S)	(Z) (S) (Z) 14.2 .4
	TRUCK FLEET SIZE ³								
17	1	334.1	10.6	(S)	(Z)	60.5	11.8	15.6	9.4
18		40.5	.7	(S)	(Z)	15.2	1.5	(S)	2.9
19		21.2	.6	(S)	(S)	6.1	1.3	(S)	1.7
20		38.0	.6	(Z)	(Z)	(S)	1.0	5.6	3.4
	MILES PER GALLON								
21	Less than 5	8.1	(S)	(S)	(S)	1.1	1.0	.7	1.7
22		24.6	.6	(S)	(S)	3.2	1.7	3.5	3.0
23		27.9	1.3	(S)	(Z)	6.0	1.3	2.4	2.5
24		79.3	(S)	(S)	(S)	27.8	(S)	6.8	(S)
25		133.4	(S)	(S)	(Z)	25.1	(S)	.4	(S)
26	15 to 19.9	82.9	(S)	(S)	(Z)	10.7	(S)	(S)	.4
27	20 or more	45.6	(S)	(Z)	(Z)	(S)	(Z)	(Z)	(S)
28	Not reported	32.0	(S)	(Z)	(S)	(S)	(S)	(S)	1.5
	EQUIPMENT TYPE								
29	Transmission Manual Automatic Not reported	433.8	12.4	(S)	(S)	85.4	15.6	29.9	17.4
30		220.5	7.8	.9	(S)	34.6	7.6	15.9	12.4
31		209.5	(S)	(S)	(S)	50.1	(S)	13.8	4.6
32		3.8	(S)	(Z)	(S)	.6	(S)	(S)	.4
33 34 35 36 37	Braking system Hydraulic Hydraulic (power) Air Not reported	433.8 31.2 368.5 26.3 7.8	12,4 1.2 10.6 .6 (S)	(S) (S) (S) (S) (S)	(S) (Z) (S) (S) (S)	85.4 6.5 73.1 4.9 .9	15.6 1.5 11.8 2.1 (S)	29.9 2.4 23.1 3.8 .6	17.4 3.3 8.9 4.6
38	Power steering ²	262.9	8.0	(S)	(S)	58.5	11.6	18.8	13.0
39		40.8	(S)	(Z)	(Z)	14.8	.9	1.1	.9
40		2.9	(S)	(S)	(Z)	.5	(S)	.4	.3
41		14.1	(S)	(S)	(Z)	1.8	.5	1.7	2.0
	FUEL CONSERVATION EQUIPMENT ²								
42	Aerodynamic features Axle or drive ratio Fuel economy engine Radial tires Road speed governor	5.0	(Z)	(Z)	(Z)	(S)	.3	1.0	(S)
43		12.6	.6	(S)	(Z)	1.9	.9	2.3	1.5
44		8.9	(S)	(S)	(Z)	.9	.5	1.5	.9
45		159.7	(S)	(S)	(Z)	29.8	(S)	6.0	5.7
46		18.0	.6	(S)	(Z)	2.5	1.0	2.5	2.9
47	Variable fan drives Other fuel conservation devices Not reported	9.0	(S)	(S)	(Z)	.6	.6	1.7	1.0
48		1.5	(Z)	(Z)	(Z)	(S)	(S)	.4	(Z)
49		255.4	4.7	.7	(S)	52.3	10.1	21.8	9.0
	MAINTENANCE								
50	General maintenance: Owner	225.4	(S)	(S)	(Z)	45.5	(S)	(S)	(S)
51		53.3	1.2	(Z)	(S)	4.9	2.1	9.3	6.1
52		49.3	(S)	(S)	(Z)	15.7	(S)	(S)	1.7
53		.3	(Z)	(Z)	(Z)	(S)	(Z)	(S)	(Z)
54		140.3	(S)	(S)	(Z)	37.7	(S)	15.6	5.4
55	Component distributorship	(S)	(Z)	(S)	(Z)	(S)	(Z)	(S)	(Z)
56	Other	9.9	(Z)	(Z)	(Z)	(S)	(Z)	(S)	(Z)
57	Not reported	8.5	(S)	(Z)	(S)	.6	(S)	(S)	.4
58	Major overhauls: Owner Company's maintenance facilities Dealership's service department Leasing company Independent garage	81.1	(S)	(S)	(Z)	8.8	(S)	1.6	1.6
59		32.9	1.0	(Z)	(S)	2.8	1,4	3.2	2.3
60		64.0	(S)	(S)	(S)	15.1	(S)	(S)	1.4
61		.4	(Z)	(Z)	(Z)	(S)	(Z)	(S)	(Z)
62		145.1	(S)	(S)	(S)	33.1	(S)	7.9	10.0
63	Component distributorship	.5	(Z)	(Z)	(Z)	(S)	(S)	(S)	(Z)
64	Other	(S)	(Z)	(Z)	(Z)	(S)	(Z)	(Z)	(Z)
65	Not reported	131.5	1.0	(S)	(S)	31.0	(S)	13.9	2.6

	Major use—Con.											
For-hire transpor- tation	Utilities	Services	Daily rental	Personal transportation	Other	Not in use	Not reported	Relative standard error of estimate (percent) for total				
2.9 2.4 3 (S) 3 (Z) (Z) 2.9 1.6 (S) (S) (S) (Z) 8.4 .5	.6. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	(S) (S) (S) (S) (Z) (Z) (Z) (S) (Z) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S	<u> </u>	(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(NO NON NONNON NONNON			9.0 13.8 24.5 44.3 15.9 (Z) 9.2 17.7 84.4 59.6 59.3 37.0 (Z) 5.1	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16			
1.6 1.2 4.9 4.1	1.0 (S) .7 11.7	11.0 (S) .8 (S)	.5 (S) (S) 3.7	208.2 10.6 (Z) (Z)	(S) (Z) (Z) (Z)	.9 (S) (S) (Z)	(Z) (Z) (Z) (Z)	2.9 18.8 19.9 14.9	17 18 19 20			
1.9 4.9 (S) .9 (S) (Z) (Z) .6	.4 1.6 1.2 .7 9.1 (S) (S)	.6 1.6 1.5 (S) (S) (S) (S)	(S) 1.0 7. 1.9 (S) (Z) 7.	(Z) (S) (S) 24.3 79.1 60.0 33.3 11.9	NON NON	(S) (S) (Z) (S) (S) (Z) (Z)		8.8 11.9 19.5 13.8 10.1 14.5 21.6 22.9	21 22 23 24 25 26 27 28			
11.7 9.1 (S) (S) (S) 11.7 1.3 (S) 6.2 .4 6.8 1.2 .9	13.7 10.4 (S) (Z) 13.7 1.1 11.5 1.0 (S) 1.5 (S) (Z) 2.1	19.7 13.7 (S) .5 19.7 2.8 14.4 2.0 .4 9.9 (S) .5	4.5 3.4 .9 (S) 4.5 2.6 .9 .8 (S) 1.3 (C) (Z)	218.8 103.9 113.9 218.8 7.7 207.5 (Z) (S) 130.7 18.6 (S)	(S) (Z) (S) (Z) (S) (Z) (Z) (S) (Z) (Z)	1.2 .7 (Z) 5 1.2 (S) (S) .1 5 (S) (S) (S) (Z)		(Z) 6.6 6.9 15.5 (Z) 4.2 .7 2.9 29.4 5.3 20.5 14.5 7.3	29 30 31 32 33 34 35 36 37 38 39 40			
1.5 1.6 2.3 6.4 3.9 1.9 .7 2.1	(S) (S) (S) (S) (S) (S) (Z) 12.3	(S) 1.0 .6 7.4 1.1 .6 (S)	1.5 2.0 1.9 .6 2.4 2.1 (S)	(S) (S) (S) 90.1 (Z) (S) (Z) 128.3	(Z) (Z) (Z) (Z) (Z) (Z) (S)	(Z) (S) (S) (Z) (S) (S) (S)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	11.8 7.5 8.4 9.0 5.8 8.3 19.3 5.6				
2.6 7.4 .4 (S) 1.7 (S) (Z)	12.3 1.1 10.9 (Z) (S) (Z) (Z) (Z) (Z) (S)	4.8 5.5 (S) (Z) (Z) (Z) (Z) (Z)	1.3 2.7 (S) (Z) .5 (Z) (Z) (S)	128.3 146.5 (S) 15.7 (Z) 65.4 (Z) (S) (S)	(S) (Z) (Z) (Z) (S) (Z) (Z) (Z) (Z)	.8 .6 (S) (Z) (Z) (S) (Z) (Z) .4	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	6.5 12.8 19.2 48.4 9.9 65.6 49.3 37.0	50 51 52 53 54			
1.2 6.0 1.6 (S) 2.4 .3 (Z)	.8 10.9 (Z) (Z) (S)	.6 2.6 (S) (Z) 2.2	(S) 1.1 2.7 (S) (Z) (S) (Z) (Z) .4	62.5 (Z) 25.1 (Z) 74.2	(Z) (Z) (Z) (Z) (S)	(S) (Z) (S) (Z) (S)	(Z) (Z) (Z) (Z) (Z)	14.5 13.6 16.2 43.8 9.7	58 59 60 61 62			

Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational					Major use			
	characteristics	Total	Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade	Retail trade
ĺ	ENGINE TYPE AND SIZE								
1 2 3 4 5	Engine Gasoline Diesel LP gas or other Not reported	433.8 399.5 31.8 (S) 2.2	12.4 11.8 .6 (Z) (Z)	(S) (S) (S) (Z) (Z)	(S) (S) (S) (Z) (Z)	85.4 81.1 3.8 (Z) .5	15.6 13.4 2.1 (Z) (Z)	29.9 25.7 3.9 (S)	17.4 13.4 3.6 (S) (S)
6 7 8 9 10	Cylinders	433.8 37.6 157.0 236.1 (S) 2.8	12.4 (S) (S) 4.7 (Z) (Z)	(S) (Z) (S) (S) (Z) (Z)	(S) (Z) (S) (S) (Z) (Z)	85.4 (S) 29.9 49.1 (Z) .8	15.6 (S) (S) 10.5 (Z) (Z)	29.9 (S) 12.7 14.0 (S) (S)	17.4 (S) 5.5 11.5 (S) (S)
12 13 14 15 16 17 18	Cubic inch displacement Gasoline engines Less than 200 200 to 299 300 to 349 350 to 399 400 or more	431.6 399.5 25.3 87.4 125.4 90.5 (S) 65.4	12.4 11.8 (Z) (S) .7 1.1 (S) 7.5	(9) (9) (9) (9) (9) (9)	(S) (S) (Z) (Z) (S) (Z) (Z) (Z)	84.9 81.1 (S) 15.1 20.0 23.2 (S) 16.5	15.6 13.4 (Z) (S) (S) 1.8 (S) (S)	29.7 25.7 (S) (S) 11.0 7.5 (S)	17.2 13.4 (S 1.4 1.5 7.9 2.1
19 20 21 22 23 24 25	Not reported Diesel engines Less than 400 400 to 599 600 to 799 800 or more Not reported	31.8 (S) 6.7 6.0 4.6 7.0	7.5 .6 (Z) (S) (S) (S) .1	(S) (S) (Z) (S) (Z) (Z)	(2) (S) (X) (S) (S) (S)	3.8 .5 .6 .9 .9	(5) 2.1 (S) .7 .6 .4	3.9 (S) 1.3 .9 .9	2.° 3.6 (S 1°
26 27 28 29 30	Other engines Less than 400 400 or more Not reported Horsepower Gasoline engines	(S) (S) (Z) (S) 431.6 399.5	(Z) (Z) (Z) (Z) 12.4 11.8	(Z) (Z) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) 84.9 81.1	(Z) (Z) (Z) (Z) 15.6 13.4	(S) (Z) (Z) (S) 29.7 25.7	(S (S (Z (Z
32 33 34 35 36	Less than 100	23.5 283.1 20.5 (S) 67.4 31.8	(Z) (S) .7 (S) (S)	(9) (X) (S) (S) (S) (S) (S) (S) (S)	(S) (S) (X) (S) (X) (X) (X)	(S) 54.7 (S) (S) (S) 16.5	(Z) 10.4 .4 (S) (S)	(S) 16.9 (S) (S) .8	13.4 (S 9.6 1.7 (S 2.1
88 39 10 11 12	Diesel engines	16.3 5.6 3.0 (S) 6.8	.6 (S) .1 (S) (Z) .3	(S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z	(S) (X) (S) (X) (S) (X) (X) (X) (X) (X) (X) (X) (X) (X) (X	1.5 .9 .5 (Z)	.8 .6 .5 (Z)	1.7 1.2 .5 (S)	1 (Z
14 15 16	Other engines Less than 250 250 or more Not reported	(S) (S) (Z) (S)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	(S (S (Z (Z
	TRUCK TYPE AND AXLE ARRANGEMENT								
17 18 19 50	Single-unit trucks	420.7 417.1 3.5 .1	12.0 11.9 (S) (Z)	(S) (S) (S) (S)	(S) (S) (S) (Z)	83.8 82.4 1.4 (Z)	14.1 14.1 (S) (Z)	27.8 27.4 .3 (S)	16. 16. (S (Z
51 52 53 54 55	Combinations Single-unit truck with trailer 3 axles 4 axles 5 axles or more	13.1 1.2 (S) .8 .3	.4 (Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	1.6 .4 (Z) (S) (S)	1.5 (Z) (Z) (Z) (Z)	2.1 (S) (Z) (S) (Z)	1.) (S (Z (Z (S
56 57 58 59	Truck-tractor with single trailer 3 axles 4 axles 5 axles or more	11.8 1.3 4.8 5.8	.4 (Z) (S) .4	(S) (Z) (Z) (S)	(S) (Z) (Z) (S)	1.2 (S) (S) .8	1.5 (S) .6 .8	1.9 (S) .7 .9	1.0 (S
50 51 52 53	Truck-tractor with double trailers 5 axles 6 axles 7 axles or more Truck-tractor with triple trailers	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)		(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	(Z (Z (Z (Z
35 36 37	7 axles	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z (Z (Z
68 69 70 71 72	Powered axles	433.8 331.6 78.3 .6 23.3	12.4 6.9 (S) (S) (S)	(S) .9 (S) (Z) (Z)	(S) (S) (S) (Z) (S)	85.4 70.7 10.7 (S) (S)	15.6 9.5 (S) (Z) (S)	29.9 27.8 1.0 (S) 1.2	17.4 15.8 .(S 1.:
	CAB TYPE4								
73 74 75 76 77	Cab forward of engine Cab over engine Short-hood conventional Medium-hood conventional Long-hood conventional	2.9 12.6 20.3 32.1 6.5	(S) .4 .7 1.3 (S)	(S) (Z) (S) (S) (S)	(Z) (Z) (Z) (S) (Z)	.6 .9 3.5 8.3 2.3	.4 .9 1.3 2.3 (S)	(S) 1.8 2.7 3.3 (S)	2.6 2.6 4.2
78 79 80	Cab beside engine Other Not reported	(S) 6.4 352.8	(Z) (S) 9.2	(Z) (Z) (S)	(Z) (Z) (S)	(S) 1.1 68.6	(Z) (S) 10.3	(Z) .9 20.9	(S) .£ (S)

	Major use—Con.										
	For-hire transpor- tation	Utilities	Services	Daily rental	Personal transportation	Other	Not in use	Not reported	Relative standard error of estimate (percent) for total		
in the second se	11.7 4.7 6.9 (Z) (S) 11.7 (S) 6.0 5.6 (Z) (S) 11.6 4.7 (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	13.7 13.5 (S) (Z) 13.7 13.5 (S) 9.6 2.4 (S) 9.6 2.4 (S) 9.6 2.4 (S) 9.6 13.7 13.5 11.6 13.5 11.6 13.5 (S) 13.7 13.5 11.6 11.3 13.5 13.5 13.5 13.5 13.5 13.5 13.5	19.7 17.5 1.8 19.7 (9) 19. 19.7 (9) 19.7 (9) 19.7 (9) 19.7 (9) 19.7 (9) 19.7 (9) 19	4.5 3.6 1.0 (S) 4.5 (S) 5 (S	218.8 210.7 (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z		1.2 7.1 (9)第 1.2 (9)第 5.5 (汉)第 9.7 (汉)第 (9)第 (4 1)第 (2)第 (3)第 (3)第 (3)第 (3)第 (3)第 (3)第 (3)第 (3		(Z) 1.1 14.0 58.1 20.6 (Z) 23.5 9.0 6.2 58.1 18.2 .1 1.1 29.7 14.1 11.0 12.99 50.2 15.7 14.0 50.2 9.2 8.8 10.0 32.5 58.1 99.5 (Z) 71.5 .1 1.1 31.5 4.7 27.3 62.1 15.4 14.0 23.7 9.0 12.5 99.3 33.1 58.1 99.5 (Z) 71.5	1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 11 12 22 22 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	
	6.1 5.9 (S) (S) (S) (Z) (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z	13.5 13.5 13.5 13.7 (3.6) (3.6) (3.7) 11.3 (3.7) 11.3 (3.7) 11.3 (3.7) 11.3 (3.7) 11.3 11.3 11.3 11.3 11.3 11.3 11.3 11.	19.4 18.5 1.0 (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	4.3 4.1 (S) 3 (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	218.7 218.7 (Z) (Z) (S) (S) (S) (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z	9900 00000 00000 000000 000000	1.2 1.1 (S) (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z	\(\text{NXXX}\) \(\text{NXXXX}\) \(\text{NXXXX}\) \(\text{NXXX}\) \(\text{NXXXX}\) \(\text{NXXXXX}\) \(\text{NXXXXXX}\) \(\text{NXXXXXX}\) \(NXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	.2 .2 .2 .2 .2 .2 .25.6 .71.5 .32.9 .48.6 .5.4 .21.6 .10.3 .8.4 .68.1 .(Z) .(Z) .(Z) .(Z) .(Z) .(Z) .(Z) .(Z)	51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72	
	3.0 .7 (Z) (S) (S)	-	2.4 .4 (Z) .5 12.4		.4			l .		1	

Table 3. Trucks by Major Use: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational		Major use								
	characteristics	Total	Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade	Retail trade		
	PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS										
1 2 3 4 5	Total Pickups Panels or vans Utilities Station wagons	349.1 201.5 90.2 44.3 13.2	(S) (X) (S) (S) (X)	(S) (X) (X) (S) (X)	(Z) (Z) (Z) (Z) (Z)	65.5 30.3 32.9 (S)	9.8 (S) (S) (S) (Z)	19.7 10.9 8.8 (Z) (Z)	(S) (S) (S) (S) (Z)		
6 7 8 9	Driving wheels	339.5 68.2 266.4 (S)	(S) (S) (S) (Z)	(S) (S) (Z) (Z)	(Z) (Z) (Z) (Z)	65.3 (S) 57.7 (Z)	9.8 (S) (S) (Z)	19.7 (Z) 19.7 (Z)	(S) (Z) (S) (Z)		

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Massachusetts, 52.4 of the cells have RSEs greater than 10 percent, and 41.9 of the cells have RSEs greater than 25 percent.

¹When no response was obtained for annual miles data were imputed.

²Detail does not add to totals because items were not applicable or multiple responses were possible.

³When no response was obtained, one truck was imputed based on body type of sampled vehicle.

⁴Pickups, panels, and vans are not included.

	Major use—Con.											
For-hire transpor- tation	Utilities	Services	Daily rental	Personal transportation	Other	Not in use	Not reported	Relative standard error of estimate (percent) for total				
(S) (Z) (S) (Z) (Z) (Z)	8.8 (Z) (S) (S) (Z)	12.3 (S) (S) (S) (S) (Z)	(Z) (Z) (Z) (Z) (Z)	216.5 148.3 26.4 30.7 11.0	(Z) (Z) (Z) (Z) (Z)	(S) (S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	.9 1.2 10.0 18.5 39.3	1 2 3 4 5			
(S) (Z) (S) (Z)	(S) (Z) (S) (Z)	12.3 (S) (S) (S) (S)	(Z) (Z) (Z) (Z)	209.3 46.9 160.1 (S)	(Z) (Z) (Z) (Z)	(S) (Z) (S) (Z)	(Z) (Z) (Z) (Z)	1.5 16.6 4.6 71.1	6 7 8 9			

Table 4. Trucks by Vehicle Size: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational			Vehicl	e size		Relative standard error
characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	of estimate (percent) for total
Total Relative standard error (percent)	433.8 (Z)	380.1 .3	20.4 6.0	10.2 8.9	23.2 3.3	(Z) (Z)
MAJOR USE						· ·
AgricultureForestry and lumbering	12.4 (S) (S)	10.4 (S) (S)	.6	.4 (S)	.8 (S)	34.8 71.5
Mining and quarrying Construction	85.4 15.6	75.5 10.7	(Z) 3.9 1.7	(S) (S) 2.1 1.1	(S) (S) 3.9 2.1	62.4 13.5 31.7
Wholesale trade	29.9	22.3	2.8	.9	3.9	23.0
Retail trade For-hire transportation Utilities	17.4 11.7 13.7	8.7 (S) 11.0	2.8 1.8 1.7	2.5 1.2 .5	3.4 6.1 .5	20.8 19.8 31.7
Services Daily rental	19.7 4.5	14.7 1.8	2.4	.9	1.6	26.1
Personal transportation	218.8	218.7	(S) (Z)	NA SA SA SA SA SA SA SA SA SA SA SA SA SA	(Z) (Z)	14.2 6.3 99.5
Not reported	(S) 1.2 (Z)	(S) 1.1 (Z)	(S) (Z) (S) (Z)			28.0 (Z)
BODY TYPE			_			
PickupPindo or van	201.5 90.2 44.3	201.4 90.2 44.3		(S) (Z)		1.2 10.0 18.5
Station wagon	13.2 8.7	13.2 8.3	(Z)	(S) (Z) (Z) (Z) (Z)		39.3 36.1
Platform with added devices	2.8	1.0	.9	.5 (S)	.5 .5	17.7 29.7
Basic platform Livestock truck	14.1 (S)	(S) 6.9 (Z) (S)	(S) 4.0 (Z)	1.5	1.7	7.5 68.1
Insulated nonrefrigerated van Insulated refrigerated van	.5 3.9	(S)	(Z) (S) .9	(Z) (Z)	(S) (S) 2.0	41.5 14.0
Drop-frame van	1.5 (S)	(S) (S) 7.4	.7 (Z) 8.1	(Z) (Z) 2.5	.7 (Z) 7.2	22.8 70.3
Basic enclosed vanBeverage	25.2 1.4	7.4 (Z)	8.1 (S)	2.5 .4	7.2 .9	5.1 25.9
Public utility Winch or crane	4.2 .6	2.0 (S)	1.6 (S)	.4 (Z)	(S) .3	15.1 35.9
Wrecker Pole or logging	(S) (S) (S)	(S) (S) (Z) (Z)	(S) (S) (S) (S)	(Z) (S) (Z) (Z)	(S) (S) (S)	55.4 65.6
Auto transportService truck	1.5				(S) (Z) (S)	88.3 26.2
Yard tractor	(S) .4	1.3 (Z) (S) (Z)	(S) (S) (Z) (S) (Z)	(S) (Z) (S) (S) (Z)	(S) (S) (S) (Z)	52.8 48.5 47.0
Grain body	(Ž)					(Z)
Garbage hauler Dump truck Tank truck (liquids or gases)	1.3 9.8 5.5	(Z) 2.4 (Z) (Z) (Z)	(S) 1.6 .8	(S) 2.3 1.4	1.2 3.5 3.2	23.2 8.9 11.2
Tank truck (dry bulk)	(S) .4		(Z) (Z) (S)	13 (X) (X)	(S) .4	59.3 44.1
OtherNot reported	.5 (Z)	(S) (Z)	(S) (Z)		(S) (Z)	43.6 (Z)
ANNUAL MILES¹						
Less than 5,000	68.4 92.1 207.5	58.1 81.5 193.9	5.2 5.3 6.4	2.8 2.4 2.1	2.4 2.8 5.1	15.0 13.0 7.1
20,000 to 29,999	41.7 15.6	33.5 10.4	2.5	1.2 1.4	4.5 3.2	19.2 29.8
50,000 to 74,999	4.0 4.6	(S) (S)	(S) (Z)	(S) (S)	3.1 2.2	12.0 48.7
RANGE OF OPERATION						
LocalShort-range (Less than 201 miles)	369.2 24.2	329.0 17.0	16.4 1.0	8.5 .9	15.2 5.3	2.7 24.8
Long-range (201 miles or more) Off-the-road Not reported	7.9 29.6 2.9	(S) 26.9 1.8	(S) 1.4 1.2	(Z) .7 (Z)	2.2 .5 (Z)	44.1 26.1 18.1
BASE OF OPERATION				(=,	(4,	
Percentage of miles traveled outside base-of-operation State:						
Less than 25 percent	341.9 28.3	304.5 25.4	14.8	7.8 .8	14.7 1.6	3.4 26.8
50 to 74 percent	14.7	11.1 11.6	.7 (S) 4.1	.5 (S) .8	2.2 2.5	34.1 35.0
Not reportedAVERAGE WEIGHT (POUNDS)	34.6	27.5	4.1	.0	2.2	21.6
Less than 6,001	291.4	291.4	(Z)	(Z)	(Z)	3.8
6,001 to 10,000 10,001 to 14,000 14,001 to 16,000	88.7 9.5 5.5	88.7 (Z) (Z) (Z)	(Z) (Z) 9.5 5.5	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	12.5 9.5 12.9
16,001 to 19,500	5.3		5.3			13.1
19,501 to 26,000 26,001 to 33,000 33,001 to 40,000	. 10.2 5.5 4.9	(Z) (Z) (Z) (Z) (Z)	(2) (Z) (Z) (Z) (Z)	10.2 (Z) (Z)	(Z) 5.5 4.9	8.9 11.3 11.1
40,001 to 50,000 50,001 to 60,000		(Z) (Z)	(Z) (Z)	(Z) (Z) (Z) (Z)	3.6 3.7	11.8 12.1
60,001 to 80,000 80,001 to 100,000	5.2 .3	1	(Z) (Z)		5.2 .3	9.0 37.7
100,001 to 130,000 130,001 or more	(Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(2)

Table 4. Trucks by Vehicle Size: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational	100 400 10 1044 500	added of rounding. Tor		e size	naodaciony text)	Relative standard error
characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	of estimate (percent) for total
TOTAL LENGTH (FEET)						
Less than 7.0 7.0 to 9.9 10.0 to 12.9 13.0 to 15.9 16.0 to 19.9	(Z) (Z) 11.9 113.7 247.3	(Z) (Z) 11.8 113.3 239.4	(Z) (Z) (Z) (S) 5.8	(Z) (Z) (S) (S) 1.8	(Z) (Z) (Z) (Z) (S)	(Z) (Z) 42.6 12.0 5.7
20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9 45.0 or more Not reported	41.2 7.6 1.0 1.5 9.6 (Z)	15.6 (Z) (Z) (Z) (Z) (Z)	12.1 2.0 (S) (Z) (Z) (Z)	6.3 1.8 (S) (Z) (S) (Z)	7.2 3.9 .8 1.5 9.6 (Z)	11.7 9.4 26.7 20.3 6.1 (Z)
YEAR MODEL						
1983	(S) 20.8 34.6 20.0 59.6	(S) 19.5 31.9 16.6 55.2	(Z) (S) 1.0 1.2 1.8	(Z) (S) .6 .5 .7	(Z) .8 1.2 1.8 1.9	57.4 32.0 23.8 30.7 17.6
1978 1977 1976 1975 1974	52.7 35.0 27.1 22.2 36.4	48.8 31.0 25.3 19.1 31.7	1.2 1.4 .8 1.1 1.7	.9 .7 (S) .9 1.0	1.8 2.0 .8 1.2 2.1	19.0 23.1 27.3 29.3 23.0
Pre-1973	31.2 93.9 (Z)	27.5 73.3 (Z)	1.5 8.5 (Z)	.4 4.1 (Z)	1.7 7.9 (Z)	25.1 11.6 (Z)
VEHICLE ACQUISITION Purchased new Purchased used Leased from someone else	212.9 217.0 1.1	182.0 196.4 (S) 1.5	10.9 8.4 (S)	6.8 2.8 (S)	13.1 9.4 .4	6.9 6.8 27.3
Not reported LEASE CHARACTERISTICS ²	2.9	1.5	.8	.3	.2	17.6
Leased without driver Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other OPERATOR CLASSIFICATION	1.0 (Z) (Z) 1.2 .9 (Z) (S)	(S) (Z) (S) (S) (S) (S) (S)	(S) (Z) (Z) (S) (S) (Z) (Z)	(S) (Z) (Z) (S) (S) (Z) (Z)	.3 (Z) (Z) .4 .3 (Z) (S)	28.4 (Z) (Z) 26.7 30.0 (Z) 58.1
Not for hire: Private owner or individual For hire Motor carrier Owner-operator Daily rental Mixed—for hire/not for hire Exempt carrier Contract carrier Common carrier For-hire interstate For-hire interstate Exempt carrier For-hire intrastate	417.4 16.2 9.6 2.0 4.5 (Z) 5.4 1.6 (S) 9.0 2.4	375.5 (S) (S) (S) 1.8 (Z) (S) 5.5 (S) 7.7 (S) (S)	16.9 3.5 1.6 (S) 1.7 (Z) .9 (S) .4 2.3	8.7 1.5 1.1 (S) .3 (Z) .5 (S) (S) 1.4	16.4 6.8 4.4 1.7 .7 (Z) 3.9 .6 1.0 4.6	.6 14.8 23.9 17.4 14.2 (Z) 10.2 23.3 54.3 8.8
PRODUCTS CARRIED	4.6	(S)	.5	.4	1.1	48.2
Farm productsLive animalsMining productsLogs and other forest productsLumber and fabricated wood products	8.5 (S) (S) 1.0 7.4	(S) (S) (Z) (S) (S)	(S) (S) (S) .6 .6	(S) (Z) (S) (S) (S)	.6 (S) .1 (S) (S)	44.1 71.6 53.5 31.2 47.3
Processed foods	18.9 (S) 18.1 5.5 (S)	10.8 (S) 9.4 (S) (S)	2.5 .5 2.2 1.7 .7	1.4 (S) 2.1 (S) (S)	4.3 .3 4.4 .4 .4	22.2 56.1 23.1 40.8 54.6
Paper products Chemicals Petroleum Plastics and/or rubber Primary metal products	6.8 1.6 4.8 (S) 1.2	(S) (S) (Z) (S)	.7 .5 .5 (S) (S)	(S) (Z) 1.6 (S) (S)	.9 .8 2.8 (S) .4	45.5 22.3 12.0 81.5 26.8
Fabricated metal products Machinery Transportation equipment Scrap, refuse, or garbage Mixed cargoes	1.9 8.9 (S) 4.5 10.4	(S) (S) (S) ,6 (S)	.6 1.2 (S) .9 1.9	.7 .4 (S) .9 1.0	.3 .7 .7 2.0 3.3	21.8 39.5 69.9 13.5 26.9
Craftsman's equipment Personal transportation No load carried Not in use Other Not reported	66.3 218.8 24.2 (Z) (S) (Z)	63.8 218.7 22.4 (Z) (S) (Z)	2.1 (S) 1.3 (Z) .4 (Z)	(S) (Z) (S) (Z) (Z) (Z)	.1 (Z) (S) (Z) (S) (Z)	15.7 6.3 28.3 (Z) 64.9 (Z)

Table 4. Trucks by Vehicle Size: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational			Vehicle siz	20		Relative standard error	
characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	of estimate (percent) for tota	
HAZARDOUS MATERIALS CARRIED							
Hazardous materials carried Less than 25 percent of time	8.0 3.6	.5	1.1 .5	1.8	4.6 1.8	9.0 13.6	
25 to 49 percent of time 50 to 74 percent of time	1.4	.4 (S) (Z) (Z) (Z)	(S)	.9 (S) (Z) .7	.7	24.	
75 to 100 percent of timeNo percent reported	2.8 (Z)		(S) (Z) (S) (Z)	7 (Z)	1.8 (Z)	44.: 15.: (Z	
Types of hazardous materials ² Flammables or combustibles	(Z) 7.6		(Z) 1.1	(Z) 1.7	(Z) 4.5	(Z 9.:	
Acids, poisons, caustics, etc.	7.6 2.0	(Z) (S) (Z) (Z) (Z)	1.1 (S)	1.7	1.4	17.	
Explosives Radioactive materials	2.0 (S) (S)	(Z) (Z)	(S) (Z) (Z)	.5 (S) (S)	(S) (S)	84. 59.	
Hazardous wasteHazardous materials not listed above	(S) .5	(Z) (S) (Z)	(Z) (Z) (Z)	(S) (S) (Z)	(S) .3	59.: 37.	
Not reported	(Z)				(Z)	(2	
No hazardous materials carriedNot reported	283.3 142.5	238.8 140.8	18.6 .6	8.0 (S)	17.8 .7	5. 10.	
TRUCK FLEET SIZE ³							
1 2 to 5	334.1 40.5	320.0 29.0	7.8 4.5	2.5 3.0	3.9 4.0	2.9 18.8	
6 to 19 20 or more	21.2 38.0	10.5 20.6	2.7 5.4	2.2 2.4	5.8 9.6	19.9 14.9	
MILES PER GALLON							
Less than 55 to 6.9	8.1 24.6	.4 (S)	1.1 4.5	1.2 3.5	5.4 11.6	8.: 11.:	
7 to 8.9	27.9 79.3	(S) 17.2 71.4	5.1 5.4	2.1 1.8	3.5	19. 13.	
12 to 14.9	133.4	131.1	1.6	.5	(S)	10.	
15 to 19.9	82.9 45.6	82.6 45.5	(S) (S) 2.3	(Z) (Z) 1.0	(S) (Z) 1.7	14. 21.	
Not reported	32.0	27.0	2.3	1.6	1.7	22.9	
EQUIPMENT TYPE						7 7 7 7 7 7	
Transmission Manual	433.8 220.5	380.1 172.6	20.4 17.5	10.2 8.5	23.2 21.9	(Z 6.6	
Automatic Not reported	209.5 3.8	205.7 1.9	1.8 1.0	1.0 .6	1.0 .3	6.9 15.9	
Braking system Hydraulic	433.8 31.2	380.1 20.9	20.4 7.1	10.2 1.8	23.2 1.4	(Z 4.:	
Hýdraulic (power)Air	368.5 26.3	353.7 (S)	9.4 2.4	3.9 3.9	1.5 19.7	2.	
Not reported	7.8	5.1	1.5	.6	.6	29.	
Power steering ² Air conditioning ²	262.9 40.8	234.0 36.2	8.4 (S) (S) 3.5	6.1 (S) (S) 1.2	14.4 4.1	5.0 20.1	
Engine retarder ²	2.9 14.1	(S) 5.1	(S) 3.5	(S) 1.2	2.2 4.3	14.5 7.3	
FUEL CONSERVATION EQUIPMENT ²							
Aerodynamic featuresAxle or drive ratio	5.0 12.6	1.1 2.2	.9 3.6	(S) 1.8	2.8 5.0	11.8 7.5	
Fuel economy engine Radial tires	8.9 159.7	1.0 143.7	1.7 1.9	.9	5.3 11.9	8 9.0	
Road speed governor	18.0	1.3	4.4	3.2	9.1	5.8	
Variable fan drivesOther fuel conservation devices	9.0 1.5	1.3	1.4 (S)	.7 (S)	5.6 1.3	8.0 19.0	
Not reported	255.4	(Z) 233.7	(S) 12.3	(S) 4.4	5.1	5.6	
MAINTENANCE							
General maintenance: Owner	225.4	210.6	4.9	2.9	6.9	6.4	
Company's maintenance facilities Dealership's service department	53.3 49.3	28.5 44.1	8.0 2.2	3.5 1.6	13.3 1.3	12.0 19.0	
Leasing company Independent garage	.3 140.3	(Z) 128.0	(S) 5.8	(S) 2.7	(S) 3.8	48.4 9.9	
Component distributorship	(S)	(Z)	(Z)	(S)	(S)	65.	
Other Not reported	(S) 9.9 8.5	(Z) 9.9 6.4	(Z) (Z) 1.3	(S) (Z) .3	(S) (S) .5	49.: 37.i	
Major overhauls:					2.0	44	
Owner Company's maintenance facilities	81.1 32.9	74.5 14.4	1.8 6.3	.9 2.6	3.9 9.6	14. 13. 16.	
Dealership's service department	64.0	55.8 (S) 130.5	2.8 (S) 6.6	2.2 (S) 3.0	3.1 (S) 4.9	16. 43. 9.	
Independent garage	145.1						
Component distributorshipOther	.5 (S)	(S) (S)	(S) (Z) 4.0	(Z) (Z) 1.9	.3 (Z) 3.2	36.0 57.4	
Not reported See footnotes at end of table.	131.5	122.4	4.0	1.9	3.2	10.4	

Table 4. Trucks by Vehicle Size: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational			Vehicle siz	ze		Relative standard e
characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	of estimate (percent)
NGINE TYPE AND SIZE						
gine	433.8 399.5	380.1	20.4	10.2	23.2	
Gasoline Diesel	31.8	370.5 (S)	17.7 1.9	6.6 3.4	4.7 18.3	
LP gas or otherNot reported	(S) 2.2	(S) (S) 1.1	(Z) .8	(Z) (S)	(S) (S)	
linders	433.8	380.1	20.4	10.2	23.2	
46	37.6 157.0	36.9 132.5	.5 5.9	(S) 3.5	(S) 15.1	
8Other	236.1 (S)	209.0	13.0 (Z)	6.4	7.7	
Not reported	(S) 2.8	(S) 1.6	\.9	(Z) (S)	(S) (S)	
bic inch displacement Gasoline engines	431.6 399.5	379.0 370.5	19.6 17.7	10.0 6.6	23.1 4.7	
Less than 200	25.3 87.4	25.1 85.3	(S) 1.7	(Z) (S) 1.3	(S) (S)	
300 to 349	125.4	119.4	4.3	1.3	.4	
350 to 399	90.5 (S) 65.4	77.3 (S) 59.7	7.9 .6	3.3	2.0	
Not reported		59.7	3.2	1.2	1.3	
Diesel engines Less than 400	31.8 (S) 6.7	(S) (S)	1.9 .5	3.4 .5	18.3 1.1	
400 to 599	6.7 6.0	(Z) (S)	.5 .5 (S)	1.8 .5	4.4 5.2	-
800 or more	4.6 7.0	(S) (S) (Z) (S) (S) (S)	(S) (S)	(S)	4.3	
Not reportedOther engines			.5	.5 (Z)	3.4	
Less than 400	(S) (S) (Z) (S)	(S) (S) (Z) (S)	(Z) (Z) (Z) (Z)	(Z)	(S) (Z) (Z) (S)	
Not reported	(Z) (S)	(Z) (S)	(Z) (Z)	(Z) (Z) (Z)	(Z) (S)	
sepower	431.6	379.0	19.6	10.0	23.1	
Gasoline engines Less than 100	399.5 23.5	370.5 23.4	17.7 (S) 12.3	6.6 (Z) 3.5	4.7 (S) 1.5	
100 to 199	283.1 20.5	265.7 15.0	12.3	3.5 1.8	1.5 1.8	
250 or more	(S) 67.4	(S) 61.7	2.0 (S) 3.2	(Z) 1.2	.1	
Not reported	31.8		1.9	3.4	1.3 18.3	
Less than 250	16.3	<u> </u>	1.1	2.4	7.1	
250 to 349 350 to 449	5.6 3.0	(Z) (Z)	(S) (S)	.3 (S)	5.1 2.8	
Not reported	(S) 6.8	(S) (S) (Z) (Z) (Z) (S)	(S) (S) (Z) .5	(S) (Z) .5	(S) 3.2	
Other engines						
Less than 250	(S) (S) (Z) (S)	(S) (S) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	
Not reported	(<u>s</u>)	(s)	(Z)	(Z)	(S)	
PUCK TYPE AND AXLE ARRANGEMENT						
ngle-unit trucks	420.7	379.9	19.9	9.9	11.1	
2 axles 3 axles	417.1 3.5	379.8 (S)	19.8 (S)	9.7 (S)	7.8 3.3	
4 axles or more	.1	(S) (S)	(S) (S)	(S) (Z)	(S)	
mbinationsSingle-unit truck with trailer	13.1 1.2	(S)	.5 (S)	.3 (S)	12.1 .6	
3 axles4 axles	(S)	(S) (S) (S) (S) (Z)	(S) (Z) (S) (Z)	(S) (S) (Z) (S)	(Ž)	
5 axles or more	.8 .3	(S) (Z)	(S) (Z)	(Z) (S)	.4 (S)	
Truck-tractor with single trailer	11.8	(<u>Z</u>)	(S)	(S)	11.5	
3 axles 4 axles	1.3 4.8	(Z) (Z) (Z) (Z)	(S) (S) (S) (Z)	(S) (S) (S) (S)	1.1 4.6	
5 axles or more	5.8				5.8	
Truck-tractor with double trailers 5 axles	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	
6 axles 7 axles or more	(Z) (S)	(Z)			(Z) (S)	
Truck-tractor with triple trailers						
7 axles 8 axles or more	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	
Trailer not specified	(Z)	(Z) (Z)	(Z)	(Z)	(Z)	
wered axles	433.8	380.1	20.4	10.2	23.2	
12	331.6 78.3	292.2 68.9	16.5 .7	9.0	13.9 8.2	
3 or more	.6	(S)	(S) 3.1	(Z) .6	.4	
Not reported	23.3	18.8	3.1	.6	./	
AB TYPE4	2.9	1.1			1.0	
b forward of engineb over engine	12.6	1.1 3.4	.5 2.8	1.5	4.8	
ort-hood conventional	20.3 32.1	8.9 10.8	4.2 7.6	2.3 4.3	4.8 9.4	
	6.5	1.8	2.0	.8	1.9	
ng-hood conventional	0.5	1.6	2.0			
b beside engineher	(S) 6.4	(S) 4.8	(S) 1.3	(Z) (S)	(S) .3	

Table 4. Trucks by Vehicle Size: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational			Relative standard error			
characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	of estimate (percent) for total
PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS						
Total Pickups Panels or vans Utilities Station wagons	349.1 201.5 90.2 44.3 13.2	349.0 201.4 90.2 44.3 13.2	(Z) (Z) (Z) (Z) (Z)	(S) (S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	.9 1.2 10.0 18.5 39.3
Driving wheels	339.5 68.2 266.4 (S)	339.4 68.2 266.3 (S)	(Z) (Z) (Z) (Z)	(S) (Z) (S) (Z)	(Z) (Z) (Z) (Z)	1.5 16.6 4.6 71.1

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Massachusetts, 64.4 of the cells have RSEs greater than 10 percent, and 39.6 of the cells have RSEs greater than 25 percent.

¹When no response was obtained for annual miles, data were imputed.

²Detail does not add to totals because items were not applicable or multiple responses were possible.

³When no response was obtained, one truck was imputed based on body type of sampled vehicle.

⁴Pickups, panels, and vans are not included.

Table 5. Trucks by Annual Mileage Class: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

		Annual miles ¹							
Vehicular and operational characteristics	Total	Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 to 49,999	50,000 to 74,999	75,000 or more	standard error of estimate (percent) for total
Total Relative standard error (percent)	433.8 (Z)	68.4 15.0	92.1 13.0	207.5 7.1	41.7 19.2	15.6 29.8	4.0 12.0	4.6 48.7	(Z) (Z)
Agriculture Forestry and lumbering Mining and quarrying Construction Manufacturing Wholesale trade Retail trade For-hire transportation Utilities Services Daily rental Personal transportation Other Not in use Not reported BODY TYPE	12.4 (S) (S) 85.4 15.6 29.9 17.4 11.7 13.7 19.7 4.5 218.8 (S) 1.2	.7 (S) 9.3 1.4 (S) 2.2 1.1 (S) (S) (S) (S) 35.4 (Z) 1.2 (Z)	.8 .5 (S) 18.1 (S) (S) 8.3 (S) 1.9 2.6 47.3 (Z) (Z)	7.7 (S) (S) 39.6 (S) 12.0 4.1 1.9 (S) 6.5 1.0 123.1 (Z) (Z)	(S) (S) 10.8 (S) 7.2 1.7 1.9 (S) 1.2 (Z) (Z)	.4 (Z) (S) (S) (S) (S) (S) (S) (S) (Z) (Z) (Z)	(S) (S) (S) (Z) (S) (S) (S) (S) (Z) (Z) (Z)	.1 (Z) (S) 4 5.5 (S) 9 (Z) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S	34.8 71.5 62.4 13.5 31.7 23.0 20.8 19.8 31.7 26.1 14.2 6.3 99.5 28.0 (Z)
Pickup	201.5 90.2 44.3 13.2 8.7 2.8 9 14.1 (S) .5 (S) 25.2 1.4 4.2	34.1 (S) 8.1 (Z) (S) 1.0 (S) 3.8 (Z) (S) (S) (S) (S) (S) (S)	48.4 15.4 9.4 (Z) 1.2 .5 (S) 3.3 (S) (Z) .6 (S) (Z) 5.7 (S)	107.7 44.0 20.1 13.2 (S) .7 (S) 3.9 (Z) (S) .6 .4 (Z) 6.0 .5	(5.5) 15.5) 15.5) (7) (9) 1.7) (2) (9) (9) (4.7) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	(S)	(S) (Z) (Z) (S) (S) (Z) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S	(Z) (S) (Z) (Z) (S) (S) (Z) (Z) (Z) (Z) (Z) (Z)	1.2 10.0 18.5 39.3 36.1 17.7 29.7 7.5 68.1 41.5 14.0 22.8 70.3 5.1 25.9
Wrecker Pole or logging Auto transport Service truck Yard tractor Oilfield truck Cargo container chassis Grain body Garbage hauler Dump truck Tank truck (liquids or gases) Tank truck (dry bulk) Concrete mixer Other Not reported	(S) (S) (S) 1.5 (S) .4 .4 (Z) 1.3 9.8 5.5 (S) .4 .5 (Z)	(S) (S) (Z) (S) (Z) (S) (Z) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S	(S) (S) (S) (S) (S) (S) (S) (S) (S) (S)	(S)(Z)(S)(S)(S)(S)(S)(S)(S)(S)(S)(S)(S)(S)(S)	99000 0000 4.1.40000	COUNT OUNTED TO A 1 2 OUNTED TO A 1 OUNTED TO A	0.90.90 0.4.2.90.90	(Z) (Z) (Z) (Z) (Z) (Z) (S) (S) (S) (Z) (Z) (Z) (Z) (Z)	55.4 65.6 88.3 26.2 52.8 48.5 47.0 (Z) 23.2 8.9 11.2 59.3 44.1 43.6 (Z)
RANGE OF OPERATION Local Short-range (Less than 201 miles) Long-range (201 miles or more) Off-the-road Not reported	369.2 24.2 7.9 29.6 2.9	54.8 .8 (S) 10.8 1.6	79.3 .8 (S) (S) 1.2	187.8 11.7 (S) (S) (S)	34.6 6.5 (S) (S) (S)	8.3 2.0 (S) (S) (Z)	1.7 1.7 .6 (S)	(S) .7 1.1 (S) (Z)	2.7 24.8 44.1 26.1 18.1
BASE OF OPERATION Percentage of miles traveled outside base-of-operation State: Less than 25 percent	341.9 28.3 14.4 14.7 34.6	56.3 .5 (S) (S) 8.0	67.8 (S) (S) (S) (S)	171.0 17.7 (S) (S) 12.2	33.6 .7 (S) (S) 1.3	8.6 1.0 .6 (S)	1.8 .4 .7 .9 (S)	(S) .2 .6 1.0	3.4 26.8 34.1 35.0 21.6
VEHICLE SIZE Light Medium Light-heavy Heavy-heavy	380.1 20.4 10.2 23.2	58.1 5.2 2.8 2.4	81.5 5.3 2.4 2.8	193.9 6.4 2.1 5.1	33.5 2.5 1.2 4.5	10.4 .7 1.4 3.2	(S) (S) (S) 3.1	(S) (Z) (S) 2.2	.3 6.0 8.9 3.3
AVERAGE WEIGHT (POUNDS) Less than 6,001 6,001 to 10,000 10,001 to 14,000 14,001 to 16,000 16,001 to 19,500	5.5 5.3	40.9 17.2 2.4 1.6 1.2	59.2 22.3 1.9 1.9	156.8 37.1 3.6 1.3	27.1 6.4 1.4 .5 .7	(S) (S) (S) (S) 5.	(S) (S) (S) (S) (Z)	(S) (S) (Z) (Z) (Z)	3.8 12.5 9.5 12.9 13.1
19,501 to 26,000	5.5 4.9	2.8 .9 .7 .4 (S)	2.4 1.2 .6 .3 (S)	2.1 1.7 1.4 .6 .7	1.2 .9 1.0 .8 1.1	1.4 .4 .6 .4 .7	(S) (S) .5 .7 .5	(S) (S) (Z) .4 .3	8.9 11.3 11.1 11.8 12.1
60,001 to 80,000	(Z) (Z)	(S) (Z) (Z) (Z) (Z)	.3 (S) (Z) (Z) (Z)	.6 (S) (Z) (Z) (Z)	.6 (S) (Z) (Z) (Z)	1.1 (S) (Z) (Z) (Z)	1.2 (S) (Z) (Z) (Z)	1.4 (S) (Z) (Z) (Z)	9.0 37.7 (Z) (Z) (Z)

Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational	Annual miles¹								Relative standard error of
characteristics	Total	Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 to 49,999	50,000 to 74,999	75,000 or more	estimate (percent) for total
TOTAL LENGTH (FEET)									
Less than 7.0 7.0 to 9.9 10.0 to 12.9 13.0 to 15.9 16.0 to 19.9	(Z) (Z) 11.9 113.7 247.3	(Z) (Z) (S) 17.1 40.9	(Z) (Z) (S) 20.4 56.5	(Z) (Z) (S) 63.4 118.6	(Z) (Z) (S) 10.3 20.7	(Z) (Z) (Z) (S) (S)	(Z) (Z) (Z) (Z) .4	(Z) (Z) (Z) (Z) (S)	(Z) (Z) 42.6 12.0 5.7
20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9 45.0 or more Not reported	41.2 7.6 1.0 1.5 9.6 (Z)	9.2 .6 (S) (S) .4 (Z)	10.1 1.8 (S) (S) .7 (Z)	14.8 1.9 (Z) .4 1.0 (Z)	4.2 2.0 .3 .5 1.5 (Z)	1.8 1.0 (S) .3 2.0 (Z)	.8 .2 (S) (S) 2.2 (Z)	(S) (S) (S) (Z) 1.9 (Z)	11.7 9.4 26.7 20.3 6.1 (Z)
YEAR MODEL	(-)	(=)	(=)	(2)	(2)	(2)	(2)	(2)	(2)
1983	(S) 20.8 34.6 20.0 59.6	(S) (S) (S) .5 9.6	(S) (S) (S) (S) 11.2	(S) (S) 17.9 11.3 28.6	(Z) (S) (S) (S) .9 (S)	(Z) (S) (S) .6 (S)	(Z) (S) .7 .5	(Z) .2 (S) .4 .6	57.4 32.0 23.8 30.7 17.6
1978	52.7 35.0 27.1 22.2 36.4	(S) (S) (S) (S) (S)	(S) (S) (S) 15.8 (S)	29.7 26.9 20.4 1.7 18.5	10.2 .6 (S) .5 (S)	(S) .6 .3 .4 (S)	.4 .6 (S) (S)	(S) .2 (Z) (S) .1	19.0 23.1 27.3 29.3 23.0
1973 Pre-1973 Not reported	31.2 93.9 (Z)	(S) 29.1 (Z)	(S) 27.5 (Z)	16.1 27.7 (Z)	(S) 7.7 (Z)	.4 1.0 (Z)	(S) .6 (Z)	(S) .3 (Z)	25.1 11.6 (Z)
Purchased new Purchased used Leased from someone else	212.9 217.0 1.1 2.9	30.2 37.2 (S)	48.1 43.0 (S)	100.7 105.8 (S)	18.5 22.6 (Z) .6	8.9 (S) (S) (Z)	2.7 1.1 (S) (S)	(S) .7 (S)	6.9 6.8 27.3
Not reportedLEASE CHARACTERISTICS ²	2.9	.6	.,	.0	.0	(2)	(3)	.1	17.6
Leased without driver Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other	1.0 (Z) (Z) 1.2 .9 (Z) (S)	(S) (Z) (Z) (S) (S) (S) (Z) (Z)	(S) (Z) (Z) (S) (S) (S) (Z) (S)	(S) (X) (X) (S) (S) (X) (X) (X) (X) (X) (X) (X) (X) (X) (X	(Z) (Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (S) (S) (Z) (Z)	(S) (Z) (Z) (S) (S) (Z) (S)	(S) (Z) (Z) (S) (S) (Z) (Z)	28.4 (Z) (Z) 26.7 30.0 (Z) 58.1
OPERATOR CLASSIFICATION									
Not for hire: Private owner or individual For hire Motor carrier Owner-operator Daily rental Mixed—for hire/not for hire	417.4 16.2 9.6 2.0 4.5 (Z)	66.2 2.0 .9 (S) .8 (Z)	87.7 (S) (S) (S) (S) 1.6 (Z)	204.5 2.9 1.5 .4 1.0 (Z)	39.2 2.5 1.6 .3 .6 (Z)	13.5 2.1 1.6 .3 (S) (Z)	2.7 1.3 .7 .4 (S) (Z)	(S) 1.0 .7 .2 (S) (Z)	.6 14.8 23.9 17.4 14.2 (Z)
For-hire interstate Exempt carrier Contract carrier Common carrier For-hire intrastate For-hire local	5.4 1.6 (S) 9.0 2.4 4.6	(S) (S) (S) 1.2 (S) .5	.4 (S) (S) .8 (S) (S)	.9 (S) .7 2.4 .3 1.0	1.2 (S) (S) 2.0 .7 (S)	1.0 (S) .4 1.3 .6 (S)	.9 .1 .4 .7 (S)	.8 (S) (S) .6 (S) (S)	10.2 23.3 54.3 8.8 18.6 48.2
PRODUCTS CARRIED			_				40	(0)	
Farm products Live animals Mining products Logs and other forest products Lumber and fabricated wood products	8.5 (S) (S) 1.0 7.4	.4 (S) (S) (S) (S)	.7 (S) (S) .6 .5	(S) (S) (S) (S) (S)	(S) (S) (S) (Z) (S)	(S) (S) (Z) (Z) (S)	(S) (S) (Z) (S) (S)	(S) (S) (S) (Z) (Z)	44.1 71.6 53.5 31.2 47.3
Processed foods	18.9 (S) 18.1 5.5 (S)	(S) .4 3.2 1.0 (Z)	2.5 (S) 2.8 1.3 (S)	5.5 (S) 7.3 .5	(S) (S) (S) .4 .5	1.7 (S) .7 (S) (S)	.5 (Z) .6 (S) (S)	.5 (S) .2 (S) (S)	22.2 56.1 23.1 40.8 54.6
Paper products Chemicals Petroleum Plastics and/or rubber Primary metal products	6.8 1.6 4.8 (S)	(Z) (S) 1.3 (S) (S)	.4 (S) 1.1 (S) (S)	.8 .4 1.6 (S) (S)	(S) .4 .3 (S) (S)	(S) (S) (S) (S) (S)	.4 (S) .1 (S) (S)	(S) (S) .3 (S) (S)	45.5 22.3 12.0 81.5 26.8
Fabricated metal products Machinery, elect or nonelect Transportation equipment Scrap, refuse, or garbage Mixed cargoes	1.9 8.9 (S) 4.5 10.4	(S) (S) (S) 1.0 (S)	(S) (S) (S) .9 1.0	.7 .9 (S) 1.2 2.1	.4 .5 (S) 1.0 1.6	(S) (S) (S) (S)	(S) (S) (S) (S) .8	(S) .1 (Z) (S) .3	21.8 39.5 69.9 13.5 26.9
Craftsman's equipment	66.3 218.8 24.2 (Z) (S) (Z)	8.7 35.4 (S) (Z) .4 (Z)	13.6 47.3 (S) (Z) (S) (Z)	32.3 123.1 10.4 (Z) (S)	(S) 10.2 (S) (Z) (S) (S) (Z)	(S) (S) (S) (Z) (S)	(Z) (S) (Z) (Z) (S)	(S) (Z) (S) (Z) (Z) (Z)	15.7 6.3 28.3 (Z) 64.9 (Z)

Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Annual miles¹								Relative standard error of
Vehicular and operational characteristics	Total	Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 tc 49,999	50,000 to 74,999	75,000 or more	estimate (percent) for total
HAZARDOUS MATERIALS CARRIED									
Hazardous materials carried	8.0	1.2	1.3	2.0	1.0	1.3	.6	.6	9.0
	3.6	(S)	.5	.7	.7	1.0	.3	.2	13.8
	1.4	(S)	(S)	.4	(S)	(S)	(S)	(S)	24.5
	.3	(Z)	(Z)	(S)	(S)	(Z)	(S)	(S)	44.3
	2.8	.6	.7	.9	(S)	(S)	.1	.3	15.9
	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Types of hazardous materials Flammables or combustibles Acids, poisons, caustics, etc. Explosives	(Z) 7.6 2.0 (S) (S) (S)	(Z) 1.1 (S) (Z) (Z) (Z)	(Z) 1.2 (S) (S) (S) (S)	(Z) 2.0 (S) (Z) (Z) (Z)	(Z) 1.0 .7 (Z) (Z) (S)	(Z) 1.2 .6 (S) (S)	(Z) .5 .1 (Z) (Z) (S)	(Z) .5 .1 (Z) (S)	(Z) 9.2 17.7 84.4 59.6 59.3
Hazardous materials not listed above Not reported No hazardous materials carried	.5 (Z) 283.3	(Z) (Z) (Z) 45.6	(S) (S) (Z) 63.4	(Z) (Z) (Z) 120.6	(S) (S) (Z) 35.1	(Z) (S) (Z)	(S) (S) (Z) 3.3	(S) (S) (Z) (S) (S)	37.0 (Z) 5.1
Not reported TRUCK FLEET SIZE ³	142.5	21.6	27.4	84.8	(S)	(S)	(S)	(S)	10.1
1	334.1	49.6	72.8	177.7	28.8	(S)	1.1	.5	2.9
	40.5	9.0	9.3	11.2	(S)	(S)	.5	.1	18.8
	21.2	2.3	5.2	3.3	(S)	1.5	.9	(S)	19.9
	38.0	7.5	4.8	15.2	3.4	(S)	1.6	1.2	14.9
MILES PER GALLON	2.4	4.5		4.5					
Less than 5 ' 5 to 6.9 7 to 8.9 9 to 11.9 12 to 14.9	8.1	1.5	2.0	1.5	1.0	1.0	.6	.6	8.8
	24.6	6.1	3.6	5.1	3.4	2.6	2.3	1.5	11.9
	27.9	3.4	10.8	9.9	2.1	1.1	.4	(S)	19.5
	79.3	7.8	17.9	38.7	6.7	(S)	.4	(S)	13.8
	133.4	23.3	27.1	65.6	14.0	(S)	(S)	(S)	10.1
15 to 19.9	82.9	12.3	14.7	46.2	(S)	(S)	(S)	(Z)	14.5
	45.6	(S)	11.2	22.9	(S)	(Z)	(2)	(Z)	21.6
	32.0	5.4	(S)	17.5	(S)	(S)	.1	(S)	22.9
EQUIPMENT TYPE									
Transmission	433.8	68.4	92.1	207.5	41.7	15.6	4.0	4.6	(Z)
	220.5	47.0	48.5	94.9	14.2	10.2	3.5	2.2	6.6
	209.5	20.2	42.8	111.4	27.0	(S)	.4	(S)	6.9
	3.8	1.2	.8	1.1	.5	(S)	(S)	(Z)	15.5
Braking system	433.8	68.4	92.1	207.5	41.7	15.6	4.0	4.6	(Z)
Hydraulic	31.2	8.5	9.7	8.0	3.2	1.1	.7	(S)	4.2
Hydraulic (power)	368.5	53.6	77.0	190.9	33.4	11.0	(S)	(S)	.7
Air	26.3	4.1	4.2	5.1	4.4	3.3	3.0	2.1	2.9
Not reported	7.8	2.3	1.1	(S)	.7	(S)	(S)	(S)	29.4
Power steering ² Air conditioning ²	262.9	26.4	48.2	141.2	30.0	10.9	2.5	(S)	5.3
	40.8	(S)	10.0	15.1	9.5	.7	1.3	1.5	20.5
	2.9	(S)	(S)	(S)	.8	.8	.4	.3	14.5
	14.1	2.9	4.2	3.1	1.8	.8	1.0	.4	7.3
FUEL CONSERVATION EQUIPMENT ²									
Aerodynamic features Axle or drive ratio Fuel economy engine Radial tires Road speed governor	5.0	(S)	1.4	.8	.6	.9	.6	.5	11.8
	12.6	2.7	2.7	2.4	1.8	1.0	1.1	.8	7.5
	8.9	1.0	1.4	1.0	1.4	1.6	1.5	1.0	8.4
	159.7	16.7	32.5	79.2	19.7	5.3	2.5	(S)	9.0
	18.0	3.4	3.9	3.6	2.5	2.5	1.2	1.0	5.8
Variable fan drives	9.0	1.5	1.6	1.3	1.3	1.3	1.2	.9	8.3
Other fuel conservation devices	1.5	(S)	(S)	(S)	.3	.4	.3	.4	19.3
Not reported	255.4	46.2	55.3	124.5	19.4	8.8	.5	.6	5.6
MAINTENANCE									
General maintenance: Owner Company's maintenance facilities Dealership's service department Leasing company Independent garage	225.4	33.2	49.0	122.0	18.5	.8	1.4	.5	6.5
	53.3	10.1	14.4	17.0	4.8	3.3	2.0	1.6	12.8
	49.3	9.3	12.1	13.9	8.3	(S)	.4	(S)	19.2
	.3	(Z)	(S)	(S)	(Z)	(S)	(Z)	(Z)	48.4
	140.3	19.8	25.9	75.0	10.4	6.2	.4	(S)	9.9
Component distributorship	(S)	(Z)	(Z)	(S)	(S)	(Z)	(S)	(Z)	65.6
Other	9.9	(S)	(Z)	(S)	(Z)	(S)	(S)	(Z)	49.3
Not reported	8.5	1.1	.8	(S)	.8	(S)	(S)	(Z)	37.0
Major overhauls: Owner Company's maintenance facilities Dealership's service department Leasing company Independent garage	81.1	9.0	18.9	46.0	(S)	(S)	.7	.2	14.5
	32.9	8.5	7.5	7.5	4.2	2.5	1.4	1.2	13.6
	64.0	(S)	14.6	26.8	11.1	(S)	.7	(S)	16.2
	.4	(Z)	(S)	(S)	(Z)	(S)	(Z)	(Z)	43.8
	145.1	16.8	33.0	73.7	16.3	(S)	.8	.7	9.7
Component distributorship	.5	(S)	(S)	(S)	(S)	(S)	(S)	.1	36.0
Other	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	57.4
Not reported	131.5	29.8	26.3	62.1	(S)	(S)	.4	(S)	10.4

Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational	Annual miles ¹							Relative standard error of	
characteristics	Total	Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 to 49,999	50,000 to 74,999	75,000 or more	estimate (percent) for total
ENGINE TYPE AND SIZE									
Engine Gasoline Diesel LP gas or other Not reported	433.8 399.5 31.8 (S) 2.2	68.4 65.8 1.9 (S)	92.1 88.8 2.5 (Z) .8	207.5 193.9 12.9 (S) .6	41.7 36.5 5.0 (Z) (S)	15.6 11.6 4.0 (Z) (S)	4.0 .5 3.3 (S) (S)	4.6 (S) 2.2 (Z) (Z)	(Z) 1.1 14.0 58.1 20.6
Cylinders 4	433.8 37.6 157.0 236.1 (S) 2.8	68.4 (S) 34.4 25.7 (S)	92.1 13.9 16.9 60.5 (Z)	207.5 13.4 78.6 114.8 (Z) .6	41.7 (S) 14.7 23.6 (Z) (S)	15.6 (Z) 5.5 10.0 (S) (S)	4.0 (S) 2.8 1.0 (Z) (S)	4.6 (S) (S) .5 (Z) (Z)	(Z) 23.5 9.0 6.2 58.1
Not reported	431.6 399.5 25.3 87.4 125.4 90.5	.9 67.8 65.8 (S) 20.0 13.6 8.0	.8 91.3 88.8 13.5 7.8 25.7 31.1 .5	206.9 193.9 (S) 52.2 68.7 40.1 (S)	(S) 41.5 36.5 (S) (S) 17.2 5.1	(S) 15.6 11.6 (Z) (S) (S) (S) (S) (S)	3.9 .5 (Z) (Z) (Z) .4	(Z) 4.6 (S) (Z) (S) (S) (Z) (S) (Z)	18.2 .1 1.1 29.7 14.1 11.0 12.9 50.2
Not reported Diesel engines Less than 400 400 to 599 600 to 799 800 or more Not reported	(S) 65.4 31.8 (S) 6.7 6.0 4.6 7.0	15.2 1.9 .4 .5 .3 .3	10.2 2.5 (S) .9 .5 (S)	26.2 12.9 (S) 1.7 1.2 .7 (S)	10.8 5.0 .5 1.2 1.7 .7	(S) 4.0 .6 .9 .6 1.2	(S) (Z) 3.3 (S) 1.0 .9 .8	(S) 2.2 (S) .5 .7 .8	15.7 14.0 50.2 9.2 8.8 10.0 32.5
Other engines Less than 400 400 or more Not reported	(S) (S) (Z) (S)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z) (Z)	(S) (S) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	58.1 99.5 (Z) 71.5
Horsepower	431.6 399.5 23.5 283.1 20.5 (S) 67.4	67.8 65.8 (S) 40.6 2.5 (S)	91.3 88.8 13.1 63.1 2.3 (S) 10.2	206.9 193.9 (S) 145.7 14.6 (S) 28.2	41.5 36.5 (S) 22.6 .7 (S) 10.8	15.6 11.6 (Z) 8.5 (S) (Z) (S)	3.9 .5 (Z) (S) (S) (Z) (Z)	4.6 (S) (Z) (S) (Z) (S) (Z)	.1 1.1 31.5 4.7 27.3 62.1 15.4
Diesel engines Less than 250 250 to 349 350 to 449 450 or more Not reported	31.8 16.3 5.6 3.0 (S) 6.8	1.9 1.0 .4 (S) (Z)	2.5 1.1 .4 .2 (Z)	12.9 8.2 1.0 .2 (Z)	5.0 2.6 1.2 .5 (Z)	4.0 1.9 .9 .5 (Z)	3.3 1.0 1.2 .7 (Z) .4	2.2 .5 .6 .8 (S)	14.0 23.7 9.0 12.5 99.3 33.1
Other engines Less than 250 250 or more Not reported	(S) (S) (Z) (S)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(S) (S) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	58.1 99.5 (Z) 71.5
TRUCK TYPE AND AXLE ARRANGEMENT									
Single-unit trucks 2 axles 3 axles 4 axles or more	420.7 417.1 3.5 .1	67.8 67.2 .5 (S)	90.8 90.5 .3 (Z)	205.7 204.7 1.0 (Z)	39.1 38.2 .9 (S)	13.2 12.9 .2 (Z)	1.6 1.3 (S) (S)	(S) (S) (S) (Z)	.2 .2 12.9 48.1
Combinations Single-unit truck with trailer 3 axles 4 axles 5 axles or more	13.1 1.2 (S) .8 .3	.7 (S) (Z) (S) (S)	1.2 (S) (S) (S) (S)	1.8 (S) (Z) (S) (Z)	2.6 .3 (S) (S) (S)	2.5 (S) (Z) (S) (S)	2.4 (S) (Z) (Z) (S)	1.9 (Z) (Z) (Z) (Z)	5.2 25.6 71.5 32.9 48.6
Truck-tractor with single trailer 3 axles 4 axles 5 axles or more	11.8 1.3 4.8 5.8	.4 (S) .3 (S)	1.0 (S) .4 .4	1.5 .4 .7 .5	2.2 (S) 1.2	2.4 .3 .7 1.4	2.4 (S) 1.0 1.3	1.9 (Z) .5 1.4	5.4 21.6 10.3 8.4
Truck-tractor with double trailers 5 axles 6 axles 7 axles or more	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	68.1 (Z) (Z) 68.1
Truck-tractor with triple trailers 7 axles 8 axles or more		(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)
Powered axles	(Z) 433.8 331.6 78.3 .6 23.3	(Z) 68.4 48.8 12.1 (S) 7.3	(Z) 92.1 78.0 11.0 (S) 3.1	(Z) 207.5 153.8 42.1 (S) 11.6	(Z) 41.7 32.2 8.4 (S) 1.1	(Z) 15.6 13.9 1.5 (S) (S)	(Z) 4.0 1.9 1.7 (S) .2	(Z) 4.6 (S) 1.4 (S) (S)	(Z) (Z) 3.6 14.4 32.7 23.8
CAB TYPE⁴									
Cab forward of engine	2.9 12.6 20.3 32.1 6.5	.6 1.6 5.2 7.8 2.1	.6 2.6 4.8 8.7 1.3	.9 3.5 4.9 7.2 1.2	(S) 1.6 2.8 3.9 1.0	.3 1.2 1.7 2.3 .5	(S) 1.0 .9 1.3 .4	(S) 1.2 (S) .8 .1	17.3 7.5 5.9 4.3 11.2
Cab beside engine Other Not reported	(S) 6.4 352.8	(S) 1.4 49.6	(S) 1.9 72.2	(Z) 2.3 187.6	(Z) .7 31.4	(Z) (S) 9.6	(Z) (Z) .4	(Z) (Z) (S)	66.1 12.1 .3

Table 5. Trucks by Annual Mileage Class: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

				Relative standard error of					
Vehicular and operational characteristics	Total	Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 to 49,999	50,000 to 74,999	75,000 or more	estimate (percent) for total
PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS									
Total Pickups Panels or vans Utilities Station wagons	349.1 201.5 90.2 44.3 13.2	48.8 34.1 (S) 8.1 (Z)	73.2 48.4 15.4 9.4 (Z)	184.9 107.7 44.0 20.1 13.2	30.7 (S) 15.5 (S) (Z)	9.3 (S) (S) (Z) (Z)	(S) (S) (Z) (Z) (Z)	(S) (Z) (S) (Z) (Z)	.9 1.2 10.0 18.5 39.3
Driving wheels	339.5 68.2 266.4 (S)	45.2 9.8 30.5 (S)	72.4 9.3 63.1 (Z)	179.9 42.5 137.4 (Z)	30.5 (S) 23.9 (Z)	9.3 (Z) 9.3 (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (S) (Z)	1.5 16.6 4.6 71.1

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Massachusetts, 74.5 of the cells have RSEs greater than 10 percent, and 53.6 of the cells have RSEs greater than 25 percent.

¹When no response was obtained for annual miles, data were imputed.

²Detail does not add to totals because items were not applicable or multiple responses were possible.

³When no response was obtained, one truck was imputed based on body type of sampled vehicle.

⁴Pickups, panels, and vans are not included.

Table 6. Trucks by Range of Operation: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational	Range of operation						
characteristics	Total	Local	Short-range	Long-range	Off-the-road	Not reported	error of estimate (percent) for total
Total	433.8 (Z)	369.2 2.7	24.2 24.8	7.9 44.1	29.6 26.1	2.9 18.1	(Z) (Z)
Agriculture Forestry and lumbering Mining and quarrying Construction Manufacturing Wholesale trade Retail trade For-hire transportation Utilities Services	12.4 (S) (S) 85.4 15.6 29.9 17.4 11.7 13.7	11.7 (S) (S) 71.7 13.7 26.4 15.8 8.7 13.6 16.0	.5 (S) (Z) (S) 1.2 2.9 1.1 1.8 (Z)	.1 (Z) (S) .5 .5 .5 .3 1.1 (S)	(S) (S) (S) (S) (S) (S) (S) (S) (S) (S)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	34.8 71.5 62.4 13.5 31.7 23.0 20.8 19.8 31.7 26.1
Daily rental Personal transportation Personal transportation Not in use Not reported PODY TYPE	4.5 218.8 (S) 1.2 (Z)	2.2 186.4 (Z) (Z) (Z) (Z)	.5 (S) (S) (Z) (Z)	(S) (S) (Z) (S) (Z)	(Z) 21.5 (Z) (Z) (Z)	1.8 (Z) (Z) 1.2 (Z)	14.2 6.3 99.5 28.0 (Z)
Pickup	201.5 90.2 44.3 13.2 8.7 2.8 .9 14.1 (S) .5 (S) 1.5 (S) 25.2	173.2 79.1 39.3 11.0 8.3 2.5 .9 11.7 (S) .4 2.3 .7 (S) 16.8 1.2	(S)	(9)(3)(3)(3)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)	16.8 (S) (S) (Z) (Z) (Z) 7.7 (Z) (S) (S) (S) (S)	(S) (Z) (Z) (Z) (Z) (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z	1.2 10.0 18.5 39.3 36.1 17.7 29.7 7.5 68.1 41.5 14.0 22.8 70.3 5.1 25.9
Public utility	4.2 .6 (S) (S) (S) 1.5 (S) 4 .4 .4 (Z) 1.3 9.8 5.5 (S) .4 .5 (S)	3.9 .6 (S) (S) (S) (S) (S) (S) (S) (S) (S) (S)) <u>0000000</u> UV00000 Unnn900000	SSSS SOSSS SSSSS	(S) (S) (Z) (Z) (Z) (S) (S) (Z) (Z) (S) (S) (Z) (Z) (S) (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z		15.1 35.9 55.4 65.6 88.3 26.2 52.8 48.5 47.0 (Z) 23.2 8.9 11.2 59.3 44.1 43.6 (Z)
ANNUAL MILES¹ Less than 5,000 5,000 to 9,999 10,000 to 19,999 20,000 to 29,999 30,000 to 49,999 50,000 to 74,999 75,000 or more	67.5 92.1 207.5 41.7 15.6 4.0 4.6	54.8 79.3 187.8 34.6 8.3 1.7 (S)	.8 8 11.7 6.5 2.0 1.7	(9) (9) (9) (9) .6 1.1	10.8 (S) (S) (S) (S) (S) (S)	.6 1.2 (S) (S) (Z) (Z) (Z)	15.2 13.0 7.1 19.2 29.8 12.0 48.7
BASE OF OPERATION Percentage of miles traveled outside base-of-operation State: Less than 25 percent 25 to 49 percent 50 to 74 percent 75 to 100 percent Not reported	341.9 28.3 14.4 14.7 34.6	302.9 21.2 11.7 (S) 26.7	14.4 (S) 1.7 (S) .5	(S) (S) .9 1.7 (S)	23.7 (Z) (S) (S) (S)	.7 (Z) (Z) (S) 2.2	3.4 26.8 34.1 35.0 21.6
VEHICLE SIZE Light	380.1 20.4 10.2 23.2	329.0 16.4 8.5 15.2	17.0 1.0 .9 5.3	(S) (S) (Z) 2.2	26.9 1.4 .7 .5	1.8 1.2 (Z) (Z)	.3 6.0 8.9 3.3
AVERAGE WEIGHT (POUNDS) Less than 6,001 6,001 to 10,000 10,001 to 14,000 14,001 to 19,500 19,501 to 26,000 26,001 to 33,000 33,001 to 40,000 40,001 to 50,000 50,001 to 60,000 60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 130,001 or more Not reported	291.4 88.7 9.5 5.5 5.3 10.2 5.5 4.9 3.6 3.7 5.2 .3 (Z)	256.1 73.0 8.6 3.7 4.1 8.5 4.5 3.8 2.0 2.4 2.1 .3 (Z)	13.5 (S) .5 (S) .9 .7 1.1 1.1, .7 1.6 (S) (Z)	(S) 5 (S) (Z) (S) (Z) (S) 1.2 4 (Z) (Z) (Z) (Z)	16.3 10.7 (S) .4 .6 .7 (S) (Z) (S) (S) (S) (S) (Z) (Z)	.6 1.1 (S) 1.1 (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z	3.8 12.5 9.5 12.9 13.1 8.9 11.3 11.1 11.8 12.1 9.0 37.7 (Z) (Z)

Table 6. Trucks by Range of Operation: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Range of operation									
Vehicular and operational characteristics	Total	Local	Short-range	Long-range	Off-the-road	Not reported	Relative standard error of estimate (percent) for total			
TOTAL LENGTH (FEET)										
Less than 7.0	(Z) (Z) 11.9 113.7 247.3	(Z) (Z) 11.8 100.7 213.4	(Z) (Z) (Z) (S) 11.5	(Z) (Z) (Z) (S) (S)	(Z) (Z) (S) (S) 19.7	(Z) (Z) (Z) (S) (S)	(Z) (Z) 42.6 12.0 5.7			
20.0 to 27.9	41.2 7.6 1.0 1.5 9.6 (Z)	32.1 5.4 .6 1.2 4.0 (Z)	(S) 1.4 (S) .3 3.4 (Z)	.6 (S) (S) (Z) 2.1 (Z)	1.8 (S) (Z) (S) (S) (Z)	1.8 .7 (Z) (Z) (Z) (Z)	11.7 9.4 26.7 20.3 6.1 (Z)			
YEAR MODEL										
1983 1982 1981 1980 1979	(S) 20.8 34.6 20.0 59.6	(S) 16.9 22.6 18.7 50.8	(Z) (S) (S) .9 (S)	(Z) (S) (S) .3 .4	(Z) (S) (S) (S) (S)	(Z) (Z) (S) (Z) (S)	57.4 32.0 23.8 30.7 17.6			
1978 1977 1976 1975 1974	52.7 35.0 27.1 22.2 36.4	44.5 30.9 24.0 21.2 29.8	(S) .7 (S) .5 .8	(S) .5 (Z) (S) (S)	(S) (S) (S) (S) (S)	.4 (S) (Z) (S) (Z)	19.0 23.1 27.3 29.3 23.0			
1973 Pre-1973 Not reported	31.2 93.9 (Z)	27.7 81.7 (Z)	.3 1.9 (Z)	(S) .6 (Z)	(S) 8.0 (Z)	(S) 1.6 (Z)	25.1 11.6 (Z)			
VEHICLE ACQUISITION										
Purchased new	212.9 217.0 1.1 2.9	175.6 190.3 .9 2.3	19.3 4.7 (S) (S)	(S) 1.0 (S) (S)	9.1 20.3 (Z) (S)	2.0 .6 (Z) (S)	6.9 6.8 27.3 17.6			
LEASE CHARACTERISTICS ²										
Leased without driver Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other	1.0 (Z) (Z) 1.2 .9 (Z) (S)	.8 (Z) (Z) 1.0 .7 (Z) (S)	(S) (Z) (Z) (S) (S) (S) (Z) (Z)	.1 (Z) (Z) (S) (S) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(3) (3) (3) (3) (3) (3) (3) (3) (3) (3)	28.4 (Z) (Z) 26.7 30.0 (Z) 58.1			
OPERATOR CLASSIFICATION										
Not for hire: Private owner or individual For hire Motor carrier Owner-operator Daily rental Mixed —for hire/not for hire For-hire interstate Exempt carrier Common carrier Common carrier For-hire intrastate For-hire intrastate For-hire intrastate For-hire intrastate For-hire level	417.4 16.2 9.6 2.0 4.5 (Z) 5.4 1.6 (S) 9.0 2.4	358.3 10.7 7.2 1.4 2.2 (2) 2.9 1.2 (S) 7.1 2.0	22.0 2.2 1.5 3 .5 (Z) 1.4 (S) 4 1.2 4,5 (S)	(S) 1.3 8.3 (S) (Z) 1.1 (S) (S) 7 (S) (Z)	29.4 (S) (S) (Z) (Z) (Z) (Z) (S) (Z) (S) (S)	1.0 1.8 (Z) (S) 1.8 (Z) (Z) (S) (Z) (Z) (Z)	.6 14.8 23.9 17.4 14.2 (Z) 10.2 23.3 54.3 8.8 18.6 48.2			
PRODUCTS CARRIED	4.6	(S)	(5)	(2)	(5)	(2)	40.2			
Farm products Live animals Mining products Logs and other forest products Lumber and fabricated wood products	8.5 (S) (S) 1.0 7.4	8.1 (S) (S) .8 7.2	.3 (S) (S) (S) (S)	(S) (S) (Z) (Z) (S)	(Z) (Z) (S) (S) (S)	(Z) (Z) (Z) (Z) (Z)	44.1 71.6 53.5 31.2 47.3			
Processed foods	18.9 (S) 18.1 5.5 (S)	15.8 (S) 14.3 (S) (S)	2.6 .5 (S) (S) (S)	.4 (Z) (S) (S) (S) (S)	(S) (S) 1.1 (Z) (S)	(Z) (Z) (Z) 1.5 (Z)	22.2 56.1 23.1 40.8 54.6			
Paper products	6.8 1.6 4.8 (S) 1.2	(S) .9 4.3 (S) .8	.5 .4 .2 (S) (S)	(S) (S) .2 (S) (S)	(S) (S) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	45.5 22.3 12.0 81.5 26.8			
Fabricated metal products Machinery, elect or nonelect Transportation equipment Scrap, refuse, or garbage Mixed cargoes	1.9 8.9 (S) 4.5 10.4	1.3 8.1 (S) 4.2 8.2	.5 (S) (S) (Z) 1.4	.1 .4 (S) (S) .5	(Z) (S) (Z) (S) (S)	(Z) (Z) (Z) (Z) (S)	21.8 39.5 69.9 13.5 26.9			
Craftsman's equipment	66.3 218.8 24.2 (Z) (S) (Z)	53.9 186.3 22.6 (Z) (S)	(S) (S) (S) (Z) .4 (Z)	(S) (S) (S) (Z) (Z) (Z)	(S) 21.5 (S) (Z) (S) (Z)	(S) (S) 1.0 (Z) (Z) (Z)	15.7 6.3 28.3 (Z) 64.9 (Z)			

Table 6. Trucks by Range of Operation: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational		Range of operation							
characteristics	Total	Local	Short-range	Long-range	Off-the-road	Not reported	error of estimate (percent) for total		
HAZARDOUS MATERIALS CARRIED Hazardous materials carried	8.0 3.6	6.3 2.9	1.0	.4	(S)	(Z)	9.0		
Less than 25 percent of time 25 to 49 percent of time 50 to 74 percent of time 75 to 100 percent of time No percent reported	3.6 1.4 .3 2.8 (Z)	2.9 (S) 2.4 (Z)	(S) (S) (Z)	.4 .2 (Z) (S) .2 (Z)	(S) (S) (S) (Z) (Z) (Z)		13.8 24.5 44.3 15.9 (Z)		
Types of hazardous materials Flammables or combustibles Acids, poisons, caustics, etc Explosives Radioactive materials	(Z) 7.6 2.0 (S) (S)	(Z) 6.1 1.3 (S) (S)	(Z) .9 .4 (Z) (S)	(Z) .4 .2 (Z) (Z)	(Z) (S) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) 9.2 17.7 84.4 59.6		
Hazardous waste Hazardous materials not listed above Not reported No hazardous materials carried	(S) .5 (Z) 283.3	(S) (S) (Z) 241.6	(S) .3 (Z) 15,5	(Z) (S) (Z) 7.5 (S)	(S) (S) (Z) 16.2	(Z) (Z) (Z) 2.5	59.3 37.0 (Z) 5.1		
TRUCK FLEET SIZE ³	142.5	121.3	(S)	(S)	13.0	.4	10.1		
1	334.1 40.5 21.2 38.0	294.7 28.0 17.8 28.6	15.0 (S) 1.8 3.8	(S) .4 .5 (S)	19.9 (S) 1.0 (S)	.9 (S) (S) 1.8	2.9 18.8 19.9 14.9		
MILES PER GALLON Less than 5	8.1	6.3	.6	.9 1.3	(S)	(S)	8.8		
5 to 6.9	24.6 27.9 79.3 133.4	17.8 25.0 63.2 112.0	4.8 1.8 (S) (S)	1.3 .5 (S) (S)	.6 .6 8.5 15.8	(S) (S) (Z) 1.5 (S)	11.9 19.5 13.8 10.1		
15 to 19.9	82.9 45.6 32.0	74.8 40.1 29.9	(S) (S) .4	(Z) (S) .1	(S) (S) .6	(Z) (Z) .9	14.5 21.6 22.9		
EQUIPMENT TYPE					-				
Transmission Manual Automatic Not reported	433.8 220.5 209.5 3.8	369.2 181.2 184.8 3.2	24.2 10.2 13.9 (S)	7.9 7.7 (S) (Z)	29.6 19.1 10.5 (Z)	2.9 2.3 (S) .5	(Z 6.6 6.9 15.6		
Braking system Hydraulic Hydraulic (power) Air Not reported	433.8 31.2 368.5 26.3 7.8	369.2 25.8 319.3 17.4 6.6	24.2 1.5 17.0 5.3 (S)	7.9 (S) (S) 2.3 (S)	29.6 1.6 26.4 1.2	2.9 1.9 .5 (S)	(Z 4.2 2.9 29.		
Power steering ² Air conditioning ² Engine retarder ² Reflective materials ²	262.9 40.8 2.9 14.1	227.0 25.6 1.8 9.7	20.7 11.1 .8 2.0	(S) 1.7 (S) .4	11.4 (S) (S) (S)	(S) (S) (Z) 1.6	5.3 20.5 14.5 7.3		
FUEL CONSERVATION EQUIPMENT ²									
Aerodynamic features Axle or drive ratio Fuel economy engine Radial tires Road speed governor	5.0 12.6 8.9 159.7 18.0	1.8 7.3 4.7 135.0 13.0	1.3 2.3 1.6 17.2 2.2	.7 .6 .9 (S)	(S) .5 (S) (S) .5	1.2 1.9 1.7 (Z) 1.7	11.8 7.5 8.4 9.0 5.8		
Variable fan drives Other fuel conservation devices Not reported	9.0 1.5 255.4	4.3 .6 220.4	2.3 .6 5.9	.7 .3 (S)	(S) (Z) 25.3	1.6 (Z) 1.0	8.3 19.3 5.6		
MAINTENANCE									
General maintenance: Owner Company's maintenance facilities Dealership's service department Leasing company Independent garage	225.4 53.3 49.3 .3 140.3	194.4 43.1 36.0 (S) 124.1	7.4 4.9 (S) (S) 9.7	(S) 1.8 (S) (Z) .6	19.7 1.6 (S) (Z) (S)	.5 2.0 (Z) (Z) (S)	6. 12. 19. 48. 9.		
Component distributorship Other Not reported	(S) 9.9 8.5	(S) (S) 7.6	(S) (S) (S)	(Z) (Z) (S)	(Z) (S) (S)	(Z) (Z) .4	65.6 49.3 37.0		
Major overhauls: Owner Company's maintenance facilities Dealership's service department Leasing company Independent garage	81.1 32.9 64.0 .4 145.1	68.9 24.8 49.2 .4 129.2	1.4 4.0 8.5 (S) (S)	.2 1.3 .4 (Z) (S)	10.4 .9 (S) (Z) (S)	(S) 1.8 (S) (Z) (S)	14.5 13.6 16.2 43.8 9.7		
Component distributorship Other Not reported	.5 (S) 131.5	.4 (S) 114.6	(S) (Z) (S)	(Z) (A	(Z) (Z) 11.7	(Z) (Z) .9	36.0 57.4 10.4		

Table 6. Trucks by Range of Operation: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational			Relative standard				
characteristics	Total	Local	Short-range	Long-range	Off-the-road	Not reported	error of estimate (percent) for total
ENGINE TYPE AND SIZE							
Engine Gasoline Diesel	433.8 399.5 31.8	369.2 347.5 19.7	24.2 15.5 8.6	7.9 (S) 2.5	29.6 28.6 1.0	2.9 2.5	(Z) 1.1 14.0
LPG or other Not reported	(S) 2.2	(S) 1.9	(S) (S)	(Z) (Z)	(Z) (Z)	(S) (S) (S)	58.1 20.6
Cylinders	433.8 37.6	369.2 34.4	24.2 (S) 9.4	7.9 (S)	29.6 (S) 14.2	2.9 (S)	(Z) 23.5
6	157.0 236.1 (S) 2.8	128.1 204.3 (S) 2.3	9.4 14.4 (S) (S)	(S) (S) (S) (Z) (Z)	12.5	2.9 (S) (S) 2.2 (Z)	9.0 6.2 58.1
Not reported Cubic inch displacement	431.6	2.3 367.2	(S) 24.2	7.9	(S) (Z) 29.6	27	18.2
Gasoline engines Less than 200 200 to 299	399.5 25.3 87.4	347.5 25.0 72.3	15.5 (S)	(S) (Z) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S	28.6 (S)	2.5 (Z) (S) 1.0	1.1 29.7 14.1
300 to 349	125.4 90.5	110.1 76.8	(S) (S) (S) (S) (S)	(S) (S)	<u> </u>	1.0	11.0 12.9
400 or more Not reported	(S) 65.4	(S) 58.1	.4			(Z) .4	50.2 15.7
Diesel engines Less than 400 400 to 599	31.8 (S) 6.7	19.7 (S) 4.2	8.6 (S) 2.0	2.5 (S) .3	1.0 (S) (S) (S) (S)	(S) (S) (X) (S) (S) (S)	14.0 50.2 9.2
600 to 799	6.0 4.6 7.0	3.5 2.5 5.3	1.5 1.1 1.0	.8 1.0 .3	(S) (S) .4	(Z) (S) (S)	8.8 10.0 32.5
Other engines		(S) (S)					58.1 99.5
400 or moreNot reported	(S) (S) (X) (S)	(Z) (Z)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	(Z) 71.5
Horsepower, Gasoline engines Less than 100	431.6 399.5 23.5	367.2 347.5 21.3	24.2 15.5 (Z)	7.9 (S) (Z)	29.6 (28.6 (S)	2.7 2.5 (7)	.1 1.1 31.5
100 to 199 200 to 249	283.1 20.5	244.1 17.3	11.9 (S) (S)	9000000	(S) 20.0 (S)	2.5 (Z) 2.0 (S) (Z)	4.7 27.3
Not reported	(S) 67.4 31.8	(S) 59.9 19.7	.4 8.6	(S) 2.5	(S) (Z) (S) 1.0	.4	62.1 15.4
Diesel engines	16.3 5.6	9.9 3.2	5.5 1.5	.5 .8	.3	(S) (Z)	14.0 23.7 9.0
450 or more	3.0 (S) 6.8	1.3 (Z) 5.2	.6 (S) 1.0	.9 (Z) (S)	(S) (S) (Z)	<u>®</u>	12.5 99.3 33.1
Other engines Less than 250	(S) (S) (Z) (S)	(S) (S) (Z)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	58.1 99.5
250 or moreNot reported	(Z) (S)	(Z) (Z)	(Z) (S)	(Z) (Z)	(Z) (Z)	(Z) (S)	(Z) 71.5
TRUCK TYPE AND AXLE ARRANGEMENT							
Single-unit trucks 2 axles 3 axles	420.7 417.1 3.5	362.4 359.5 2.8	20.2 19.9 .3	(S) (S)	29.4 29.1 (S)	2.9 2.9 (S)	.2 .2 12.9
4 axles or more	13.1	(S) 6.7	(S) 3.9	(S) (Z) 2.2	(S) (Z)	(S) (S)	48.1 5.2
Single-unit truck with trailer 3 axles	1.2 (S)	.8 (S)	(S) (Z) (S) (S)	(S) (Z) (Z) (S)	(S) (S) (Z) (S) (S)	(Z) (Z) (Z) (Z) (Z)	25.6 71.5 32.9
4 axles 5 axles or more	.3	.5 (S) 5.9	(S) (S) 3.7	(2) (S) 2.2			48.6 5.4
Truck-tractor with single trailer 3 axles 4 axles	11.8 1.3 4.8	.9 2.4	.3 1.7	.1 .6	(S) (Z) (S) (S)	(Z) (Z) (Z) (Z)	21.6 10.3
5 axles or more Truck-tractor with double trailers	5.8 (S)	2.6 (<u>Z</u>)	1.7 (S)	1.5 (Z)			8.4 68.1
5 axles	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) 68.1
Truck-tractor with triple trailers 7 axles	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)
8 axles or more Trailer not specified	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)
Powered axles1	433.8 331.6	369.2 289.2	24.2 19.3	7.9 (S) 1.6	29.6 16.1	2.9 .7	(Z) 3.6
2	78.3 .6 23.3	61.9 .3 17.7	(S) (S) .6	1.6 (S) (Z)	10.4 (Z) (S)	(S) (S) 2.0	14.4 32.7 23.8
CAB TYPE4				, ,	,		
Cab forward of engineCab over engine	2.9 12.6	2.3 9.2	.3 1.5	(Z) 1.7	(S) (S) 1.2	(Z) (S) 1.6	17.3 7.5
Short-hood conventional	20.3 32.1 6.5	14.8 25.7 5.4	2.3 3.5 .6	.3 .7 .1	1.2 1.6 (S)	1.6 .6 (S)	5.9 4.3 11.2
Cab beside engine	(S)	(S) 5.3		(Z)	(S)	(Z) (S)	66.1
OtherNot reported	6.4	5.3 306.2	(Z) (S) 15.7	(S) (S)	.5 25.4	(S) .5	12.1

Table 6. Trucks by Range of Operation: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational			Relative standard				
characteristics	Total	Local	Short-range	Long-range	Off-the-road	Not reported	error of estimate (percent) for total
PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS							
Total Pickups Panels or vans Utilities Station wagons	349.1 201.5 90.2 44.3 13.2	302.6 173.2 79.1 39.3 11.0	15.2 (S) (S) (Z) (S)	(S) (S) (S) (Z) (Z)	26.3 16.8 (S) (S) (Z)	(S) (S) (Z) (Z) (Z)	.9 1.2 10.0 18.5 39.3
Driving wheels 4-wheel drive 2-wheel drive Front-wheel drive	339.5 68.2 266.4 (S)	296.3 56.7 234.6 (S)	15.1 (S) 12.9 (Z)	(S) (Z) (S) (Z)	23.0 9.3 13.7 (Z)	(S) (Z) (S) (Z)	1.5 16.6 4.6 71.1

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Massachusetts, 66.9 of the cells have RSEs greater than 10 percent, and 49.2 of the cells have RSEs greater than 25 percent.

¹When no response was obtained for annual miles, data were imputed.

²Detail does not add to totals because items were not applicable or multiple responses were possible.

³When no response was obtained, one truck was imputed based on body type of sampled vehicle.

⁴Pickups, panels, and vans are not included.

This page is intentionally blank.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

		Truck type and axle arrangement									
				Single-unit	trucks			Combina	ations		
	Vehicular and operational characteristics							Si	ngle-unit truck with trailer		
		Total	Total	2 axles	3 axles	4 axles or more	Total	3 axles	4 axles	5 axles or more	
1 2	Total Relative standard error (percent) MAJOR USE	433.8 (Z)	420.7 .2	417.1	3.5 12.9	.1 48.1	13.1 5.2	(S) 71.5	.8 32.9	.3 48.6	
3 4 5 6 7	Agriculture Forestry and lumbering Mining and quarrying Construction Manufacturing	12.4 (S) (S) 85.4 15.6	12.0 (S) (S) 83.8 14.1	11.9 (S) (S) 82.4 14.1	(S) (S) (S) 1.4 (S)	(Z) (S) (Z) (Z) (Z)	.4 (S) (S) 1.6 1.5	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (S) (Z)	(X) (X) (X) (S) (X)	
8 9 10 11 12	Wholesale trade	29.9 17.4 11.7 13.7 19.7	27.8 16.4 6.1 13.5 19.4	27.4 16.2 5.9 13.5 18.5	.3 (S) (S) (Z) 1.0	(S) (Z) (S) (Z) (Z)	2.1 1.0 5.6 (S)	(Z) (Z) (Z) (S) (S) (Z)	(S) (Z) (S) (S) (Z)	(Z) (S) (X) (Z) (Z)	
13 14 15 16 17	Daily rental Personal transportation Not in use Not reported Not repor	4.5 218.8 (S) 1.2 (Z)	4.3 218.7 (S) 1.2 (Z)	4.1 218.7 (S) 1.1 (Z)	(S) (Z) (Z) (S) (Z)	(Z) (Z) (Z) (S) (Z)	3 (S) (Z) (Z) (Z)	(Z) (S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	
18 19 20 21 22	BODY TYPE Pickup Panel or van Utility Station wagon Multistop or walk-in	201.5 90.2 44.3 13.2 8.7	201.5 90.2 44.3 13.2 8.7	201.5 90.2 44.3 13.2 8.7	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z)	(Z) (Z) (Z) (Z) (Z)		
23 24 25 26 27	Platform with added devices Low boy or depressed center Basic platform Livestock truck Insulated nonrefrigerated van	2.8 .9 14.1 (S) .5	2.6 .4 12.5 (Z) .4	2.5 .4 12.3 (Z) .4	(S) (Z) (S) (Z) (Z)	(Z) (Z) (S) (Z) (Z)	.2 .5 1.7 (S) (S)	(Z) (Z) (S) (Z) (Z)	(Z) (Z) (S) (Z) (Z)	(S) (Z) (S) (Z) (Z)	
28 29 30 31 32	Insulated refrigerated van Drop-frame van Open-top van Basic enclosed van Beverage	3.9 1.5 (S) 25.2 1.4	2.8 .7 (S) 19.5 1.4	2.6 .7 (S) 19.2 1.4	(S) (Z) (Z) .3 (Z)	(Z) (Z) (Z) (Z) (Z)	1.1 .8 (Z) 5.6 (Z)	(Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (S) (Z)	(Z) (Z) (Z) (S) (Z)	
33 34 35 36 37	Public utility	4.2 .6 (S) (S) (S)	3.9 .6 (S) (S) (S)	3.9 (S) (S) (S) (S)	(Z) .3 (Z) (S) (Z)	(Z) (S) (Z) (S) (Z)	(S) (S) (Z) (S) (Z)	(S) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	
38 39 40 41 42	Service truck	1.5 (S) .4 .4 (Z)	1.5 (Z) (S) (S) (Z)	1.5 (Z) (S) (S) (Z)	(Z) (Z) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (S) (S) (S) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	
43 44 45 46 47 48 49	Garbage hauler	1.3 9.8 5.5 (S) .4 .5 (Z)	1.3 8.7 4.4 (Z) .4 .5 (Z)	.4 7.7 4.3 (Z) (Z) .5 (Z)	.9 1.0 (S) (Z) .4 (Z) (Z)	(Z) (S) (Z) (Z) (Z) (Z) (Z)	(Z) 1.1 1.1 (S) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (S) (S) (Z) (Z) (Z) (Z)	(Z) (S) (Z) (Z) (Z) (Z) (Z)	
50 51 52 53 54 55 56	ANNUAL MILES¹ Less than 5,000	67.5 92.1 207.5 41.7 15.6 4.0	66.8 90.8 205.7 39.1 13.2 1.6 (S)	66.3 90.5 204.7 38.2 12.9 1.3 (S)	.5 .3 1.0 .9 .2 (S)	(Z) (Z) (Z) (S) (S) (S) (Z)	.7 1.2 1.8 2.6 2.5 2.4 1.9	(Z) (S) (Z) (S) (Z) (Z) (Z)	(S) (S) (S) (S) (S) (Z) (Z)	(S) (S) (Z) (S) (S) (S) (Z)	
57 58 59 60 61	RANGE OF OPERATION Local Short-range (Less than 201 miles) Long-range (201 miles or more) Off-the-road Not reported	369.2 24.2 7.9 29.6 2.9	362.4 20.2 (S) 29.4 2.9	359.5 19.9 (S) 29.1 2.9	2.8 .3 (S) (S)	(S) (S) (Z) (Z) (S)	6.7 3.9 2.2 (S) (Z)	(S) (Z) (Z) (Z) (Z)	.5 (S) (Z) (S) (Z)	(S) (S) (S) (S) (Z)	
	BASE OF OPERATION Percentage of miles traveled outside base-of-operation State:										
62 63 64 65 66	Less than 25 percent	341.9 28.3 14.4 14.7 34.6	335.3 26.9 12.5 12.2 33.8	332.3 26.9 12.4 12.1 33.4	3.0 (S) (S) (S) .4	.1 (Z) (Z) (Z) (Z)	6.5 1.3 2.0 2.4 .8	(S) (Z) (S) (Z) (Z)	.4 (Z) (S) (S) (S) (S)	(S) (Z) (Z) (S) (S)	
67 68 69	VEHICLE SIZE Light Medium Light-heavy	380.1 20.4 10.2 23.2	379.9 19.9 9.9 11.1	379.8 19.8 9.7 7.8	(S) (S) (S) 3.3	(S) (S) (Z) (S)	(S) .5 .3 12.1	(S) (Z) (S) (Z)	(S) (S) (Z)	(Z) (Z) (S) (S)	

					and axle arrangem						
-		Truck-tractor			Truck-tractor		Truck-	tractor			
	3 axles	rith single trailer 4 axles	5 axles or more	5 axles	vith double trailers 6 axles	7 axles or more	7 axles	e trailers 8 axles or more	Trailer not specified	Relative standard error of estimate (percent) for total	
	1.3 21.6	4.8 10.3	5.8 8.4	(Z) (Z)	(Z) (Z)	(S) 68.1	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	1 2
	(Z) (Z) (Z) (S) (S) (S)	(S) (Z) (Z) (S) .6	.4 (S) (S) .8	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	34.8 71.5 62.4 13.5 31.7	3 4 5 6 7
	(S) (S) .5 (Z) (S)	.7 .3 2.7 (Z) .2	.9 .5 2.3 (Z) .1	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	23.0 20.8 19.8 31.7 26.1	8 9 10 11 12
	(S) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	14.2 6.3 99.5 28.0 (Z)	13 14 15 16 17
,	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	1.2 10.0 18.5 39.3 36.1	18 19 20 21 22
	(Z) (S) .3 (S) (S)	(S) (S) .3 (Z) (Z)	(S) .2 .8 (S) (S)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)		(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	17.7 29.7 7.5 68.1 41.5	23 24 25 26 27
	(S) (S) (Z) .7 (Z)	.3 .5 (Z) 2.9 (Z)	.7 (S) (Z) 1.9 (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	14.0 22.8 70.3 5.1	28 29 30 31
	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	25.9 15.1 35.9 55.4 65.6	32 33 34 35 36
						111				88.3 26.2 52.8	37 38 39
	(Z) (X) (X) (X) (Z) (Z)	(Z) (S) (S) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	48.5 47.0 (Z) 23.2	40 41 42 43
		(Z) (S) .1 (S) (Z) (Z) (Z)	(Z) .7 1.0 (S) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)		(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	23.2 8.9 11.2 59.3 44.1 43.6 (Z)	43 44 45 46 47 48 49
	(S) (S) .4 (S) .3 (S) (Z)	.3 .4 .7 1.2 .7 1.0	(S) .4 .5 .8 1.4 1.3	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (S) (S) (Z)		(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	15.2 13.0 7.1 19.2 29.8 12.0 48.7	50 51 52 53 54 55 56
	(S) (Z)	1.0	1.3 1.4	(Z) (Z)	(Z) (Z)	(S) (Z)	(Z) (Z)	(Ž) (Z)	(Ž) (Z)	12.0 48.7	55 56
	.9 .3 .1 (Z) (Z)	2.4 1.7 .6 (S) (Z)	2.6 1.7 1.5 (S) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	2.7 24.8 44.1 26.1 18.1	57 58 59 60 61
	.8 (S) (S) (S) (S)	2.5 .6 .7 .7	2.6 .7 .9 1.4 .3	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(S) (S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	3.4 26.8 34.1 35.0 21.6	62 63 64 65 66
	(Z) (S) (S)	(Z) (S) (S) 4.6	(Z) (Z) (S) 5.8	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	.3 6.0 8.9 3.3	67 68 69 70

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

						ick type and axle	arrangement			
	Vehicular and operational characteristics	-		Single-unit	trucks			Combinat	ions gle-unit truck	
	Characteristics				-	4 axles or			with trailer	5 axles or
	AVERAGE WEIGHT (POUNDS)	Total	Total	2 axles	3 axles	more	Total	3 axles	4 axles	more
1 2 3 4 5	Less than 6,001	291.4 88.7 9.5 5.5 5.3	291.4 88.5 9.5 5.4 5.0	291.4 88.4 9.5 5.4 5.0	(Z) (S) (S) (Z) (Z)	(S) (Z) (S) (Z) (Z)	(Z) (S) (Z) (S) (S)	(Z) (S) (Z) (Z) (Z)	(Z) (S) (Z) (Z) (S)	(Z) (Z) (Z) (Z) (Z)
6 7 8 9 10	19,501 to 26,000	10.2 5.5 4.9 3.6 3.7	9.9 4.8 3.5 1.0 1.0	9.7 4.4 2.8 .4 (S)	(S) .5 .7 .5 .9	(Z) (Z) (Z) (Z) (Z)	.3 .7 1.4 2.6 2.7	(S) (Z) (Z) (Z) (Z)	(Z) (S) (Z) (S) (Z)	(S) (Z) (S) (Z) (S)
11 12 13 14 15	60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 130,001 or more	5.2 .3 (Z) (Z) (Z)	.7 (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	.6 (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	4.5 .3 (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)
	TOTAL LENGTH (FEET)									
16 17 18 19 20	Less than 7.0	(Z) (Z) 11.9 113.7 247.3	(Z) (Z) 11.9 113.7 247.3	(Z) (Z) 11.9 113.7 247.1	(Z) (Z) (Z) (Z) (S)	(Z) (Z) (Z) (Z) (S)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)
21 22 23 24 25 26	20.0 to 27.9	41.2 7.6 1.0 1.5 9.6 (Z)	40.3 7.1 .3 (S) (S)	38.8 5.3 (S) (S) (Z) (Z)	1.5 1.7 (S) (S) (S) (S)	(Z) (S) (Z) (Z) (Z) (Z)	.9 .5 .6 1.4 9.6 (Z)	(S) (S) (Z) (Z) (Z) (Z)	.5 (Z) (Z) (S) (S) (Z)	(S) (S) (Z) (Z) (S) (Z)
	YEAR MODEL									
27 28 29 30 31	1983	(S) 20.8 34.6 20.0 59.6	(S) 20.1 34.1 19.0 58.3	(S) 20.0 34.0 18.7 57.9	(Z) (S) (S) .3 .4	(Z) (Z) (Z) (S) (S)	(Z) .6 .6 1.0 1.2	(Z) (Z) (S) (Z) (Z) (Z)	(Z) (S) (Z) (S) (S)	(Z) (Z) (S) (S) (Z)
32 33 34 35 36	1978 1977 1976 1975 1974	52.7 35.0 27.1 22.2 36.4	51.8 33.4 26.7 21.4 35.2	51.5 33.3 26.5 21.3 35.1	(S) (S) (S) (S) (S)	(Z) (Z) (Z) (Z) (S)	.9 1.7 .5 .8 1.2	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)
37 38 39	1973 Pre-1973 Not reported	31.2 93.9 (Z)	30.0 90.3 (Z)	29.9 88.6 (Z)	(S) 1.7 (Z)	(Z) (S) (Z)	1.1 3.6 (Z)	(Z) (S) (Z)	(Z) .3 (Z)	(S) (S) (Z)
40 41 42 43	Purchased new Purchased seed Leased from someone else Not reported	212.9 217.0 1.1 2.9	205.5 211.7 .8 2.7	203.7 210.0 .8 2.7	1.7 1.7 (Z) (S)	(S) (S) (Z) (Z)	7.4 5.3 .3 .2	(S) (Z) (Z) (Z)	(S) .4 (S) (Z)	(S) (S) (Z) (Z)
	LEASE CHARACTERISTICS ²									
44 45 46 47 48 49 50	Leased without driver Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other	1.0 (Z) (Z) 1.2 .9 (Z) (S)	.8 (Z) (Z) .9 .7 (Z) (S)	.8 (Z) (Z) .9 .7 (Z) (S)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	.2 (Z) (Z) .2 .2 (Z) (S)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (S) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)
	OPERATOR CLASSIFICATION									
51 52 53 54 55 56 57	For-hire interstate	417.4 16.2 9.6 2.0 4.5 (Z)	410.2 10.3 5.1 1.0 4.3 (Z)	407.0 9.9 5.0 .8 4.1 (Z)	3.1 .4 (S) (S) (S) (S) (Z)	(S) (S) (S) (Z) (Z) (Z)	7.2 5.9 4.5 1.1 .3 (Z)	(S) (Z) (Z) (Z) (Z) (Z) (Z)	.6 (S) (S) (Z) (Z) (Z) (Z)	.3 (Z) (Z) (Z) (Z) (Z)
58 59 60 61	Exempt carrier Contract carrier Common carrier For-hire intrastate For-hire local	1.6 (S) 9.0 2.4 4.6	1.2 (S) 5.0 1.2 (S)	1.2 (S) 4.7 1.2 (S)	(S) (S) (S) 3 (Z) (S)	(Z) (Z) (S) (S) (Z) (S)	1.0 4.0 1.2	(Z) (Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (S) (Z) (S)	(Z) (Z) (Z) (Z) (Z)

					and axle arrangem						
-		Truck-tractor			Truck-tractor vith double trailers		Truck-	ractor			
	3 axles	with single trailer 4 axles	5 axles or more	5 axles	6 axles	7 axles or more	7 axles	8 axles or more	Trailer not specified	Relative standard error of estimate (percent) for total	
	(Z) (Z) (Z) (S)	(Z) (Z) (S) (S)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	3.8 12.5 9.5 12.9 13.1	1 2 3 4 5
	(S) (S) .4 .5 (S)	(S) .4 .9 1.6 1.2	(S) (S) (S) .5 1.2	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	8.9 11.3 11.1 11.8 12.1	6 7 8 9
	(S) (Z) (Z) (Z) (Z)	.5 (S) (Z) (Z) (Z)	3.6 .3 (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	9.0 37.7 (Z) (Z) (Z)	11 12 13 14 15
	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) 42.6 12.0 5.7	16 17 18 19 20
	(S) (S) (S) .3 .7 (Z)	(Z) (S) .4 .5 3.7 (Z)	(Z) (S) (S) .6 4.9 (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	11.7 9.4 26.7 20.3 6.1 (Z)	21 22 23 24 25 26
	(Z) (S) (S) (S) (S) (S)	(Z) .3 (S) .3 .2	(Z) .1 .2 .5	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (S) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	57.4 32.0 23.8 30.7 17.6	27 28 29 30 31
	(S) (S) (S) (S) (S)	.5 .5 (S) (S)	1.0 1.3 1.5	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(X) (X) (X) (X) (X)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	19.0 23.1 27.3 29.3 23.0	32 33 34 35 36
	(S) .5 (Z)	.4 1.6 (Z)	.4 1.1 (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	25.1 11.6 (Z)	37 38 39
	.8 .4 (Z) (Z)	2.9 1.9 (S) (Z)	3.1 2.4 (S) .2	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	6.9 6.8 27.3 17.6	40 41 42 43
	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(S) (Z) (S) (S) (Z) (Z)	.1 (Z) (Z) (S) .1 (Z) (S)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	28.4 (Z) (Z) 26.7 30.0 (Z) 58.1	44 45 46 47 48 49 50
	.7 .6 .5 (S) (S) (Z) .4 (Z) (S) .4 (S) (Z)	2.1 2.7 2.4 .3 (S) (Z) 1.5 (S) .4 1.9	3.4 2.4 1.5 .8 (S) (Z) 1.8 .2 .5 1.5		NANNAN NANN NA	(S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	.6 14.8 23.9 17.4 14.2 (Z) 10.2 23.3 54.3 8.8 18.6 48.2	51 52 53 54 55 56 57 58 59 60 61 62

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

					Tru	ick type and axle	arrangement			
	Vehicular and operational			Single-unit	trucks			Combina	itions	
	characteristics							Sii	ngle-unit truck with trailer	
		Total	Total	2 axles	3 axles	4 axles or more	Total	3 axles	4 axles	5 axles or more
	PRODUCTS CARRIED									
1 2 3 4 5	Farm products Live animals Mining products Logs and other forest products Lumber and fabricated wood products	8.5 (S) (S) 1.0 7.4	8.3 (S) (S) 1.0 7.4	8.2 (S) (S) 1.0 7.4	(S) (Z) (S) (S) (S)	(Z) (Z) (Z) (S) (S)	.2 (S) (S) (S) (S)	(Z) (Z) (Z) (Z) (Z)	(S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)
	Processed foods	18.9 (S) 18.1 5.5 (S)	16.8 (S) 16.4 5.2 (S)	16.4 (S) 14.9 5.2 (S)	.4 (Z) 1.5 (Z) (Z)	(Z) (Z) (S) (Z) (Z)	2.1 .3 1.7 .4 .5	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (S) (Z) (Z)	(Z) (Z) (S) (Z) (Z)
11 12 13 14 15	Paper products Chemicals Petroleum Plastics and/or rubber Primary metal products	6.8 1.6 4.8 (S) 1.2	(S) .8 4.2 (S) .9	(S) .8 4.1 (S) .8	(S) (Z) (S) (Z) (S)	(Z) (Z) (Z) (Z) (Z)	.7 .8 .7 (S)	(Z) (Z) (Z) (Z) (Z)	(Z) (S) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)
	Fabricated metal products Machinery Transportation equipment Scrap, refuse, or garbage Mixed cargoes	1.9 8.9 (S) 4.5 10.4	1.6 8.3 (S) 4.3 7.7	1.6 8.3 (S) 3.1 7.7	(Z) (S) (Z) 1.2 (Z)	(Z) (Z) (Z) (Z) (Z)	.3 .6 .5 (S) 2.8	(Z) (X) (X) (X) (X) (X)	(S) (S) (S) (Z) (S)	(Z) (Z) (Z) (S)
23 24 25	Craftsman's equipment	66.3 218.8 24.2 (Z) (S) (Z)	66.2 218.7 23.9 (Z) (S) (Z)	66.1 218.7 23.8 (Z) (S) (Z)	(S) (Z) (S) (Z) (Z) (Z)	(Z) (Z) (S) (Z) (Z) (Z)	(S) (S) (S) (Z) (S) (Z)	(S) (S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)
	HAZARDOUS MATERIALS CARRIED							(-/	(_/	\- /
27 28 29 30 31 32	Hazardous materials carried	8.0 3.6 1.4 .3 2.8 (Z)	5.2 1.9 1.0 (S) 2.3 (Z)	5.0 1.9 .9 (S) 2.2 (Z)	(S) (Z) (S) (Z) (S) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	2.9 1.7 .4 .3 .5 (Z)	(Z) (Z) (Z) (Z) (Z) (Z)	(S) (S) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z)
33 34 35 36 37	Types of hazardous materials ² Flammables or combustibles Acids, poisons, caustics, etc Explosives Radioactive materials	(Z) 7.6 2.0 (S) (S)	(Z) 4.8 .7 (Z) (S)	(Z) 4.7 .7 (Z) (S)	(Z) (S) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) 2.8 1.3 (S) (S)	(Z) (Z) (Z) (Z) (Z)	(Z) (S) (S) (Z) (Z)	(Z) (Z) (Z) (Z)
38 39 40	Hazardous waste Hazardous materials not listed above Not reported	(S) .5 (Z)	(S) (S) (Z)	(S) (S) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	.1 .3 (Z)	(Z) (Z) (Z)	(Z) (S) (Z)	(Z) (Z) (Z)
41 42	No hazardous materials carried Not reported TRUCKS FLEET SIZE ³	283.3 142.5	273.5 142.0	270.1 142.0	3.4 (Z)	.1 (Z)	9.8	(S) (Z)	.8 (Z)	.3 (Z)
43 44 45 46	1	334.1 40.5 21.2 38.0	332.0 39.2 17.3 32.1	331.6 38.4 16.4 30.7	.4 .8 .9 1.4	(S) (S) (S) (Z)	2.1 1.3 3.9 5.9	(S) (Z) (Z) (S)	(S) (S) (S) (S)	(Z) (Z) (S) (S)
47	MILES PER GALLON Less than 5	8.1	4.7	4.0	.7	(5)	3.4	(5)	(5)	(7)
48 49 50 51	5 to 6.9	24.6 27.9 79.3 133.4	16.7 27.2 79.2 133.3	15.3 26.4 79.1 133.1	1.4 .8 (S) (S)	(S) (Z) (S) (Z) (Z)	7.9 .7 (S) (S)	(S) (Z) (Z) (Z) (Z)	(S) .3 (S) (Z) (S)	(Z) (S) (Z) (S) (Z)
52 53 54	15 to 19.9	82.9 45.6 32.0	82.9 45.6 31.1	82.9 45.6 30.8	(Z) (Z) .3	(Z) (Z) (S)	(Z) (Z) .9	(Z) (Z) (S)	(Z) (Z) (S)	(Z) (Z) (Z)
55 56 57 58	Transmission	433.8 220.5 209.5 3.8	420.7 207.9 209.2 3.7	417.1 204.5 209.0 3.6	3.5 3.3 (S) (S)	.1 .1 (Z) (Z)	13.1 12.6 .4 (S)	(S) (S) (Z) (Z)	.8 .7 (S) (Z)	.3 .3 (Z) (Z)
59 60 61 62 63	Braking system Hydraulic Hydraulic (power) Air Not reported	433.8 31.2 368.5 26.3 7.8	420.7 30.5 368.2 14.4 7.6	417.1 30.3 368.1 11.2 7.5	3.5 (S) (S) 3.2 (S)	.1 (Z) (S) (S) (Z)	13.1 .6 (S) 11.9	(S) (S) (Z) (S) (Z)	.8 (S) (S) .5 (Z)	.3 (Z) (Z) .3 (Z)
	Power steering ²	262.9 40.8 2.9 14.1	256.1 37.0 1.4 11.6	253.3 36.9 .9 10.6	2.8 (S) .5 1.0	(S) (Z) (S) (S)	6.8 3.8 1.5 2.5	(S) (Z) (Z) (S)	.6 (S) (Z) (S)	(S) (S) (S) (S)
68	FUEL CONSERVATION EQUIPMENT ² Aerodynamic features	5.0	0.7	3.4		(7)	2.2	(7)	(7)	(8)
69 70 71 72	Aerodynamic features Axle or drive ratio Fuel economy engine Radial tires Road speed governor	12.6 8.9 159.7 18.0	2.7 10.1 5.0 152.4 13.1	2.4 9.0 4.1 150.2 11.2	.3 1.0 .8 2.2 2.0	(Z) (S) (S) (S) (Z)	2.3 2.5 3.9 7.3 4.9	(Z) (Z) (S) (Z) (S)	(Z) (Z) (S) (S) .5	(S) (S) (S) (S) (S)
73 74 75	Variable fan drives Other fuel conservation devices Not reported	9.0 1.5 255.4	5.3 .5 252.6	4.4 (S) 252.0	.9 .3 .6	(S) (S) (S)	3.7 1.0 2.8	(Z) (Z) (Z)	(S) (Z) (S)	(S) (Z) (S)

				and axle arrangem						
	Truck-tractor			Combinations—Con. Truck-tractor		Truck-	tractor le trailers			
3 axles	with single trailer 4 axles	5 axles or more	5 axles	with double trailers 6 axles	7 axles or more	with tripl 7 axles	8 axles or more	Trailer not specified	Relative standard error of estimate (percent) for total	
\(Condense of the condense of the conden	(9) (9) (1) (9) (1) (9) (1) (9) (1) (9) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	(9) (9) (9) (9) (9) (9) (9) (9) (9) (9)				NRNARA NRNARA NARARA NARARA	වනවන නහනන නහනනන නහනනන	SARARA SARARA BARARA SARARA	44.1 71.6 53.5 31.2 47.3 22.2 56.1 23.1 40.8 54.6 45.5 22.3 12.0 81.5 26.8 21.8 39.5 69.9 13.5 26.9 15.7 6.3 28.3 (Z) 64.9 (Z)	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26
3.3.8 (SZ) (SZ) (Z) (Z) 3.3.8 (S) (S) (S) (S) (S) (S) (S) (S) (S) (S)	1.1 9 (SZ) (S) (S) (N) 1.1 6 (NZ) (S) (S) (S) (S) (S) (S) (S) (S	1.4 .6 (S) .3 .5 (Z) (Z) 1.4 .3 (Z) (S) (S) (S) (S) (S) 1.4 .3 .5 (Z)			(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	NEW BRANK BRANKS			9.0 13.8 24.5 44.3 15.9 (Z) 9.2 17.7 84.4 59.6 59.3 37.0 (Z) 5.1	27 28 29 30 31 32 33 34 35 36 37 38 39 40
.3 (S) .5 .4	.5 .7 1.1 2.5	1.0 .4 2.0 2.4	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	2.9 18.8 19.9 14.9	43 44 45 46
.3 .8 (S) (Z) (Z) (Z) (S)	.9 3.2 .3 (S) (Z) (Z) .3	1.9 3.4 (S) (Z) (Z) (Z) (Z) 3	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (S) (Z) (Z) (Z) (Z) (Z) (Z)		(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	8.8 11.9 19.5 13.8 10.1 14.5 21.6 22.9	47 48 49 50 51 52 53 54
1.3 1.3 (Z) (Z) 1.3 (S) (Z) 1.2 (Z) .4 .1 (S)	4.8 4.7 (S) (S) 4.8 (S) 4.4 (S) 2.0 1.2 .5	5.8 (S) (S) 5.8 (S) (Z) 5.5 (S) 3.3 2.4 1.0	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(S) (S) (Z) (Z) (S) (Z) (S) (Z) (S) (S)		(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)		(Z) 6.6 6.9 15.5 (Z) 4.2 .7 2.9 29.4 5.3 20.5 14.5 7.3	55 56 57 58 59 60 61 62 63 64 65 66 67
(S) (S) (S) (S) 3 3 (S) 5,	1.2 .8 1.3 2.9 1.7 1.2 .4	1.0 1.5 2.1 3.6 2.1 1.9 .5	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(S) (S) (S) (S) (S) (S) (S)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	11.8 7.5 8.4 9.0 5.8 8.3 19.3 5.6	68 69 70 71 72 73 74 75

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

		_				uck type and axle	e arrangement			
	Vehicular and operational	-		Single-uni	t trucks			Combinat	ions gle-unit truck	
	characteristics						_		with trailer	
		Total	Total	2 axles	3 axles	4 axles or more	Total	3 axles	4 axles	5 axles or more
	MAINTENANCE									
1	General maintenance: Owner	225.4	221.9	220.6	1.3	(S)	3.4	(S)	(S)	(S)
3 4	Company's maintenance facilities Dealership's service department Leasing company	53.3 49.3	45.1 48.7 (S)	42.9 48.5 (S)	2.2 (S) (Z)	(S) (S) (Z) (Z) (S)	8.2 .5 (S)	(S) (S) (Z) (Z) (Z)	(S) .3 (Z) (Z) (S)	(S) (S) (S) (Z) (Z)
5	Independent garage	140.3	138.4	137.9	.5	` '		` '	, ,	
6 7 8	Component distributorship	(S) 9.9 8.5	(S) 9.9 8.2	(S) 9.9 8.1	(S) (S) (S)	(S) (Z) (Z)	(Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)
9	Major overhauls:						20			
10 11	Owner Company's maintenance facilities Dealership's service department	81.1 32.9 64.0	79.1 26.7 62.4	78.4 25.2 62.2	.7 1.4 .3	(Z) (Z) (Z) (Z) (S)	2.0 6.2 1.6	(S) (S) (Z) (Z) (Z)	(S) (S) (S) (Z) (S)	(S) (S) (Z) (Z) (Z)
12 13	Leasing companyIndependent garage	.4 145.1	(S) 142.5	(S) 141.6	(Z) .9	(Z) (S)	(S) 2.6	(Z) (Z)	(Z) (S)	(Z) (Z)
14 15	Component distributorship	.5 (S)	(S) (S)	(S) (S)	(S) (Z)	(Z) (Z) (S)	.4 (Z) 1.5	(Z) (Z) (Z)	(S) (Z) (S)	(Z) (Z) (S)
16	Not reported	(S) 131.5	13Ò.Ó	129.2	`.8	(S)	1.5	(Z)	(S)	(S)
17	ENGINE TYPE AND SIZE	433.8	420.7	417.1	3.5		13.1	(6)	.8	2
18 19	Gasoline	399.5 31.8	398.1 20.3	397.7 17.1	.4 3.1	.1 (Z) .1	1.4 11.6	(S) (S) (Z) (Z) (Z)	6	.3 (Z) .3 (Z) (Z)
20 21	LPG or otherNot reported	(S) 2.2	(S) 2.2	(S) 2.2	(Z) (Z)	(Z) (Z)	(S) (S)	(Z) (Z)	(S) (Z) (Z)	(Z) (Z)
22 23	Cylinders	433.8 37.6	420.7 37.6	417.1 37.6	3.5 (Z) 2.5	.1 (Z)	13.1 (S) 9.5	(S) (Z)	.8 (Z)	.3 (Z)
24 25 26	6	157.0 236.1 (S)	147.5 232.6 (S)	144.9 231.7 (S)	.9	(Z) (S) (S) (Z) (Z)	3.5	(S) (Z) (Z) (S) (Z) (Z)	.4	.3 (Z) (S) (S) (Z) (Z)
27 28	Not reported	(S) 2.8 431.6	(S) 2.8 418.5	(S) 2.7 415.0	(Z) (S) 3.5	(Ž)	(Z) .1 13.0		(Z) (Z) .8	
29 30	Cubic inch displacement Gasoline engines Less than 200	399.5 25.3	398.1 25.3	397.7 25.3	.4		1.4	(S) (S) (Z) (Z) (S) (S) (S)	.6	.3 (Z) (Z) (Z) (Z) (Z) (Z) (Z)
31 32 33	200 to 299	87.4 125.4 90.5	87.3 125.2 90.2	87.3 125.2 90.1	(S) (S)	(Z) (Z)	(Z) (S) (S) (S) (S)		(Z) (S) (S) (S) (Z) (S)	(Z) (Z)
34 35	400 or more Not reported	(S) 65.4	(S) 64.7	(S) 64.7	(Z) (S) (S) (S) (S) (S)	(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(S) (S)	(S) (S)	(S) (Z) (S)	(Z) (Z)
36 37	Diesel engines Less than 400	31.8 (S)	20.3 (S)	17.1 (S)	3.1 .4	.1 (Z)	11.6 .5	(Z) (Z) (Z)	(S) (Z)	.3 (Z) (S)
38 39	400 to 599	6.7 6.0	(S) 4.5 2.8	1.7	.5 1.0		2.1 3.2			
40 41	800 or moreNot reported	4.6 7.0	.9 4.9	.5 (S)	.4 .9	(S) (S) (S)	3.7 2.1	(Z) (Z) (Z)	(S) (S) (S)	(S) (S) (Z)
42 43 44	Other engines Less than 400	(S) (S) (Z) (S)	(S) (S) (Z) (S)	(S) (S) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)
45	400 or more									
46 47 48	Horsepower Gasoline engines Less than 100	431.6 399.5 23.5	418.5 398.1 23.5	415.0 397.7 23.5	3.5 .4 (Z)	.1 (Z) (Z)	13.0 1.4 (Z)	(S) (S) (Z) (Z) (S) (Z) (S)	.8 .6 (Z)	.3 (Z) (Z) (Z) (Z) (Z) (Z)
49 50 51	100 to 199	283.1 20.5	282.6 20.3	282.5 20.1	(Z) (S) (S) (S) (S) (S)	(Z) (Z) (Z) (Z) (Z) (Z)	(Z) .5 (S) (S)	(Z) (S)	(S) (Z) (S)	(Z) (Z)
52	250 or more	(S) 67.4	(S) 66.7	(S) 66.7		(Z)	./			
53 54 55	Diesel engines Less than 250	31.8 16.3 5.6	20.3 12.8 1.6	17.1 11.5 1.0	3.1 1.3	(Z) (S)	11.6 3.5 4.1		(S) (Z) (Z) (S) (Z) (S)	(S) (S) (S)
56 57	350 to 449 450 or more	3.0 (S) 6.8	1.0 (Z) 4.9	.5 (Z) (S)	.5 .5 (Z)	(Z) (S) (S) (Z) (S)	2.0 (S) 1.9	(Z) (Z)	(S) (Z)	.3 (S) (S) (S) (Z) (Z)
58 59	Not reported Other engines				_				1_1	
60 61 62	Less than 250	(S) (S) (Z) (S)	(S)	(S) (S) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(S) (Z) (Z) (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)
-	POWERED AXLES	(6)	(0)	(0)	(2)	(2)	(0)	(2)	(=)	(-)
63	Powered axles	433.8	420.7	417.1	3.5	_1	13.1 7.1	(S)	.8	.3
64 65 66	1	331.6 78.3 .6	324.5 73.0 (S)	324.1 70.0 (S)	.4 3.0 (S)	(Z) (S) (S) (Z)	7.1 5.3 .3	(S) (S) (Z) (Z) (Z)	./ (Z) (Z) (S)	(S) (S) (S) (Z)
67	Not reported	23.3	22.9	22.8	(S) (S)	(ž)	.4	(Ē)	(S)	(Ž)
	CAB TYPE ⁴									
68 69 70	Short-hood conventional	2.9 12.6 20.3	2.4 9.3 17.5	2.1 8.7 17.0	(S) .6 .5	(Z) (Z) (Z) (S) (S)	.6 3.2 2.8	(Z) (S) (Z) (S) (Z)	(Z) (S) (Z)	(S) (Z) (Z) (S) (S)
71 72	Medium-hood conventional	32.1 6.5	27.3 5.3	25.6 4.8	1.7 1.5	(S) (S)	4.8 1.2	(S) (Z)	.5 (Z)	(S) (S)
73 74	Cab beside engine	(S) 6.4	(S) 6.4	(S) 6.4	(Z) (Z) (S)	(Z) (S) (Z)	(Z) (Z) .5	(Z) (Z) (Z)	(Z) (Z) (S)	(Z) (Z) (Z)
75	Not reported	352.8	352.3	352.3	(S)	(z)	.5	(Z)	(s)	(Z)

				and axle arrangem						
-	Truck-tractor with single trailer			Truck-tractor with double trailers		Truck-	tractor e trailers			
3 axles	4 axles	5 axles or more	5 axles	6 axles	7 axles or more	7 axles	8 axles or more	Trailer not specified	Relative standard error of estimate (percent) for total	
(S) 5.7 (Z) (S) 6. (Z) 7.6 (S) (S) 5.5 (S) 5.5 (S) 5.5 (S) 6.5	1.1 3.1 33 (S) 5 (Z) (Z) (S) 6 2.1 6 (S) 1.0	1.7 4.0 (S) (Z) .6 (Z) (Z) .2 .9 3.0 .7 (Z) .9	හතහන නහන නහනගන	NONN NON NONNN		NONNA NANA NANANA	ගතහන හතන ගතහන	\(\text{Single}\) \(Sing	6.5 12.8 19.2 48.4 9.9 65.6 49.3 37.0 14.5 13.6 16.2 43.8 9.7	1 2 3 4 5 6 7 8 9 10 11 12 13
(Z) (Z) .1	(Z) (Z) .5	.3 (Z) .7	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	(Z) (Z) (Z)	36.0 57.4 10.4	14 15 16
1.3 (3).2 (2) (2) (3) (3) (3) (3) (3) (3) (3) (4) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	4.4.999 4.899 9.88 4.48098899 4.4.2.4.9.4 9889 4.4.898889 4.2.9.594 9888	5.8 (9.5.7)(9) 5.8 (7.2.1.6)(9) 5.8 (9) 5.7 (1.3.2.4 (1.2)(1.3)(1.2)(1.3)(1.3)(1.3)(1.3)(1.3)(1.3)(1.3)(1.3	ගිහිගින හිතිහියින් නිසියින් නිසියින්න නිසියින්න නිසියින්න නිසියින්න	SBBB BBBBBB BBBBB BBBBBB BBBBBBBBBBBBB	SRES BREED BREED BREED BEEDRE BREEDRE	NANA NANANA NANANA NANANA NANANANA NANANANA NA	ගතහන නහතනහන නහතනහන නහතනහන නහතනහන නහතනහන	SBBB BBBBBB BBBBB BBBBBB BBBBBB BBBBBB BBBB	(Z) 1.1 14.0 58.1 20.6 (Z) 23.5 9.0 6.2 58.1 18.2 1.1 29.7 14.1 11.0 12.9 50.2 15.7 14.0 50.2 9.2 9.2 9.2 9.2 15.7 14.0 23.7 27.3 62.1 15.4 14.0 23.7 27.3 62.1 15.4 14.0 23.7 27.3 62.1 15.4 14.0 23.7 27.3 62.1 15.4 14.0 23.7 27.3 62.1 15.4	17 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 40 41 42 43 44 45 51 52 53 54 55 56 57 58 58 58 58 58 58 58 58 58 58 58 58 58
1.3 1.2 .1 (Z)	4.8 4.4 .3 (Z) .1	5.8 .6 4.7 .3 .2	(X) (X) (X) (X) (X) (X) (X) (X) (X) (X)	(Z) (Z) (Z) (Z) (Z)	(S) (Z) (S) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (X) (X) (X) (X)	(Z) (Z) (Z) (Z) (Z)	(Z) 3.6 14.4 32.7 23.8	63 64 65 66 67
(S) .2 .4 .3 (S) (Z) (Z) (S)	(S) 1.1 1.6 1.5 .3 (Z) (Z) (S)	(S) 1.6 8 2.3 .7 (Z) (Z) .3	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)	(Z) (S) (S) (Z) (Z) (Z) (Z) (Z) (Z)		(Z) (Z) (Z) (Z) (Z) (Z) (Z)	(X) (X) (X) (X) (X) (X)	17.3 7.5 5.9 4.3 11.2 66.1 12.1	68 69 70 71 72 73 74 75


[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

					Tr	uck type and a	xle arrangeme	nt		
				Single-ur	nit trucks			Combir	nations	
	Vehicular and operational characteristics								Single-unit truck with trailer	
		Total	Total	2 axles	3 axles	4 axles or more	Total	3 axles	4 axles	5 axles or more
	PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS									
1 2 3 4 5	Total Pickups Panels or vans Utilities Station wagons	349.1 201.5 90.2 44.3 13.2	349.1 201.5 90.2 44.3 13.2	349.1 201.5 90.2 44.3 13.2	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	
6 7 8 9	Driving wheels	339.5 68.2 266.4 (S)	339.5 68.2 266.4 (S)	339.5 68.2 266.4 (S)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Massachusetts, 36.8 of the cells have RSEs greater than 10 percent, and 26.6 of the cells have RSEs greater than 25 percent.

¹When no response was obtained for annual miles, data were imputed.
 ²Detail does not add to totals because items were not applicable or multiple responses were possible.
 ³When no response was obtained, one truck was imputed based on body type of sampled vehicle.
 ⁴Pickups, panels, and vans are not included.

			Truck type	and axle arrangem	nent-Con.					
			C	Combinations—Con						
	Fruck-tractor th single trailer			Truck-tractor with double trailers		Truck- with trip	tractor e trailers			
3 axles	4 axies	5 axles or more	5 axles	6 axles	7 axles or more	7 axles	8 axles or more	Trailer not specified	Relative standard error of estimate (percent) for total	
(Z) (Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z) (Z)	.9 1.2 10.0 18.5 39.3	1 2 3
(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	18.5 39.3	5
(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	(Z) (Z) (Z) (Z)	1.5 16.6 4.6 71.1	6 7 8 9



APPENDIX A. Survey Forms



1982 CENSUS OF TRANSPORTATION

TRUCK INVENTORY AND USE SURVEY

TC-9501				O.M.B. APPRO	VAL NO. 06	07-0390' EXPIRES 12/84
NOTICE – Response to this inquiry is required by law (title 13, U.S. same law, your report to the Census Bureau is confidential. It may be swon Census employees and may be used only for statistical purplisos provides that copies retained in your files are Immune from legi	e seen only by oses. The law	n corres dease re	pondence pertaining to this efer to this Census File Num	eport, ber (CFN)		
Please complete this form and RETURN TO BUREAU DF THE CENSUS 1201 East Tenth Street Jeffersonville, Indiana 47134						
DUE DATE: 15 days after receipt of form						
Important — Please read						
All questions on this form reter to the vehicle described below and the past 12 months (or the last 12 months you operated ii). If ther the vehicle registration information, consult the instruction sheet believe the questionnaire.	re are errors in					
ESTIMATES ARE ACCEPTABLE.		Please	correct errors in name, addre	ss, and ZIP code. ENTE	R street and	number if not shown,
CENSUS USE	3	4	S	6		7
	REGISTRAT	FIDN IN	FDRMATIDN			
Make of vehicle Year of model S	lale 10	04	License number	Vehicle ide	entification r	lumber (VIN)
2 NO - Please continue with this questionnaire, ans	questionnaire swering each item	ive	Name of the American American American Indian		as it	Pounds 316
according to how you used the vehicle during you owned (or teased) it. Continue with iter		_	b. How olten was this veh	cle carrying payloads that	t titled -	Percent
a. When did you dispose of this vehicle?	MONITI 1 e	ai	Less than half it	s maximum cargo size		317
b. How did you dispose of this vehicle?		\exists	Less than half it	s maximum cargo weight .		318 q ₀
204 1 Sold it for gave it away) 2 Junked or scrapped it		•	Item 8 - During the past y			vehicle?
3 Relurned to leasing company			304 1 YES - Co	tinue with items 8a, b, an	d c below	
Item 2 — When did you obtain this vehicle?	Month Ye	ar				Percent
Enter tigures only			a. What percent of the time pull a trailer?	did this vehicle		30 S
2 Purchased it used (or otherwise acquired) J	SKIP to Item 4		b. How many axles were or attached most frequently			Number 30 7
Leased or rented it from someone else — Continue a. How was this vehicle leased or rented?	with helps 3a old 0	-	c. What was the loaded we often allached to the ve An estimate is acceptable.	nicle?		319
207 1 [] Without a driver 2 [] With a driver			llem 9 — Whal kind ol tuel			
3 With an owner-operator as driver		_	321 1 Gasoline 2 Oiesel		4 Other	- \$pecify fue!
b. Was this a long-term lease or rental agreement (12 months or months) 208 1 YES — What type was it?	ye)?	Ļ		petroleum gas (LPG)		
2 「Financing (no maintenance) 3 「Financing and full maintenance 4 「Other 5 「NO			322 1 4 cylinders 2 6 cylinders 3 8 cylinders			- \$pecify unit
Item 4 — Did you lease or rent out this vehicle to anyone else?		-	Item 11 - Whal is the size	(displacement) of your en		cubic inches, cubic
209 1 TyES — Continue with items 4a and b 2 NO - SKIP to item 5			Cubic inches (CI)	Cubic centimeters (CCI)	Liters (L)
a. How was it leased or rented out?		-	323	0R 324	OR	325
210 1 Without a driver 2 With a driver		-		epower rating of this		Horsepower
3 With an owner-operator as driver			vehicle's engine			326
b. Was this a long-term lease or rental agreement (12 months or mi	ore)?	_	Item 13 — Whal kind ol tra	semission does this wall-	le have?	
211 1 YES – What type was it? 2 Financing (no maintenance)			327 1 Manual	ismission ques unis venic	ie iid ve:	
3 Financing and full maintenance 4 (**) Other		-	2 Automatic		-2	
s NO			Item 14 - Does this vehic Mark (X) as man		rg?	
llem S - What is the body type of this vehicle?			329 OS Radial tire		12 - 4-who	eel drive I-wheel drive
02 Panel or compact van	5.7 atc.;		10 Air condit			
24 Utility (For example: Bronco, Blazer, Jeep, CJ - 25 Station wagon built ontruck chassis (For example	Suburban, Wagoneer, e	etc.)	Ilem 1S − Who performed t Mark (X) as man		d major over Ge <i>n</i> er	ral Major
80 COther - If the above descriptions do not match the vehicle, please describe the body Type in					mainten 330	ance overhauls
			Your company's own main		1 [_ 2 [_	
			Oealership's service depa Leasing company		3 [3 🗌
Ilem 6 - What is the overall length of this vehicle (distance from front bumper to rear of vehicle)?	Feel 314		Independent garage of priv	ate mechanic	5	5 🗀
pristance main from compet to rear of venicre):			Other - Specify		6 <u> </u>	
PENALTY FOR FAILURE TO REPORT					CO	NTINUE ON PAGE 2


Item 16 – How many miles was this vehicle driven during the past 12 months?	Item 25 — From the following list of products, materials, and equipment, indicate wh	hich
An estimate is acceptable. NOTE — If driven less than 12 months, please estimate mileage for a tull year————————————————————————————————————	item or items this vehicle carried. Write in the approximate percentage of vehicle's annual mileage that was accounted for while carrying loads and while empty (backhauls, etc.). Be sure that percentages add up to 100%.	
ftem 17 — How many miles has this vehicle been driven since it was new?	(See instruction sheet for further explanation and examples.)	
NOTE — If it is no longer in your possession, please estimate the total lifetime mileage at the time you last operated it.	Percen of ann miles	nual
If the odometer/speedometer is broken, please give your best estimate. If the odometer has turned over 100,000 + miles),	(1) Agricultural and Food Products 415	ge
please enter the total figure. Item 18 – How many miles-per-gallon (MPG) did this vehicle average during the	(a) Live animals — cattle, horses, poultry, hogs, etc	%
last year? (Use tenths, if available.) Miles Tenths	stock, raw milk, raw tobacco, etc	00
Example: 10.5 MPG should be entered as 10 \$	(c) Processed foods — canned goods, prepared meats, frozen foods, beverages, dairy products, tobacco products, etc.	%
Miles Tenths	(2) Mining Products, Unrefined — crude oil, coal, metal ores	00
Enter miles per gallon	(3) Building Malerials — gravel, sand, concrete, glass, etc. (except cut lumber — see "Lumber")	%
Item 19 — Where was the home base of this vehicle?	(4) Forestry, Wood, and Paper Products (a) Logs and forest products — except cut lumber and fabricated	
aso City	wood products (see below)	%
351 County 352 State 353 ZIP code	(see (7) below)	00
Item 20 — What percent of annual mileage was driven OUTSIOE Percent the home base state?	(c) Paper and paper products	%
An estimate is acceptable. %	(S) Chemicals, Petroleum, and Allled Products (a) Chemicals and/or drugs (including fertilizers, pesticides,	04
ftem 21 – What PERCENTAGE of this vehicle's ANNUAL MILEAGE was accounted for by the type of trips listed below? (If all trips were within one range, enter 100%)		70
If more than one range is applicable, be sure that percentages add up to 100%.) Percent	(b) Petroleum and petroleum products	00
Trips off-the-road, little travel on public roads 360 e ₀ Trips within a \$0 mile radius of vehicle's home base 361 %	(c) Plastics and/or rubber products	00
Trips within a 50–200 mile radius of vehicle's home base 362 % Trips beyond a 200 mile radius of vehicle's home base 363 %	(6) Metals and Metal Products (a) Primary metal products – pipes, ingots, billets, sheets, etc.	96
TOTAL - Should equal 100%	(b) Fabricated metal products — except machinery or transportation equipment (see below)	%
Item 22 — Which of the following best describes the primary way this vehicle was operated? 401 NEVER FOR HIRE	(c) Machinery — electrical or nonelectrical	%
I ☐ BUSINESS USE — Operated by and for a private business (including self-employers) or a company,	(d) Transportation equipment and parts	ಲ್ಲಿ
used in related activities of that business (including transportation of personnel)	(7) Other Manufactured Products (a) Furniture (wood and nonwood) and/or hardware — not	
personal-use vehicle in place of an automobile for pleasure driving, travel to work, etc. (NO BUSINESS	involved in household moving. (b) Textiles and apparels – fibers, leather goods, carpets,	%
USE)	clothing, etc	0
Percent business	(8) Miscellaneous (a) Moving of household and office furniture — from home,	
411 ALWAYS FOR HIRE — ICC regulated?	offices, etc., under contract	7.0
2 ☐ NO FOR HIRE — Indicate below the type of for hire operation	in a craftsman's vehicle — traveling workshop for plumbers, carpenters, road service crews, etc	0,0
(SEE INSTRUCTION SHEET FOR FURTHER INFORMATION.) 401 a. Operation type	(c) Mixed cargo, general freight	٥
406 b. Jurisdiction served	(d) Scrap, garbage, trash	%
407 c. Kind of carrier	(9) Other (not elsewhere classified) — Please describe in detail	
	436	
ftem 23 — Which of the foffowing best describes your business (or the part of your business in which the vehicle was used)? If vehicle was leased,		00
indicate business of lessee. 414 01 AGRICULTURAL ACTIVITIES 10 MINING OR QUARRY	b. NO LOAO CARRIED Vehicle empty	٥
414 01 AGRICULTURAL ACTIVITIES 02 FORESTRY OR LUMBERING ACTIVITIES 03 ACTIVITIES 10 MINING OR QUARRY ACTIVITIES — used to assist in the extraction of natural resources or in	TOTAL - Should equal 100% 100	1%
03 CONSTRUCTION WORK hauling to processors	ftem 26 — Please enter below the number of any additional trucks and for trailers you own and/or operate at the same home base you listed in item 19.	
O4 ☐ CONTRACTOR ACTIVITIES OR 11 ☐ DAILY RENTAL — SPECIAL TRADES (painting, plumbing, electrical work, to someone else on a daily	, , , , , , , , , , , , , , , , , , ,	
masonry, carpentry, etc.) or short-term basis os MANUFACTURING, REFINING, 12 OPERATIONS OR PROCESSING ACTIVITIES OPERATIONS	Pickups, small vans	ve!
06 WHOLESALE TRADE 13 NOT IN USE - vehicle idle,	Truck-tractors (power-units)	
o7 RETAIL TRADE wrecked, awaiting repair, etc., oa PERSONAL SERVICES — hote!	Trailers (semi- and /or full)	
operations, landscaping, repair (except plumbing, electrical TATION – includes small	Item 27 — REMARKS — Please use this space for any explanations that may be essential in understanding your reported data.	
Activities"), laundry, advertising, entertainment, etc. package delivery OTHER - Please describe in detail		
op [] UTILITIES — operations or service of public utilities (telephone, gas,		
electric, etc.) Item 24 – At any time during the past 12 months, was this vehicle (or combination)		
used to haul hazardous materials in quantilies large enough to require a special placard placed on the vehicle due to the Code of Federal Regulations.	Item 28 – Person to contact regarding this report.	
title 49, Transportation? 438 1 YES - Continue with items 24e and b	Does this person have records on (or knowledge of) the daily activities of driver (stops, weight of individual shipments, destinations of shipments, etc.)?	
2 NO - SKIP to item 25	1 YES 2 NO	
a. What type(s) of hazardous materials were carried by this vehicle? Mark (X) as many as apply.	Name	
439 1 Flammables or combustibles 4 Radioactive materials 2 Acids, poisons, caustics, etc. 5 Hazardous waste	Address (Number and street)	
2 Acios, poisons, caustics, etc. 5 Azardous waste 3 Explosives Hazardous materials not listed above	City State ZIP code	
b. Approximately what percent of this vehicle's annual mileage was accounted for by	Daytime telephone Area code Number Extension	
carrying these hazardous materials? 440 : Below 25% 2 25-49% 3 50-74% 4 75-100%	number	
EORN TC. STALL	If this vehicle has a fleet number, please enter it here	



10-9502		O.M.B. APPROVAL NO. 0807-0390: EXPIRES 12/84_
NOTICE — Response to this inquiry is required by law (title 13, U.S. Code). By the same law, your report to the Census Bureau is contidential. It may be seen only by sworn Census employees and may be used only for statistical purposes. The law also provides that copies retained in your files are immune from legal process.	In corre please	spondence pertaining to this report, refer to this Census File Number (CFN)
Please complete this form and RETURN TO BUREAU OF THE CENSUS 1201 East Tenth Street Jeffetsonville, Indiana 47134		
OUE OATE: 1S days after receipt of form		
Important — Please read		
Att questions on this form refer to the vehicle described below and its use during		
the past 12 months (or the last 12 months you operated it). If there are errors in the vehicle registration information, consult the instruction sheet before continuing with the questionnaire.		
ESTIMATES ARE ACCEPTABLE.	Pleas	e Correct errors in name, address, and ZIP code. ENTER street and number if not shown.
CENSUS USE		4 S 6 7
REGI	TRATION	INFORMATION
Make of vehicle Year of model State		License number Vehicle identification number (VIN)
101 102 103	104	105
Item 1 — Is this vehicle still in your possession?		Item S — How many axles are on this vehicle and how many of them are driving axles? (Do not include axles on any trailers pulled.)
zo1 1 YES - Are you the - zo2 1 Owner? 2 Lessee? with questionnaire	ntinue	a. Total number of axles on truck or truck-tractor (power unit):
2 Lessee? with questionnaire		300 1 Two axles (4 tires)
2 NO - Please continue with this questionnaire, answering each ite according to how you used the vehicle during the last 12 m	m noths	2 Two axles (6 tires) 3 Three axles
you owned (or leased) it. Continue with items 1a and b.	ontns	4 [] Four or more axles
a. When did you dispose of this vehicle? Month	Year	How many, IF ANY, are liltable axles?
		b. Number of driving (powered) axles on truck or truck-tractor (power unit): 302 One driving axle
Enter ligures only		z Two driving axles
b. How did you dispose of this vehicle?		3 ☐ Three or more driving axles
204 1 Sold it (or gave it away) 2 Junked or scrapped it 3 Returned to leasing company		Item 6 - How would you best describe this vehicle as if was most often operated? (If the vehicle is a pickup, compact van, or panel truck, enter body type on the "Other" line.)
Itam 2 When did you obtain this webicle? Month	Year	303 1 Straight truck 4 Other - Specify
Item 2 – When did you obtain this vehicle?		2 [Straight truck pulling trailer(s) 3 [Truck-tractor (power unit) pulling trailer(s)
Enter figures only		Item 7 — If you indicated in item 6 that you operated this vehicle with traiter(s)
Item 3 — How did you obtain this vehicle?		attached, indicate below the kind of trailer(s) you most often pulled. Mark (X) one box only.
206 1 Purchased it new		a. One semi-trailer, used with truck-tractor (power unit).
z Purchased it used (or otherwise acquired)		307 1 One axle on trailer
		2 Two axles on trailer 3 Three or more axles on trailer 3 Three or more axles on trailer
3 Leased or rented it from someone else — Continue with items 3a ar	d b	How many, IF ANY, of the trailer's axles are liffable? ────
a. How was this vehicle leased or rented?		b. Two trailers, one semi- and one full *used with truck-tracfor (power unit):
207 1 Without a driver		308 Three axies on two trailers 2 Four axies on two trailers
2] With a driver		Five axies on two trailers
3 [] With an owner-operator as driver		4 Six or more axies on two trailers
b. Was this a long-term lease or rental agreement (12 months or more)?		How many, IF ANY, of the trailer's axles are liftable?
200 1 TYES - What type was if?		309 1 Five axles on three trailers
2 Financing (no maintenance) 3 Financing and full maintenance		2 Six axles on three trailers 3 Seven axles on three trailers
4 🔲 Other		4 Eight or more axies on three trailers
s 🗀 NO		How many, IF ANY, of the trailer's axles are liftable?──→
Item 4 — Did you lease or rent out this vehicle to anyone else?		d. One full trailer * used with straight truck 310 1 [7] Two axles on trailer
		2 Three axles on trailer
209 1 YES - Continue with items 4a and b		3 Four or more axles on trailer
2 [] NO - SKIP to stem 5		How many, IF ANY, of the trailer's axles are liftable? • Other – Please describe in detail the number of trailers and axles on those
a. How was it leased or rented oul?		trailers. Also give number of any littable axles on trailer(s).
210 1 Without a driver		311
2 With a driver		
3 With an owner-operator as driver		* or Semi-trailer with converter dolly
b. Was this a long-term lease or rental agreement (12 months or more)?		Item 8 – What type of cab does this vehicle have? 312 1 Cab forward of engine
211 1 YES – What type was it?		2 Cab over engine
2 Financing (no maintenance) 3 Financing and full maintenance		 3 Short hood 'nose conventional (less than 97 in, bumper to back of cab – BBC) 4 Medium hood 'nose conventional (97-114 in, bumper to back of cab – BBC)
4 Other		5 \(\) Long hood 'nose conventional (more than 114 in, bumper to back of cab \(\) BBC)
s 🗀 NO		6 (Cab beside engine 7 (Other
PENALTY FOR FAILURE TO REPORT		CONTINUE ON PAGE 2

l			General	Major
	313 PLATFORM TYPES SP	ECIALIZEO USE TRUCKS - Con.	Yourself 330	331
ı	os [] Low boy (gooseneck) - platform 30	Garbage truck	Your company's own maintenance facilities	1 []
ı		Livestock truck, including livestock drop frame	Oealership's service department	3 🗀
ı	os Basic platform — including flatbed, stake, etc.	Oilfield truck - service equip-	Leasing company	4 [] s []
ł	o4 Platform with devices permanently mounted on bed of truck — such as	ment permanently mounted on vehicle	Component distributorship 6	6 🔲
I	high lift, lift gate, hoist, etc.	Pole, logging, or pipe truck	Other - Specify7	7 📋
		Service truck or "craftsman's	ttem 21 - How many miles was this vehicle driven during the past 1	2 months?
İ	12 Basic enclosed van (dry cargo)	vehicle" - body equipped for mobile repair and service	An estimate is acceptable. NOTE — If driven less than 12 months, please estimate	332
l	10 Orop frame van - including furniture van, etc.	Tank truck for dry bulk	mileage for a full year.	>
ı	oe [] Insulated, non-refrigeraled van so	Tank truck for liquids or gases	Item 22 — How many miles has this vehicle been driven since it was	new?
l	09 Insulated, refrigerated van 14	Ultility truck — used in public utility operations (telephone	NOTE — If it is no longer in your possession, please estimate the total lifetime mileage at the time you last operated it.	
I	11 Open top van, including low-side	line fruck, etc.), body equipped for major repair (may have	If the odometer speedometer is broken, please give your best estimate.	
ı	grain, fruit	aerial lift, derrick, etc.)	If the odometer has lurned over (100,000 + miles), please enter the total figure.	333
	SPECIALIZEO USE TRUCKS 15	Winch or crane truck - lifting equipment (including roll on,	Item 23 - How many miles-per-gallon (MPG) did this vehicle average	during the
١	13 Beverage truck	roll off) permanently mounted on vehicle	last year? (Use lenths, il available.)	, during the
l	28 Cargo container chassis 16	Wrecker — for motor vehicle lowing or lifting	Miles	Tenths
ı		Yard tractor — cab and chassis	Example: 10 5 MPG should be entered as 10	S
l	29 Grain bodies (hoppers)	ONLY, used to spot trailers	Miles Tenths	
l	NOTE — If none of the above descriptions mal or the trailer usually attached to it, mark the	Ich the body type of this vehicle, "Other" box below and describe.	Enter miles 334	
١			per gallon →	
l	eo Other - Specify		Item 24 — Where was the home base of this vehicle?	
l			350 City	
ŀ	b. What is the overall length of this vehicle or combination (distance from front bumper to rear of truck)	a- Feet 314		
L	or rear of the last trailer attached)?		3S1 County 3S2 State	asa ZIP code
	Item 10 — What is the weight of this vehicle or vehicle/trailer combination when empty?	Pounds	-	
	An estimate is acceptable.		Item 25 - What percent of annual mileage was driven OUTSIDE the	Percent
ľ	ttem 11 - What was the average weight of the vehicle		home base state?	354
ľ	vehicle/trailer combination when carrying a typical payload during the past year?	316	An estimate is acceptable. Item 26 — What PERCENTAGE of this vehicle's ANNUAL MILEAG	%
Ļ	An estimate is acceptable.		by the type of trips listed below? (If all Irips were within	one range, enter
	Item 12 — What was the maximum gross weight (MGW) a which this vehicle or vehicle/trailer combination.	at Pounds	100%. If more than one range is applicable, be sure that up to 100%.)	percenlages add
l	was operated?		· ·	Percent
Ļ	An estimate is acceptable.		Trips off-the-road, little travel on public roads	244
	Item 13 — What kind of tuel does this vehicle use?			
Г			Trips within a S0-200 mile radius of vehicle's home base	
ľ	321 1 Gasoline 2 Oiesel		Trips within a S0–200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base	363 %
	321 1 ☐ Gasoline 2 ☐ Oiesel 3 ☐ Liquefied petroleum gas (LPG)		Trips within a S0-200 mile radius of vehicle's home base	363 %
	321 1 Gasoline 2 Oiesel		Trips within a S0–200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base	363 %
	321 1 Gasoline 2 Oiesel 3 Liquefied petroleum gas (LPG) 4 Other - Specify Juel Item 14 - How many cylinders does this vehicle have?		Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% — Ilem 27a — Which of the tollowing best describes the primary way the was operated?	363 %
	321 1 Gasoline 2 Oiesel 3 Liquefied petroleum gas (LPG) 4 Other - Specify Ivel Item 14 - How many cylinders does this vehicle have? 322 1 4 cylinders	·	Trips within a S0–200 mile radius of vehicle's home base	363 %
	321 1 Gasoline 2 Oiesel 3 Liquefied petroleum gas (LPG) 4 Other - Specify luel Item 14 - How many cylinders does this vehicle have? 322 1 4 cylinders 2 6 cylinders 3 8 cylinders	·	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1 — BUSINESS USE — Operated by and for a privale business (including self-employers) or a company; used in related activities of that business (including	363 0 ₀ 100% is vehicle
	321 1 Gasoline 2 Oiesel 3 Liquefied petroleum gas (LPG) 4 Other - Specify fuel Item 14 - How many cylinders does this vehicle have? 322 1 4 cylinders 2 6 cylinders		Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100%	363 0 ₀ 100% is vehicle
	321 1 Gasoline 2 Oiesel 3 Liquefred petroleum gas (LPG) 4 Other - Specify fuel 14 - How many cylinders does this vehicle have? 322 1 4 cylinders 2 6 cylinders 3 8 cylinders 4 Other - Specify unit 15 - What is the size (displacement) of your engi	ine? Enter cubic inches, cubic	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100%	363 % 100% is vehicle SKIP to item 28
	321 1 Gasoline 2 Oiesel 3 Liquefied petroleum gas (LPG) 4 Other - Specify Juel Item 14 - How many cylinders does this vehicle have? 322 1 4 cylinders 2 6 cylinders 3 8 cylinders 4 Other - Specify unit	ine? Enter cubic inches, cubic	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100%	363 % 100% is vehicle SKIP to item 28
	321 1 Gasoline 2 Oiesel 3 Liquefied petroleum gas (LPG) 4 Other - Specify lue!	ine? Enter cubic inches, cubic ble. C) Liters (L)	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100%	363 % 100% is vehicle SKIP to item 28
	321 1	ine? Enter cubic inches, cubic ble.	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100%	363 % 100% is vehicle SKIP to item 28
	321 1 Gasoline 2 Oiesel 3 Liquefred petroleum gas (LPG) 4 Other - Specify lue!	ine? Enter cubic inches, cubic ble. C) Liters (L) 325	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100%	363 % 100% is vehicle SKIP to item 28
	321 1	ine? Enter cubic inches, cubic ble. C) Liters (L) 325	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the following best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 100% is vehicle SKIP to item 28
	321 1 Gasoline 2 Oiesel 3 Liquefred petroleum gas (LPG) 4 Other - Specify lue!	ine? Enter cubic inches, cubic ble. C) Liters (L) 325	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the following best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 100% is vehicle SKIP to item 28
	321 1 Gasoline 2 Oiesel 3 Ciquefied petroleum gas (LPG) 4 Other - Specify fuel 14 - How many cylinders does this vehicle have? 322 1 4 cylinders 2 6 cylinders 3 8 cylinders 4 Other - Specify unit 15 - What is the size (displacement) of your engineentimeters, or filers, whichever is applicated Cubic inches (CI) 323 OR Cubic centimeters (CC) 324 OR Cubic centimeters (CC) 324 OR Cubic centimeters (CC) 324 Cubic centimeters	ine? Enter cubic inches, cubic ble. C) Liters (L) 32s	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the following best describes the primary way the was operated? 401 NEVER FOR HIRE 1	is vehicle SKIP to item 28 SKIP to item 28
	321 1 Gasoline 2 Oiesel 3 Liquefred petroleum gas (LPG) 4 Other - Specify lue!	ine? Enter cubic inches, cubic ble. C) Cl Liters (L) 325 OR Horsepower 326	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL - Should equal 100% Ilem 27a - Which of the following best describes the primary way the was operated? 401 NEVER FOR HIRE 1	is vehicle SKIP to item 28 SKIP to item 28
	321 1 Gasoline 2 Oiesel 3 Ciquefied petroleum gas (LPG) 4 Other - Specify fuel 14 - How many cylinders does this vehicle have? 322 1 4 cylinders 2 6 cylinders 3 8 cylinders 4 Other - Specify unit 15 - What is the size (displacement) of your engineentimeters, or filers, whichever is applicated Cubic inches (CI) 323 OR Cubic centimeters (CC) 324 OR Cubic centimeters (CC) 324 OR Cubic centimeters (CC) 324 Cubic centimeters	ine? Enter cubic inches, cubic ble. C) Cl Liters (L) 325 OR Horsepower 326	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	is vehicle SKIP to item 28 SKIP to item 28
	321 1 Gasoline 2 Oiesel 3 Liquefred petroleum gas (LPG) 4 Other - Specify lue!	ine? Enter cubic inches, cubic ble. C) Cl Liters (L) 325 OR Horsepower 326	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the following best describes the primary way the was operated? 401 NEVER FOR HIRE 1	is vehicle SKIP to item 28 SKIP to item 28
	Section	ine? Enter cubic inches, cubic ble. C) C Liters (L) 325 C C C C C C C C C C C C C C C C C C C	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	is vehicle SKIP to item 28 SKIP to item 28
	1	ine? Enter cubic inches, cubic ble. C) C Liters (L) 325	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the following best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items Complete items
	1	ine? Enter cubic inches, cubic ble. C) C Liters (L) 325	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below.
	1	ine? Enter cubic inches, cubic bie. C) Liters (L) 32s e's Horsepower 326 have?	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below.
	1	ine? Enter cubic inches, cubic bie. C) Liters (L) 32s e's Horsepower 326 have?	Trips within a S0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below.
	1	ine? Enter cubic inches, cubic ble. C) C) Ci Ci Ci Ci Si Ci Ci Ci Ci Ci	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below. SKIP to item 28
	1	ine? Enter cubic inches, cubic ble. C) Liters (L) 32s e's Horsepower 326 have? ck or truck-tractor) have?	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below. SKIP to item 28 Complete items 27b and c below. SKIP to item 28
	1	ine? Enter cubic inches, cubic ble. C) Liters (L) 325 e's Horsepower 326 have? equipment? iciency gh torque	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% NEVER FOR HIRE NEVER FOR HIRE BUSINESS USE — Operated by and for a private business (including self-employers) or a company: used in related activities of that business (including self-employers) or a company: used in related activities of that business (including transportation of personnel) PERSONAL TRANSPORTATION — Operated as a personal-use vehicle in place of an automobile for pleasure driving, travel to work, etc. (NO BUSINESS USE) MIXEO — A mixture of both business use and personal transportation Percent personal transportation Percent personal transportation Percent business	363 % 363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below. SKIP to item 28 Complete items 27b and c below. SKIP to item 28
	1	ine? Enter cubic inches, cubic ble. C) Liters (L) 325 e's Horsepower 326 have? equipment? iciency gh torque	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below. SKIP to item 28 Complete items 27b and c below. SKIP to item 28 cicipality, contiguous cipality and its ercial zones
	1	ine? Enter cubic inches, cubic ble. C) Liters (L) 325 e's Horsepower 326 have? equipment? iciency gh torque	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% NEVER FOR HIRE NEVER FOR HIRE BUSINESS USE — Operated by and for a private business (including self-employers) or a company: used in related activities of that business (including self-employers) or a company: used in related activities of that business (including transportation of personnel) PERSONAL TRANSPORTATION — Operated as a personal-use vehicle in place of an automobile for pleasure driving, travel to work, etc. (NO BUSINESS USE) MIXEO — A mixture of both business use and personal transportation Percent personal transportation Percent personal transportation Percent business	363 % 363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below SKIP to item 28 complete items 27b and c below SKIP to item 28 complete items 27b and c below SKIP to item 28 complete items 27b and c below SKIP to item 28 complete items 27b and c below SKIP to item 28 complete items 27b and c below SKIP to item 28 complete items 27b and c below SKIP to item 28 complete items 27b and c below SKIP to item 28 complete items 27b and c below SKIP to item 28
	1	ine? Enter cubic inches, cubic ble. C) Liters (L) 325 e's Horsepower 326 have? equipment? iciency gh torque	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below. SKIP to item 28 complete items 27b and c below. SKIP to item 28 ricipality, contiguous cipality and its ercial zones
	1	ine? Enter cubic inches, cubic ble. C) Liters (L) 325 e's Horsepower 326 have? ck or truck-tractor) have? equipment?	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the following best describes the primary way the was operated? A01 NEVER FOR HIRE BUSINESS USE — Operated by and for a private business (including self-employers) or a company: used in related activities of that business (including self-employers) or a company: used in related activities of that business (including transportation of personnel)	363 % 363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below. SKIP to item 28 complete items 27b and c below. SKIP to item 28 ricipality, contiguous cipality and its ercial zones
	1	ine? Enter cubic inches, cubic ble. C) Liters (L) 325 e's Horsepower 326 have? ck or truck-tractor) have? equipment?	Trips within a \$0-200 mile radius of vehicle's home base Trips beyond a 200 mile radius of vehicle's home base TOTAL — Should equal 100% Ilem 27a — Which of the tollowing best describes the primary way the was operated? 401 NEVER FOR HIRE 1	363 % 100% is vehicle SKIP to item 28 SKIP to item 30 SKIP to item 28 Complete items 27b and c below. SKIP to item 28 complete items 27b and c below. SKIP to item 28 complete items 27b and c below. Percent 408 409 6

business in which the vehicle was used? It the vehicle was lead indicate business of lessee.	sed,			
414 01 AGRICULTURAL ACTIVITIES				
02 FORESTRY OR LUMBERING ACTIVITIES				
o3 CONSTRUCTION WORK – buildings, homes, roads, structures, etc. o4 CONTRACTOR ACTIVITIES OR SPECIAL TRACES – painting,				
plumbing, electrical work, masonry, carpentry, etc.				
05 MANUFACTURING, REFINING, OR PROCESSING ACTIVIT	TES			
06 WHOLESALE TRAOE				
08 PERSONAL SERVICES — used to assist in such services as	lodging			
operations, landscaping, repair (except plumbing, electrical etc. – see "Contractor Activities"), laundry, advertising,	work,			
entertainment, etc. og TUTILITIES — used to assist in operation or service of public	c c			
utilities (telephone, gas, electric, etc.)	7			
10 MINING OR QUARRY ACTIVITIES — used to assist in the extraction of natural resources				
11 [] OAILY RENTAL — rented out, without a driver, to someone				
a daily or short-term basis				
12 GOVERNMENTAL OPERATIONS				
13 NOT IN USE — vehicle idle, wrecked, awaiting repair, etc., for more than 90 days				
14 FOR HIRE TRANSPORTATION — including small package d	letivery			
is Other – Please describe in defail				
	ARTONIE TRA	SECTION SECTI	BATTAN TOTAL BETTAN BOOKEN.	Na and Control of Control
Item 29 — From the following list of products, materiats, and equipment, in	dicate which	Item 30 — At any time during the past 12 month		
item or items this vehicle carried. Write in the approximate percivehicle's annual mileage that was accounted for white carrying t	entage of the loads and	used to haul hazardous materiats in speciat placard placed on the vehicl	quantities targe enough to le due to the Code of Fedu	require a
while empty (backhauls, etc.). Be sure that percentages add up		title 49, Transportation?	ie due to the code of 1 ede	erar regulations,
(See instruction sheet for further explanation and examples,)		438 1 YES - Continue with items a and	d b	
a. PRODUCTS, EQUIPMENT, MATERIALS, ETC.	Percentage of annual	2 NO Go to ilem 31		
(1) Agricultural and Food Products	m:leage	a. What type(s) of hazardous materials were ca	rried by this vehicle?	
	415	Mark (X) as many as apply.		
(a) Live animals — cattle, horses, poultry, hogs, etc	416	439 1 Flammables or combustibles	5 Hazardous w	
(b) Fresh farm products — grain, crops, flowers, nursery stock, raw milk, raw tobacco, etc	96	2 Acids, poisons, caustics, etc. 3 TExplosives	6 🗀 Hazardous m listed above	aterials not
(c) Processed foods — canned goods, prepared meats, frozen foods, beverages, dairy products, tobacco products, etc	417	4 Radioactive materials		
, seed to seed	418	b. Approximately what percent of this vehicle's	s annual mileage was acco	ounted for by
(2) Mining Products, Unrelined — crude oil, coal, metal ores	%	carrying these hazardous materials?		
(3) Building Materials — gravel, sand, concrete, glass, etc. (except cut fumber — see "Lumber")	419	440 1 Below 25%	3 C S0-74%	
(4) Forestry, Wood, and Paper Products	420	2 □ 2S-49%	4 75-100%	
(a) Logs and lorest products — except cut lumber and fabricated		Item 31 — Please enter below the number of an		
wood products (see below)	421	trailers you own and/or operate at the in item 24.	ie same nome base you ris	teu
(b) Lumber and fabricated wood products — except furniture (see (7) below)	96			Number 443
(c) Paper and paper products	422	Pickups, small vans		
(S) Chemicals, Petroleum, and Allied Products	423			444
(a) Chemicals and/or drugs (including fertilizers, pesticides,		Straight trucks		445
cosmetics, paints, etc.)	424	Truck-tractors (power uni	**	
(b) Petroleum and petroleum products	96	T . (1)		446
(A Dis A section of the section of t	425	Trailers (semi- and/or fu	11)	447
(c) Plastics and/or rubber products	426	Converter dollies		
(a) Primary metal products — pipes, ingots, billets, sheets, etc	%	Ilem 32 - REMARKS - Please use this space essential in understanding your repo		may be
(b) Fabricated metal products — except machinery or	427	essential in understanding your repo	nteo data.	
transportation equipment (see below)	428			
(c) Machinery — electrical or nonelectrical	%			
(d) Transportation equipment (including	429			
complete vehicles) and parts	430			
(a) Furniture (wood and nonwood) and/or hardware — not				
involved in household moving	431			
(b) Textiles and apparels — fibers, leather goods, carpets, clothing, etc	%			
(8) Miscellaneous	432			
(a) Moving of household and office lurniture — from home, offices, etc., under contract	95			
	433			
(b) Miscellaneous tools and/or parts for specialized use, as in a craftsman's vehicle—traveling workshop for plumbers,	0.			
carpenters, road service crews, etc	434	ttem 33 — Person to contact regarding this repo	ort	
(c) Mixed cargo, general freight	96	Does this person have records on (or knowledge	e ot) the daity activities of	ot
(d) Scrap, garbage, trash	435	driver (stops, weight of individual shipments, d	destinations of shipments,	etc.)?
(9) Other (not elsewhere classified) — Please describe in detail	<u>-</u>	1 TES 2 N	10	
The second of th		Name		
		Address (Number and street)		
		rosicss (ivumber and street)		
	436	City	ie .	ZIP code
	437	Oaytime telephone Area code Nun	mber	Extension, if any
b, NO LOAD CARRIED - Vehicle empty	%	number —		
TOTAL Should agual 1999	100%	If this valuate has a first and		
TOTAL - Should equal 100%	100.49	If this vehicle has a fleet number, please enter it	HEIE	



APPENDIX B.

Approximating Unpublished Relative Standard Errors

The relative standard errors (RSE's) are presented for only the row and column totals in tables 3 through 8. The relative standard errors of an individual table cell may be approximated by the following two-step procedure.

First calculate the standard deviation (SD) for the table cell:

$$SD(CLT) = \frac{RCT \times RSE(RCT)}{100} \sqrt{\frac{(CLT) (STT - CLT)}{(RCT) (STT - RCT)}}$$

where:

RCT = the number of trucks in the row (or column)

CLT = the number of trucks in the cell STT = the number of trucks in the State

Now, the RSE in percent can be calculated as follows:

$$RSE(CLT) = \frac{100 \times SD(CLT)}{CLT}$$

Although either the row or column can be used, it is usually best to use the one with the fewest trucks.

Example—There are an estimated 5.5 thousand trucks in the cell for agricultural multistops or walk-ins, for which we want to approximate the RSE in percent. To approximate the RSE in percent for the agricultural multistop or walk-in cell, the following information must be extracted from the table: (1) 500.3 thousand trucks in the State, (2) 110.3 thousand trucks and an estimated RSE of 7.6 percent for the "Agriculture" column, and (3) 27.7 thousand trucks and an estimated RSE of 11.2 percent for the "Multistop or walk-in" row.

Since the row total of 27.7 thousand is less than the column total of 110.3 thousand, use the row figures to approximate the RSE in percent:

$$SD(5.5) = \frac{27.7 \times 11.2}{100} \sqrt{\frac{5.5(500.3 - 5.5)}{27.7(500.3 - 27.7)}} = 1.4$$

$$RSE(5.5) = \frac{100 \times 1.4}{5.5} = 25.5 \text{ percent}$$

Some exceptions from this procedure will yield better approximations of the relative standard error in particular cells. Certain rows and columns in the tables are composed predominately of trucks, excluding pickups and vans ("large trucks"). Because of the sample design, one obtains a better approximation of the relative standard error of the estimate for a cell within a row (column) of "large trucks" by using the row (column) total even though the column (row) total might be smaller. When both totals consist of "large trucks," use the smaller of the row or column totals.

Columns of predominately "large trucks":

Table 4-Light-heavy and Heavy-heavy

Table 5-50,000 to 74,999 miles and 75,000 miles or more

Table 7-All except Single-unit 2 axle trucks

Rows of predominately "large trucks":

Body Type-All except Pickup, Panel truck or Van, and Multistop or Walk-in

Annual Miles-50,000 to 74,999 and 75,000 or more

Range of Operation—Long range (more than 200 miles)

Gross Weight-All from 19,501 pounds and over

Lease Characteristics-Leased with driver

Hazardous Materials Carried—All carrying hazardous materials


Miles per Gallon-Less than 5 and 5 to 6.9

Equipment Type, Braking System-Air

Truck Type and Axle Arrangement—All except Single-unit

2 axle trucks


Cab Type-All




	TI
	r
	U
l	I
ì	
	r
	1
	L

REFERENCE MATERIALS • ORDER FORMS • PUBLICATION CORRECTIONS

	Please send me the items marked (X) below.	
	☐ Corrections (if there are any) fo	or this publication—Truck Inventory a TC82-T-22	nd Use Survey, Massachusetts,
	you should complete this f address shown below to re	fferent reports from the 1982 Econom form from each of the reports and retureceive publication corrections. Howevering on only one of the forms.	rn it to the
	Guide to the 1982 Economic Ce	ensuses and Related Statistics	
		nt—A monthly notice of all products re ious month—useful primarily to person etc., in the future.	
	Publication announcements and or	der forms — Mark (X) subjects in whic	ch you are interested.
	☐ Retail Trade ☐ Wholesale Trade	Economic Censuses of Outlying Areas (Puerto Rico, Guam, Virgin Islands, and	☐ Governments ☐ Foreign Trade
	Service Industries	Northern Mariana Islands)	Population
	☐ Construction Industries	Minority- and Women- Owned Businesses	Housing
	☐ Manufacturing	☐ Agriculture	☐ International Statistics
	☐ Mineral Industries	☐ County Business Patterns	Geography
	☐ Transportation	☐ Quarterly Financial Report	☐ Guides, Catalogs, etc.
Name			Mail completed form to
Organi	zation		Customer Services
Address/PO Box			DUSD Bureau of the Census
City		State ZIP Code	Washington, D.C. 20233





1982 Census of Agriculture

The reports include data on:

- Number of farms
- Land in farms
- Farm operator characteristics
- Type of organization
- Land use
- Size of farms
- Market value of agricultural products sold
- Poultry
- Livestock
- Poultry and livestock products
- Crops harvested
- Energy costs
- Selected Expenditures

Available for all counties, States and U.S. Summary

Printed copy

Computer Tape

Microfiche

For price information and order forms, contact.

Customer Services
Data User Services Division
Bureau of the Census
Washington, D.C. 20233

Telephone 301-763-4100

U.S. Department of Commerce BUREAU OF THE CENSUS

★ U.S. GOVERNMENT PRINTING OFFICE: 1985—461-127/20233

to the little

PUBLICATION PROGRAM

1982 CENSUS OF TRANSPORTATION

Publications of the 1982 Census of Transportation containing data on the characteristics and use of trucks, the shipment of commodities by manufacturers, and financial and operating characteristics of selected transportation industries are described below. Publications order forms for the specific reports may be obtained from any Department of Commerce district office or from Data User Services Division, Customer Services (Publications), Bureau of the Census, Washington, D.C. 20233.

Final Reports

Truck Inventory and Use Survey-52 reports (TC82-T-1 to -52)

This series includes a U.S. summary and a separate report for each State and the District of Columbia. Data cover the characteristics and uses of the Nation's private and commercial truck resources, such as the number of vehicles, number of truck miles, major use of vehicle, annual miles, model year, body type, vehicle size class, type of fuel, classification of operator, engine size, and use of hazardous material.

Commodity Transportation Survey-1 report (TC82-CS-1)

Data for summary statistics on the volume and characteristics of shipments originated by manufactures, minerals, and wholesale (grain and petroleum bulk stations) industries in the 50 States and the District of Columbia.

Selected Statistics for Transportation Industries—1 report (TC82-ST-1)

The data for this program are published in one report. Establishment statistics are presented by State by kind of business on the number of establishments, first quarter and annual payroll, and number of employees for local and suburban transit and interurban highway passenger transportation, motor freight transportation, public warehousing, water transportation, transportation by air, pipeline (except natural gas), arrangement of passenger transportation and other transportation services. Also presented are data on revenue by source by type of activity for arrangement of passenger transportation, and revenue by source by kind

of business for public warehousing, as well as national totals by kind of business by employment size of establishment.

Final Report Volumes

Data for the Truck Inventory and Use Survey only will be reissued in clothbound form.

Microfiche

All published data are also available on microfiche.

Computer Tapes

Most tapes from the census of transportation are different from the computer tapes for the other economic censuses in that they contain microdata rather than summary data. The term microdata refers to the unaggregated records for the individual responses. The records are modified to avoid the possibility of identifying individual households or establishments.

The tapes for the Truck Inventory and Use Survey contain microdata information for each truck in the sample.

No public-use tape is planned for the Selected Statistics for Transportation Industries Program.

OTHER ECONOMIC CENSUSES REPORTS

Data on retail trade, wholesale trade, service industries, construction industries, manufactures, mineral industries, enterprise statistics, minority-owned businesses, and women-owned businesses also are issued as part of the 1982 Economic Censuses. A separate series of reports covers the censuses of outlying areas—Puerto Rico, Virgin Islands of the United States, Guam, and the Northern Marianas. Separate announcements describing these reports are available free of charge from Data User Services Division, Customer Services (Publications), Bureau of the Census, Washington, D.C. 20233.

Superintendent of Documents U.S. Government Printing Office Washington, D.C. 20402

Official Business
Penalty for Private Use, \$300



POSTAGE AND FEES PAID U.S. DEPARTMENT OF COMMERCE COM-202

Special Fourth-Class
Rate-Book







BUREAU OF THE CENSUS LIBRARY Washington, D.C. 20233



